Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2004023

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CBGU D&C JV

Address: ALBERT STREET STATION, ALBERT ST, BRISBANE 4000 QLD

Details of contravention:

Site location

Lot 2, Albert Street Station, Albert St, Brisbane

I, Lewis Cash reasonably believe on 04-AUG-2020 at 13:45 that you are contravening a provision of the:
Work Health and Safety Act 2011 - section(s) 19(3)(C)

Brief description of how the provision is being or has been contravened:

You have not ensured, so far as is reasonably practicable, the provision and maintenance of safe systems of work.
I observed delivery drivers attending the workplace, getting out of the cab and engaging with workers. I observed a document titled Delivery Driver Induction and no evidence was able to be provided that these forms had been completed by any delivery drivers I observed. Also, after viewing the COVID management plan, there is a section stating everyone who enters the office and sites will complete the mandatory daily health declaration. Therefore, I have formed a reasonable belief the COVID management plan is not being implemented for deliveries on site.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

04-AUG-2020
Date issued

[redacted]
Inspector's location

This contravention must be remedied before: 08-AUG-2020

Service method: Delivered directly to the person named by electronic transmission

SUSAN SARLANIS
Notice given to

Management Representative For Person With Management Or Control Of A Workplace
Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2004023

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

CHANGE

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2021569

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CROSS RIVER RAIL

ABN: | ACN:

Trading as: CPB CROSS RIVER RAIL

Address: BOGGO RD, DUTTON PARK 4102 QLD

Details of contravention:

Site location

BOGGO RD, DUTTON PARK 4102 QLD

I, Steve Rushton reasonably believe on 04-AUG-2020 at 14:00 that you are contravening a provision of the:

Work Health and Safety Act 2011 - section(s) 19(3)(C)

Brief description of how the provision is being or has been contravened:

Observations, inspections, photographs and conversations with relevant persons confirmed that the PC/PCBU has failed to ensure that the hazardous chemical register is maintained so that the information in the register is up to date.
Two boxes of Hazardous Chemical, Ultracolor Line Marker delivered today, quarantined in a tagged out (not for use) hazardous storage container that was not locked. Information on the Ultracolor Line Marker is not in the hazardous chemical register.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Work Health and Safety Act 2011 - section 19(3)(C)
Without limiting subsections 19 (1) and 19 (2), a person conducting a business or undertaking must ensure, so far as is reasonably practicable the provision and maintenance of safe systems of work

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted] | [redacted] | [redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

04-AUG-2020 | [redacted]

Date issued | Inspector's location

This contravention must be remedied before: 06-AUG-2020

Service method: Delivered directly to the person named by electronic transmission

PETER CULLEN | Health And Safety Representative

Notice given to | Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.

I certify that the requirements of this notice have been complied with:

Name *in block letters*: PETER CULLEN Position: SNR SAFETY ADVISOR

Signature: [redacted] Date complied: 04/08/2020

ABN 94 496 188 983

Notice No. I2021569

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2021570

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CROSS RIVER RAIL

ABN: | ACN:

Trading as: CPB CROSS RIVER RAIL

Address: BOGGO RD, DUTTON PARK 4102 QLD

Details of contravention:

Site location

BOGGO RD, DUTTON PARK 4102 QLD

I, Steve Rushton reasonably believe on 04-AUG-2020 at 14:00 that you are contravening a provision of the:
Work Health and Safety Act 2011 - section(s) 19(3)(C)

Brief description of how the provision is being or has been contravened:

Observations, inspections, photographs and conversations with relevant persons confirm that the PC/PCBU has failed to ensure a safe system of work has been implemented to manage workers and other persons from the risk of exposure to Covid-19.
Truck drivers observed driving through site with their windows down and talking to workers. They have not been assessed (Covid-19 triage) on entering site.,
Oher worker entered site and was not stopped at the gate to be Covid-19 triaged.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Work Health and Safety Act 2011 - section 19(3)(C)
Without limiting subsections 19 (1) and 19 (2), a person conducting a business or undertaking must ensure, so far as is reasonably practicable the provision and maintenance of safe systems of work;

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted] | [redacted] | [redacted]
Signature of inspector | Inspector's ID | Inspector's contact number

04-AUG-2020 | [redacted]
Date issued | Inspector's location

This contravention must be remedied before: 07-AUG-2020

Service method: Delivered directly to the person named by electronic transmission

PETER CULLEN
Notice given to

Health And Safety Representative
Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2021570

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Internal review of decision

An eligible person whose interests are affected by an original decision may apply for the decision to be reviewed. Refer to the Internal review of decision ? guide for applicants, at www.worksafe.qld.gov.au

An eligible person is:

1. The person to whom the notice was issued.
2. A person conducting a business or undertaking whose interests are affected by the decision.
3. A worker whose interests are affected by the decision.
4. A health and safety representative who represents a worker whose interests are affected by the decision.

How does a person apply for a review of a decision?

The application for internal review must:

a) be made in the approved form to the reviewer

b) supported by enough information to enable the reviewer to decide the application

An application for internal review relating to an improvement notice issued under the *Work Health and Safety Act 2011* and the *Safety in Recreational Water Activities Act 2011* must be lodged before the date stated in the notice for compliance or within 14 calendar days of the decision coming to the notice of the eligible person, whichever is the lesser.

For an improvement notice issued under the *Electrical Safety Act 2002*, the application for internal review must be made within 14 days after the day the applicant receives the notice.

Lodgement of the form can be made via email whsrod@oir.qld.gov.au. Information about how to apply for an internal review of decision, including the application form, is available at www.worksafe.qld.gov.au or by calling 1300 362 128. There is no application fee.

The operation of the improvement notice is stayed (suspended) once the application for review of decision is lodged. The stay remains in effect until a decision is made by the internal reviewer and whichever of the following is earlier ? an external review is applied for or, 28 days have elapsed since the person became aware of the decision.

What happens next?

The internal reviewer must make a decision within 14 calendar days of receiving the application for internal review. The internal reviewer can confirm or vary the reviewable decision, or set aside the reviewable decision and substitute the original decision for another decision. Once the internal reviewer makes the decision, they must notify the applicant of the decision and the reasons for the decision in writing.

External review

An eligible person may apply to an external review body for a review of the internal decision of the internal decision reviewer, or the original decision of the regulator. From the day the applicant received or became aware of the decision, an application for external review must be made within:

- 30 calendar days to the Queensland Industrial Relations Commission (QIRC) relating to the *Work Health and Safety Act 2011*;
- 28 calendar days to the Queensland Civil Administration Tribunal (QCAT) relating to the *Electrical Safety Act 2002* or the *Safety in Recreational Waters Act 2011*.

QCAT and QIRC may confirm or vary the original decision, set aside the original decision and substitute another decision or set aside the original decision and return the matter to the decision maker with appropriate directions.

Please refer to www.worksafe.qld.gov.au or phone 1300 362 128 for more information on how to apply for an external review.

Privacy collection statement

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

The OIR's privacy information is on our website at www.worksafe.qld.gov.au.

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice.

You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

Form 13 RECIPIENT'S COPY

Improvement notice

Notice No. I2024133

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CBGU D&C JV

Address: 867 MAIN ST , WOOLLOONGABBA 4102 QLD

Details of contravention:

Site location

CRR WOOLLOONGABBA 867 MAIN ST , WOOLLOONGABBA 4102 QLD

I, Paul Kitchener reasonably believe on 04-AUG-2020 at 13:00 that you are contravening a provision of the:
Work Health and Safety Act 2011 - section(s) 21(2)

Brief description of how the provision is being or has been contravened:

I observed and photographed a lifting equipment register at the workplace. There were items at the workplace including three Lever Blocks numbers BJT2641-1563, BJT02808-4208 and BJT0209-4564 which are not on the lifting register. There is no evidence to demonstrate that these items have been inspected. You have not ensured that the items of plant are without risks to health and safety of persons at the workplace.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Work Health and Safety Act 2011 - section 21(2)
The person with management or control of fixtures, fittings or plant at a workplace must ensure, so far as is reasonably practicable, that the fixtures, fittings and plant are without risks to the health and safety of any person.

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted] | [redacted] | [redacted]
Signature of inspector | Inspector's ID | Inspector's contact number

04-AUG-2020 | [redacted]
Date issued | Inspector's location

This contravention must be remedied before: 07-AUG-2020

Service method: Delivered directly to the person named by electronic transmission

BRENDAN TAYLOR
Notice given to

Management Representative For Person Conducting A Business Or Undertaking
Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name [redacted] Jeffrey Koskela Position: Senior Safety

[redacted] Date complied: 6/8/20

ABN 94 496 188 983

Notice No. I2024133

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $60,000 for an individual and $258,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Internal review of decision

An eligible person whose interests are affected by an original decision may apply for the decision to be reviewed. Refer to the Internal review of decision ? guide for applicants, at www.worksafe.qld.gov.au

An eligible person is:

1. The person to whom the notice was issued.
2. A person conducting a business or undertaking whose interests are affected by the decision.
3. A worker whose interests are affected by the decision.
4. A health and safety representative who represents a worker whose interests are affected by the decision.

How does a person apply for a review of a decision?

The application for internal review must:

a) be made in the approved form to the reviewer

b) supported by enough information to enable the reviewer to decide the application

An application for internal review relating to an improvement notice issued under the *Work Health and Safety Act 2011* and the *Safety in Recreational Water Activities Act 2011* must be lodged before the date stated in the notice for compliance or within 14 calendar days of the decision coming to the notice of the eligible person, whichever is the lesser.

For an improvement notice issued under the *Electrical Safety Act 2002*, the application for internal review must be made within 14 days after the day the applicant receives the notice.

Lodgement of the form can be made via email whsrod@oir.qld.gov.au. Information about how to apply for an internal review of decision, including the application form, is available at www.worksafe.qld.gov.au or by calling 1300 362 128. There is no application fee.

The operation of the improvement notice is stayed (suspended) once the application for review of decision is lodged. The stay remains in effect until a decision is made by the internal reviewer and whichever of the following is earlier ? an external review is applied for or, 28 days have elapsed since the person became aware of the decision.

What happens next?

The internal reviewer must make a decision within 14 calendar days of receiving the application for internal review. The internal reviewer can confirm or vary the reviewable decision, or set aside the reviewable decision and substitute the original decision for another decision. Once the internal reviewer makes the decision, they must notify the applicant of the decision and the reasons for the decision in writing.

External review

An eligible person may apply to an external review body for a review of the internal decision of the internal decision reviewer, or the original decision of the regulator. From the day the applicant received or became aware of the decision, an application for external review must be made within:

- 30 calendar days to the Queensland Industrial Relations Commission (QIRC) relating to the *Work Health and Safety Act 2011*;
- 28 calendar days to the Queensland Civil Administration Tribunal (QCAT) relating to the *Electrical Safety Act 2002* or the *Safety in Recreational Waters Act 2011*.

QCAT and QIRC may confirm or vary the original decision, set aside the original decision and substitute another decision or set aside the original decision and return the matter to the decision maker with appropriate directions.

Please refer to www.worksafe.qld.gov.au or phone 1300 362 128 for more information on how to apply for an external review.

Privacy collection statement

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

The OIR's privacy information is on our website at www.worksafe.qld.gov.au.

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice.

You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2024134

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 148. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CBGU D&C JV

Address: 867 MAIN ST , WOOLLOONGABBA 4102 QLD

Details of contravention:

Site location

CRR WOOLLOONGABBA, 867 MAIN ST , WOOLLOONGABBA 4102 QLD

I, Paul Kitchener reasonably believe on 04-AUG-2020 at 13:00 that you are contravening a provision of the:
Work Health and Safety Act 2011 - section(s) 19(3)(D)

Brief description of how the provision is being or has been contravened:

I observed and photographed two flammable storage cabinets and a white shipping container with a no smoking placard. None of the containers were accessible as all were locked. There was a delay of over an hour at which stage no key was able to be produced. There was no ability for myself and accompanying inspector to ascertain what hazardous chemicals were contained within these locations, especially in regard to incompatible storage, and the delay in obtaining a key may present a problem should an emergency arise where emergency services are unable to access. You have not ensured the safe storage of substances.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Work Health and Safety Act 2011 - section 19(3)(D)
Without limiting subsections 19 (1) and 19 (2), a person conducting a business or undertaking must ensure, so far as is reasonably practicable the safe use, handling and storage of plant, structures and substances

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted] | [redacted] | [redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

04-AUG-2020 | [redacted]

Date issued | Inspector's location

This contravention must be remedied before: 06-AUG-2020

Service method: Delivered directly to the person named by electronic transmission

BRENDAN TAYLOR
Notice given to

Management Representative For Person Conducting A Business Or Undertaking
Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: BRENDAN TAYLOR Position: PM

Signature: [redacted] Date complied: 05/08/20

ABN 94 496 188 983

Notice No. I2024134

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13

RECIPIENT'S COPY

Improvement notice

V1.3.18

Notice No. I2024134

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Internal review of decision

An eligible person whose interests are affected by an original decision may apply for the decision to be reviewed. Refer to the internal review of decision ? guide for applicants, at www.worksafe.qld.gov.au

An eligible person is:

1. The person to whom the notice was issued.
2. A person conducting a business or undertaking whose interests are affected by the decision.
3. A worker whose interests are affected by the decision.
4. A health and safety representative who represents a worker whose interests are affected by the decision.

How does a person apply for a review of a decision?

The application for internal review must:

a) be made in the approved form to the reviewer

b) supported by enough information to enable the reviewer to decide the application

An application for internal review relating to an improvement notice issued under the *Work Health and Safety Act 2011* and the *Safety in Recreational Water Activities Act 2011* must be lodged before the date stated in the notice for compliance or within 14 calendar days of the decision coming to the notice of the eligible person, whichever is the lesser.

For an improvement notice issued under the *Electrical Safety Act 2002*, the application for internal review must be made within 14 days after the day the applicant receives the notice.

Lodgement of the form can be made via email whsrod@oir.qld.gov.au. Information about how to apply for an internal review of decision, including the application form, is available at www.worksafe.qld.gov.au or by calling 1300 362 128. There is no application fee.

The operation of the improvement notice is stayed (suspended) once the application for review of decision is lodged. The stay remains in effect until a decision is made by the internal reviewer and whichever of the following is earlier ? an external review is applied for or, 28 days have elapsed since the person became aware of the decision.

What happens next?

The internal reviewer must make a decision within 14 calendar days of receiving the application for internal review. The internal reviewer can confirm or vary the reviewable decision, or set aside the reviewable decision and substitute the original decision for another decision. Once the internal reviewer makes the decision, they must notify the applicant of the decision and the reasons for the decision in writing.

External review

An eligible person may apply to an external review body for a review of the internal decision of the internal decision reviewer, or the original decision of the regulator. From the day the applicant received or became aware of the decision, an application for external review must be made within:

- 30 calendar days to the Queensland Industrial Relations Commission (QIRC) relating to the *Work Health and Safety Act 2011*;
- 28 calendar days to the Queensland Civil Administration Tribunal (QCAT) relating to the *Electrical Safety Act 2002* or the *Safety in Recreational Waters Act 2011*.

QCAT and QIRC may confirm or vary the original decision, set aside the original decision and substitute another decision or set aside the original decision and return the matter to the decision maker with appropriate directions.

Please refer to www.worksafe.qld.gov.au or phone 1300 362 128 for more information on how to apply for an external review.

Privacy collection statement

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

The OIR's privacy information is on our website at www.worksafe.qld.gov.au.

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice.

You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

Form 13

RECIPIENT'S COPY

Improvement notice

Notice No. I2024135

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED	
ABN: 98000893667	ACN: 000893667
Trading as: CBGU D&C JV	
Address: 867 MAIN ST , WOOLLOONGABBA 4102 QLD	

Details of contravention:

Site location

CRR WOOLLOONGABBA 867 MAIN ST , WOOLLOONGABBA 4102 QLD

I, Paul Kitchener reasonably believe on 04-AUG-2020 at 13:00 that you are contravening a provision of the:

Work Health and Safety Act 2011 - section(s) 19(3)(A)

Brief description of how the provision is being or has been contravened:

I observed and photographed three geotechnical engineers working in the station box conducting work. The workers were standing adjacent to a sump which was full of water of an undetermined depth. The safety adviser for CPP advised me the water would probably not be over 400mm. There was no exclusion zone or delineated area to ensure that the workers were not put at risk of injury from a fall or from exposure to risk of drowning. You have not ensured the provision of a work environment without risk to health and safety.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Work Health and Safety Act 2011 - section 19(3)(A)
Without limiting subsections 19 (1) and 19 (2), a person conducting a business or undertaking must ensure, so far as is reasonably practicable the provision and maintenance of a work environment without risks to health and safety

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted] | [redacted] | [redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

04-AUG-2020 | PO BOX 829, WOODRIDGE 4114 QLD

Date issued | Inspector's location

This contravention must be remedied before:	Service method:
06-AUG-2020	Delivered directly to the person named by electronic transmission
BRENDAN TAYLOR Notice given to	Management Representative For Person Conducting A Business Or Undertaking Relationship to person to whom notice is issued

This portion may be signed and returned where co[redacted]tated date.

I certify that the requirements of t[redacted]

Name *in block letters* [redacted] Position: [redacted]

Signature [redacted] Date complied: 25/8/20

ABN 94 496 188 983

Notice No. I2024135

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Internal review of decision

An eligible person whose interests are affected by an original decision may apply for the decision to be reviewed. Refer to the Internal review of decision ? guide for applicants, at www.worksafe.qld.gov.au

An eligible person is:

1. The person to whom the notice was issued.
2. A person conducting a business or undertaking whose interests are affected by the decision.
3. A worker whose interests are affected by the decision.
4. A health and safety representative who represents a worker whose interests are affected by the decision.

How does a person apply for a review of a decision?

The application for internal review must:

a) be made in the approved form to the reviewer

b) supported by enough information to enable the reviewer to decide the application

An application for internal review relating to an improvement notice issued under the *Work Health and Safety Act 2011* and the *Safety in Recreational Water Activities Act 2011* must be lodged before the date stated in the notice for compliance or within 14 calendar days of the decision coming to the notice of the eligible person, whichever is the lesser.

For an improvement notice issued under the *Electrical Safety Act 2002*, the application for internal review must be made within 14 days after the day the applicant receives the notice.

Lodgement of the form can be made via email whsrod@oir.qld.gov.au. Information about how to apply for an internal review of decision, including the application form, is available at www.worksafe.qld.gov.au or by calling 1300 362 128. There is no application fee.

The operation of the improvement notice is stayed (suspended) once the application for review of decision is lodged. The stay remains in effect until a decision is made by the internal reviewer and whichever of the following is earlier ? an external review is applied for or, 28 days have elapsed since the person became aware of the decision.

What happens next?

The internal reviewer must make a decision within 14 calendar days of receiving the application for internal review. The internal reviewer can confirm or vary the reviewable decision, or set aside the reviewable decision and substitute the original decision for another decision. Once the internal reviewer makes the decision, they must notify the applicant of the decision and the reasons for the decision in writing.

External review

An eligible person may apply to an external review body for a review of the internal decision of the internal decision reviewer, or the original decision of the regulator. From the day the applicant received or became aware of the decision, an application for external review must be made within:

- 30 calendar days to the Queensland Industrial Relations Commission (QIRC) relating to the *Work Health and Safety Act 2011*;
- 28 calendar days to the Queensland Civil Administration Tribunal (QCAT) relating to the *Electrical Safety Act 2002* or the *Safety in Recreational Waters Act 2011*.

QCAT and QIRC may confirm or vary the original decision, set aside the original decision and substitute another decision or set aside the original decision and return the matter to the decision maker with appropriate directions.

Please refer to www.worksafe.qld.gov.au or phone 1300 362 128 for more information on how to apply for an external review.

Privacy collection statement

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

The OIR's privacy information is on our website at www.worksafe.qld.gov.au.

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice.

You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

Form 13 RECIPIENT'S COPY

Improvement notice

Notice No. I2024136

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED	
ABN: 98000893667	ACN: 000893667
Trading as: CBGU D&C JV	
Address: 867 MAIN ST , WOOLLOONGABBA 4102 QLD	

Details of contravention:

Site location

CRR WOOLLOONGABBA 867 MAIN ST , WOOLLOONGABBA 4102 QLD

I, Paul Kitchener reasonably believe on 04-AUG-2020 at 13:00 that you are contravening a provision of the:

Work Health and Safety Act 2011 - section(s) 19(3)(C)

Brief description of how the provision is being or has been contravened:

I observed and photographed two areas where the top sections of barrier screening has been removed around the station box at the workplace to facilitate use of surveying equipment and to run an air hose. The barrier in these areas is not 1800mm as required for falling objects. There was no delineated area or exclusion zone around the areas where the barrier had been removed, and there is no system in place to manage the risk of falling objects from the areas into the station box. You have not ensured the provision of a safe system of work for the removal of barriers.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:

It is mandatory to comply with these directions

Work Health and Safety Act 2011 - section 19(3)(C)
Without limiting subsections 19 (1) and 19 (2), a person conducting a business or undertaking must ensure, so far as is reasonably practicable the provision and maintenance of safe systems of work

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted] | [redacted] | [redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

04-AUG-2020 | [redacted]

Date issued | Inspector's location

This contravention must be remedied before:	Service method:
07-AUG-2020	Delivered directly to the person named by electronic transmission
BRENDAN TAYLOR	Management Representative For Person Conducting A Business Or Undertaking
Notice given to	Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.

I [redacted] certify that the requirements of this notice have been complied with:

Name in block: [redacted] Position: Senior Safety Advisor

Signature: [redacted] Date complied: 21/8/2020

ABN 94 496 188 [redacted]

Notice No. I2024136

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Internal review of decision

An eligible person whose interests are affected by an original decision may apply for the decision to be reviewed. Refer to the Internal review of decision ? guide for applicants, at www.worksafe.qld.gov.au

An eligible person is:

1. The person to whom the notice was issued.
2. A person conducting a business or undertaking whose interests are affected by the decision.
3. A worker whose interests are affected by the decision.
4. A health and safety representative who represents a worker whose interests are affected by the decision.

How does a person apply for a review of a decision?

The application for internal review must:

a) be made in the approved form to the reviewer

b) supported by enough information to enable the reviewer to decide the application

An application for internal review relating to an improvement notice issued under the *Work Health and Safety Act 2011* and the *Safety in Recreational Water Activities Act 2011* must be lodged before the date stated in the notice for compliance or within 14 calendar days of the decision coming to the notice of the eligible person, whichever is the lesser.

For an improvement notice issued under the *Electrical Safety Act 2002*, the application for internal review must be made within 14 days after the day the applicant receives the notice.

Lodgement of the form can be made via email whsrod@oir.qld.gov.au. Information about how to apply for an internal review of decision, including the application form, is available at www.worksafe.qld.gov.au or by calling 1300 362 128. There is no application fee.

The operation of the improvement notice is stayed (suspended) once the application for review of decision is lodged. The stay remains in effect until a decision is made by the internal reviewer and whichever of the following is earlier ? an external review is applied for or, 28 days have elapsed since the person became aware of the decision.

What happens next?

The internal reviewer must make a decision within 14 calendar days of receiving the application for internal review. The internal reviewer can confirm or vary the reviewable decision, or set aside the reviewable decision and substitute the original decision for another decision. Once the internal reviewer makes the decision, they must notify the applicant of the decision and the reasons for the decision in writing.

External review

An eligible person may apply to an external review body for a review of the internal decision of the internal decision reviewer, or the original decision of the regulator. From the day the applicant received or became aware of the decision, an application for external review must be made within:

- 30 calendar days to the Queensland Industrial Relations Commission (QIRC) relating to the *Work Health and Safety Act 2011*;
- 28 calendar days to the Queensland Civil Administration Tribunal (QCAT) relating to the *Electrical Safety Act 2002* or the *Safety in Recreational Waters Act 2011*.

QCAT and QIRC may confirm or vary the original decision, set aside the original decision and substitute another decision or set aside the original decision and return the matter to the decision maker with appropriate directions.

Please refer to www.worksafe.qld.gov.au or phone 1300 362 128 for more information on how to apply for an external review.

Privacy collection statement

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

The OIR's privacy information is on our website at www.worksafe.qld.gov.au.

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice.

You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2004024

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CBGU D&C JV

Address: 867 MAIN ST , WOOLLOONGABBA 4102 QLD

Details of contravention:

Site location

867 MAIN ST , WOOLLOONGABBA 4102 QLD

I, Lewis Cash reasonably believe on 05-AUG-2020 at 09:30 that you are contravening a provision of the:

Work Health and Safety Regulation 2011 - regulation 54

Brief description of how the provision is being or has been contravened:

I have observed on the construction project screening panels which have been fixed onto a 300 x 300mm concrete nib wall. After consultation this system is being used to control the risk of falls. I have identified the potential for falling objects from this area as workers were observed carrying materials, tools and equipment which could be dropped and fall through gaps in the screens which is reasonably likely to injure a worker below. The screening does not meet the requirements for falling object control.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

05-AUG-2020
Date issued

[redacted]
Inspector's location

This contravention must be remedied before: 11-AUG-2020

Service method: Delivered directly to the person named by electronic transmission

JERRY KARATI
Notice given to

Management Representative For Person With Management Or Control Of A Workplace
Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2004024

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2004207

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED	
ABN: 98000893667	ACN: 000893667
Trading as: CBGU D&C JV	
Address: BOGGO ROAD STATION, , DUTTON PARK 4102 QLD	

Details of contravention:

Site location

Near storage area of Joe Baker Drive, DUTTON PARK 4102 QLD

I, Lee Franklin reasonably believe on 05-AUG-2020 at 09:40 that you are contravening a provision of the:
Work Health and Safety Act 2011 - section(s) 19(3)(D)

Brief description of how the provision is being or has been contravened:

I observed and photographed a Caterpillar forklift FL1168, CRR Authorised plant number 1845 which was parked up with the key left in the ignition giving rise to risk of unauthorised operation and through inspection of the plant I observed that no operators manual was on the forklift.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector	Inspector's ID	Inspector's contact number
05-AUG-2020	[redacted]	
Date issued	Inspector's location	

This contravention must be remedied before:	**Service method:**
07-AUG-2020	Delivered directly to the person named by electronic transmission
PETER MELLOY	Management Representative For Person With Management Or Control Of A Workplace
Notice given to	Relationship to person to whom notice is issued

---

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2004207

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2019714

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED	
ABN: 98000893667	ACN: 000893667
Trading as: CBGU D&C JV	
Address: LEVEL 6 SOUTH TOWER, 520 WICKHAM ST, FORTITUDE VALLEY 4006 QLD	

Details of contravention:

Site location

Albert Street Station Lot 1, Brisbane QLD 4002

I, Christopher Mutton reasonably believe on 05-AUG-2020 at 12:05 that you are contravening a provision of the:
Work Health and Safety Act 2011 - section(s) 19(3)(C)

Brief description of how the provision is being or has been contravened:

Observations, inspections, photographs and conversations with relevant persons confirm that the PC/PCBU failed to ensure that a safe system of work identified the hazard and risk associated with falls from one level to another. It was identified that they failed to install handrail to the stairs on the and to the protection concrete slab.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

05-AUG-2020
Date issued

[redacted]
Inspector's location

This contravention must be remedied before: 07-AUG-2020

Service method: Delivered directly to the person named

MARK TAYLOR
Notice given to

Management Representative For Person Conducting A Business Or Undertaking
Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2019714

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2019715

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CBGU D&C JV

Address: LEVEL 6 SOUTH TOWER, 520 WICKHAM ST, FORTITUDE VALLEY 4006 QLD

Details of contravention:

Site location

Albert Street Station Lot 2, Brisbane QLD 4002

I, Christopher Mutton reasonably believe on 05-AUG-2020 at 14:15 that you are contravening a provision of the:
Work Health and Safety Act 2011 - section(s) 19(3)(B)

Brief description of how the provision is being or has been contravened:

Observations, inspections, photographs and conversations with relevant persons confirm that the PC/PCBU failed to ensure that they have manage risk to health and safety associated with a fall by a person from one level to another that is reasonably likely to cause injury to the person or any other person. Open live edge to the gantry crane platform access area.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

05-AUG-2020
Date issued

[redacted]
Inspector's location

This contravention must be remedied before: 09-AUG-2020

Service method: Delivered directly to the person named

SUE SARLANIS
Notice given to

Management Representative For Person Conducting A Business Or Undertaking
Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2019715

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2019716

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: FORMCON PTY LTD

ABN: 42166785968 | ACN:

Trading as:

Address: 67 ENKLEMAN RD, YATALA 4207 QLD

Details of contravention:

Site location

Albert Street Station Lot 1, Brisbane QLD 4002

I, Christopher Mutton reasonably believe on 05-AUG-2020 at 17:10 that you are contravening a provision of the:
Work Health and Safety Act 2011 - section(s) 26A(a)

Brief description of how the provision is being or has been contravened:

Observations, inspections, photographs and conversations with relevant persons confirm that the PCBU has failed to comply with the relevant code of practice mobile crane 2006. Confirmed with the appointed inspector of lifting equipment for/on behalf of the PCBU had not completed vision testing within last 24months.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

05-AUG-2020
Date issued

[redacted]
Inspector's location

This contravention must be remedied before: 12-AUG-2020

Service method: Delivered directly to the person named

STEVE PAMENTER
Notice given to

Management Representative For Person Conducting A Business Or Undertaking
Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2024137

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED	
ABN: 98000893667	ACN: 000893667
Trading as: CBGU D&C JV	
Address: BOGGO ROAD STATION, , DUTTON PARK 4102 QLD	

Details of contravention:

Site location

Boggo Rd Station, Main Access and Exit Gates off Joe Baker Drive, Dutton Park

I, Paul Kitchener reasonably believe on 05-AUG-2020 at 09:35 that you are contravening a provision of the:
Work Health and Safety Act 2011 - section(s) 19(3)(A)

Brief description of how the provision is being or has been contravened:

I observed and photographed crowd barrier type fencing delineating pedestrian foot traffic from Heavy Vehicular Traffic including Prime Mover Trucks and trailers, and concrete agitator trucks. The barriers are not rated barriers and are unsuitable protection against the risk of injury to pedestrians from impact from traffic. You have not ensured the provision of a work environment without risks to health and safety.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Work Health and Safety Act 2011 - section 19(3)(A)
Without limiting subsections 19 (1) and 19 (2), a person conducting a business or undertaking must ensure, so far as is reasonably practicable the provision and maintenance of a work environment without risks to health and safety

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector	Inspector's ID	Inspector's contact number
05-AUG-2020	[redacted]	
Date issued	Inspector's location	

This contravention must be remedied before: 07-AUG-2020

Service method: Delivered directly to the person named by electronic transmission

Notice given to	Relationship to person to whom notice is issued
PETER MELLOY	Management Representative For Person Conducting A Business Or Undertaking

---

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2024137

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 RECIPIENT'S COPY

Improvement notice

V1.3.18

Notice No. I2013531

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CBGU D&C JV

Address: ROMA STREET STATION, ROMA ST, BRISBANE CITY 4000 QLD

Details of contravention:

Site location

ROMA STREET STATION, ROMA ST, BRISBANE CITY 4000 QLD tunnelling shed

I, Travis Dungey reasonably believe on 05-AUG-2020 at 12:30 that you have contravened a provision in circumstances that make it likely that the contravention will continue or be repeated of the:

Work Health and Safety Act 2011 - section(s) 19(3)(C)

Brief description of how the provision is being or has been contravened:

While on site I observed a Hazardous Substance stored on site. The Hazardous Chemical was Master Roc SA 167 in 1000L storage containers when I asked, no SDS for the product could be supplied, this item has been in use on site and workers would have been at risk while using that product. no safe system of work is in place to manage hazardous chemicals in relation to making sure SDS have been acquired and in place before letting workers on site use that chemical.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Without limiting subsections 19 (1) and 19 (2), a person conducting a business or undertaking must ensure, so far as is reasonably practicable the provision and maintenance of safe systems of work;

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted] | [redacted] | [redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

05-AUG-2020 | [redacted]

Date issued | Inspector's location

This contravention must be remedied before: 11-AUG-2020

Service method: Delivered directly to the person named by electronic transmission

MICHAEL FINCH
Notice given to

Management Representative For Person Conducting A Business Or Undertaking
Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: DANIEL SMITH Position: PM

Signature: [redacted] Date complied: 7/08/20

ABN 94 496 [redacted]

Notice No. I2013531

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

RECIPIENT'S COPY

Form 13

Improvement notice

Notice No. I 2019682

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LTD

ABN: 98 000 893 667 ACN:

Trading as:

Address: Level 6, HQ South Tower, 520 Wickham St. Fortitude Valley QLD

Postcode: 4006

Details of contravention:

Site location

ALBERT STREET, STATION LOT 2 CAVERN/TUNNEL

I, ANDAC TEOKA (Inspector name) reasonably believe on 05-08-2020 (date) at 1400 (24 hour time)

that you ☑ are contravening a provision or ☐ have contravened a provision in circumstances that make it likely that the contravention will continue or be repeated; of the:

☑ *Work Health and Safety Act 2011*, section/s 19(3)(a)/33 ☐ *Work Health and Safety Regulation 2011*, regulation/s

☐ *Electrical Safety Act 2002*, section/s ☐ *Electrical Safety Regulation 2013*, regulation/s

☐ *Safety in Recreational Water Activities Act 2011*, section/s ☐ *Safety in Recreational Water Activities Regulation 2011*, regulation/s

Brief description of how the provision is being or has been contravened:

I observed and photographed the man-box which had a door fitted that only opened outward. You have failed to ensure the provision and maintenance of safe plant. Persons are at risk of injury from falls.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted] [redacted] [redacted]

Signature of inspector | Inspector's ID ROBINA | Inspector's contact number

05 / 08 / 2020

Date issued | Inspector's location

This contravention must be remedied before:

07 / 08 / 2020

Service method:

☑ Delivered personally ☐ Left for a person at the workplace ☐ Post
☐ Fax ☐ Email
☐ Left at the person's last known place of residence or business

SUE SARLANIS

Notice given to

Safety Advisor

Relationship to person to whom notice is issued

This portion may be signed and returned where a contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name (in block letters): Position:

Signature: Date complied: / /

ABN 94 496 188 983

Notice No. I 2019682

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

Privacy collection statement

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 RECIPIENT'S COPY

Improvement notice

Notice No. I2023585

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CBGU D&C JV

Address: ROMA STREET STATION, ROMA ST, BRISBANE CITY 4000 QLD

Details of contravention:

Site location

Tunnelling acoustic shed

I, John Azcune reasonably believe on 05-AUG-2020 at 11:00 that you are contravening a provision of the:

Work Health and Safety Act 2011 - section(s) 19(3)(C)

Brief description of how the provision is being or has been contravened:

Person conducting a business or undertaking must ensure, so far as is reasonably practicable the provision and maintenance of safe systems of work.
I observed and photographed a traffic corridor of mobile plant in the acoustic shed where there is evidence of traffic flow in close vicinity of corrosive chemicals [Master Roc SA 167]. The chemicals of 3 containers of IBC which carries 1000 litres each were unprotected from impact of mobile plant. The system in place allowed mobile plant to come with striking distance of unprotected containers[IBC].

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:

It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted] ber

05-AUG-2020 [redacted]

Date issued

This contravention must be remedied before:	Service method:
10-AUG-2020	Delivered directly to the person named by electronic transmission
MICHEAL FINCH	Management Representative For Person Conducting A Business Or Undertaking
Notice given to	Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.

I certify that the requirements of this notice have been complied with:

Name in block letters: DANIEL SMITH Position: PM

Signature [redacted] Date complied: 25/08/20

ABN 94 496 188 983

Notice No. I2023585

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $60,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Internal review of decision

An eligible person whose interests are affected by an original decision may apply for the decision to be reviewed. Refer to the Internal review of decision ? guide for applicants, at www.worksafe.qld.gov.au

An eligible person is:

1. The person to whom the notice was issued.
2. A person conducting a business or undertaking whose interests are affected by the decision.
3. A worker whose interests are affected by the decision.
4. A health and safety representative who represents a worker whose interests are affected by the decision.

How does a person apply for a review of a decision?

The application for internal review must:

a) be made in the approved form to the reviewer

b) supported by enough information to enable the reviewer to decide the application

An application for internal review relating to an improvement notice issued under the *Work Health and Safety Act 2011* and the *Safety in Recreational Water Activities Act 2011* must be lodged before the date stated in the notice for compliance or within 14 calendar days of the decision coming to the notice of the eligible person, whichever is the lesser.

For an improvement notice issued under the *Electrical Safety Act 2002*, the application for internal review must be made within 14 days after the day the applicant receives the notice.

Lodgement of the form can be made via email whsrod@oir.qld.gov.au. Information about how to apply for an internal review of decision, including the application form, is available at www.worksafe.qld.gov.au or by calling 1300 362 128. There is no application fee.

The operation of the improvement notice is stayed (suspended) once the application for review of decision is lodged. The stay remains in effect until a decision is made by the internal reviewer and whichever of the following is earlier ? an external review is applied for or, 28 days have elapsed since the person became aware of the decision.

What happens next?

The internal reviewer must make a decision within 14 calendar days of receiving the application for internal review. The internal reviewer can confirm or vary the reviewable decision, or set aside the reviewable decision and substitute the original decision for another decision. Once the internal reviewer makes the decision, they must notify the applicant of the decision and the reasons for the decision in writing.

External review

An eligible person may apply to an external review body for a review of the internal decision of the internal decision reviewer, or the original decision of the regulator. From the day the applicant received or became aware of the decision, an application for external review must be made within:

- 30 calendar days to the Queensland Industrial Relations Commission (QIRC) relating to the *Work Health and Safety Act 2011*;
- 28 calendar days to the Queensland Civil Administration Tribunal (QCAT) relating to the *Electrical Safety Act 2002* or the *Safety in Recreational Waters Act 2011*.

QCAT and QIRC may confirm or vary the original decision, set aside the original decision and substitute another decision or set aside the original decision and return the matter to the decision maker with appropriate directions.

Please refer to www.worksafe.qld.gov.au or phone 1300 362 128 for more information on how to apply for an external review.

Privacy collection statement

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

The OIR's privacy information is on our website at www.worksafe.qld.gov.au.

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice.

You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PLACEHOLDER FOR NOTICE I2023586

V1.1.12

RECIPIENT'S COPY

Prohibition notice

ABN: 13 846 673 994

This notice is issued under the *Work Health and Safety Act 2011* section 195 or the *Safety in Recreational Water Activities Act 2011* applied section 195 *Work Health and Safety Act 2011* to the person (which includes a body corporate, government department or public authority) who has or may be reasonably presumed to have control over the prohibited activity. This notice prohibits an activity which involves or will involve an immediate or imminent risk to the health and safety of any person. **The legislation requires that the person to whom a prohibition notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Work Health And Safety Act 2011
Safety In Recreational Water Activities Act 2011

QUEENSLAND GOVERNMENT

Notice No. P 1028227

Notice issued to:

Legal name of person/business or undertaking:	CVS Contracting Pty Ltd
ABN: 98 000 283 163	ACN:
Trading as:	
Address:	Level 6/ The South Tower, 520 Wickham St Fortitude Valley
	Postcode: 4006

Details of serious risk:

Site location: Allen St, Stephen Lot 2 Cowper Thuringowa

☑ Direction given orally

I, Anzac Weeks (Inspector name) reasonably believe on 05-08-2020 (date) at 1400 (24 hour time)

an activity: (*strike out as applicable) is occurring* / may occur* at the workplace that involves* / will involve* a serious risk to the health or safety of a person emanating from an immediate or imminent exposure to a hazard and that this activity is*, / or is likely to be*, contravening a provision of the:

☑ *Work Health and Safety Act 2011*, section/s 19(3)(b) ☐ *Work Health and Safety Regulation 2011*, regulation/s

☐ *Safety in Recreational Water Activities Act 2011*, section/s ☐ *Safety in Recreational Water Activities Regulation 2011*, regulation/s

I direct the person with control over the following activity to stop the activity of: Using the man-box to transport workers.

until an inspector is satisfied that the following matters that give* / will give* rise to the risk have been remedied: The self-closing door must only open inwards.

Basis for inspector's belief:

I inspected and photographed the man-box door. The door did not open inwards and only opened outwards. Persons are at risk of serious injury from falls.

Directions (if any) on the measures to be taken to remedy the risk, activities or matters or the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): Recommendations may be followed or you may adopt and follow another way that gives at least the same level of protection against the risk

[redacted] Signature of inspector

[redacted] Inspector's ID

[redacted] Inspector's contact number

05/08/2020 Date issued

Kobinga Inspector's location

Service method:

☑ Delivered personally ☐ Left for a person at the workplace ☐ Post ☐ Fax

☐ Email ☐ Left at the person's last known place of residence or business

Martin Harvey Notice given to

Site Superintendant Relationship to person to whom notice is issued

Information about how to obtain a review of this decision is detailed on the back of this notice.

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice.

You must comply with this notice. Failure to comply may incur a maximum penalty of $100 000 for an individual and $500 000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Department of Justice and Attorney-General collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the Department. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by The Department of Justice and Attorney-General to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

The Department of Justice and Attorney-General privacy information is on our website at www.justice.qld.gov.au.

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2013731

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: THE RIX GROUP PTY LTD

ABN: 50092239113 | ACN:

Trading as:

Address: 867 MAIN ST , WOOLLOONGABBA 4102 QLD

Details of contravention:

Site location

867 MAIN ST , WOOLLOONGABBA 4102 QLD

I, Alex Bambrick reasonably believe on 06-AUG-2020 at 12:20 that you are contravening a provision of the:
Work Health and Safety Regulation 2011 - regulation 346(1)

Brief description of how the provision is being or has been contravened:

I observed photographed and had conversations with relevant persons that PCBU has failed to record Acetylene into their hazardous chemical register. Inspector observed and photographed Acetylene bottle stored in their storage area. There was no relevant SDS at time of inspection.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

A person conducting a business or undertaking at a workplace must ensure that- (a) a register of hazardous chemicals used, handled or stored at the workplace is prepared and kept at the workplace; and (b) the register is maintained to ensure the information in the register is up to date.

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted] | Signature of inspector | Inspector's ID | Inspector's contact number

06-AUG-2020 | [redacted] | Date issued | Inspector's location

This contravention must be remedied before: 08-AUG-2020

Service method: Delivered directly to the person named by electronic transmission

MARC LEVINSON | Notice given to

Management Representative For Person Conducting A Business Or Undertaking | Relationship to person to whom notice is issued

---

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2013731

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

FORM 12 **RECIPIENT'S COPY**
V1.1.12

Prohibition notice

This notice is issued under the *Work Health and Safety Act 2011* section 195 or the *Safety in Recreational Water Activities Act 2011* applied section 195 *Work Health and Safety Act 2011* (which includes a body corporate, government department or public authority) who has or may be reasonably presumed to have control over the prohibited activity. This notice prohibits an activity which involves or will involve an immediate or imminent risk to the health and safety of any person. **The legislation requires that the person to whom a prohibition notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Queensland Government
ABN 94 496 188 983

Work Health and Safety Act 2011
Safety in Recreational Water Activities Act 2011

Notice No. P1025039

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CPB CONTRACTORS PTY LIMITED

Address: CROSS RIVER RAIL, ALBERT ST, BRISBANE 4000 QLD

Details of serious risk:

Site location — Direction given orally: Y

Lot 3, Cross River Rail, Albert Street, Brisbane

I, Paul Kitchener reasonably believe on 06-AUG-2020 at 10:52 that an activity is occurring at the workplace that involves a serious risk to the health or safety of a person emanating from an immediate or imminent exposure to a hazard and that this activity is contravening a provision of the:

Work Health and Safety Act 2011 - section(s) 19(3)(A)

I direct the person with control over the following activity to stop the activity of: Entry into and work within Lot 3, CRR Albert Street

until an inspector is satisfied that the matters that give rise to the risk have been remedied.

Basis for inspector's belief:

I attended Lot 3 CRR Albert Street site today at 1040. I spoke with the site supervisor and the senior health and safety advisor, who informed me that sampling and destructive testing had occurred on Friday 31st July 2020 at Lot 3 to ascertain the presence of any asbestos containing material (ACM). Since that time, workers from numerous trades including plumbers, electricians and locating services have worked within Lot 3. I was also informed by the senior safety advisor that one of the areas where the material was sampled was from wet areas and bathrooms and that blackjack had been found which is likely to contain asbestos. There has been no information from the person who undertook the sampling work as to a) if there was any ACM found, and b) if those areas where ACM has been found are either 1) now free of asbestos or, 2) the area has been made safe. You have not ensured, so far as reasonably practicable, the provision of a work environment without risks to health and safety.

Directions (if any) on the measures to be taken to remedy the risk, activities or matters or the contravention or likely contravention: It is mandatory to comply with these directions

Work Health and Safety Act 2011 - section 19(3)(A)
Without limiting subsections 19 (1) and 19 (2), a person conducting a business or undertaking must ensure, so far as is reasonably practicable the provision and maintenance of a work environment without risks to health and safety

Recommendations (if any): Recommendations may be followed or you may adopt and follow another way that gives at least the same level of protection against the risk

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

06-AUG-2020
Date issued

[redacted]
Inspector's location

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice.

You must comply with this notice. Failure to comply may incur a maximum penalty of $100 000 for an individual and $500 000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the Department. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by Office of Industrial Relations to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.
The Office of Industrial Relations privacy information is on our website at www.workfsafe.qld.gov.au/.

Service method:

Delivered directly to the person named by electronic transmission	
CHRIS MCDONALD	Management Representative For Person Conducting A Business Or Undertaking
Notice given to	Relationship to person to whom notice is issued

Information about how to obtain a review of this decision is detailed on the back of this notice.

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice.

You must comply with this notice. Failure to comply may incur a maximum penalty of $100 000 for an individual and $500 000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the Department. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by Office of Industrial Relations to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

The Office of Industrial Relations privacy information is on our website at www.workfsafe.qld.gov.au/.

FORM 12
V1.1.12

RECIPIENT'S COPY

Queensland Government
ABN 94 496 188 983

Work Health and Safety Act 2011
Safety in Recreational Water Activities Act 2011

Prohibition notice

This notice is issued under the *Work Health and Safety Act 2011* section 195 or the *Safety in Recreational Water Activities Act 2011* applied section 195 *Work Health and Safety Act 2011* (which includes a body corporate, government department or public authority) who has or may be reasonably presumed to have control over the prohibited activity. This notice prohibits an activity which involves or will involve an immediate or imminent risk to the health and safety of any person. **The legislation requires that the person to whom a prohibition notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice No. P1028266

Notice issued to:

Legal name of person/business or undertaking: ROCKTOWN PTY LTD

ABN: 18122450711 | ACN:

Trading as:

Address: SUITE 110, 160-166 GREAT NORTH RD, FIVE DOCK 2046 NSW

Details of serious risk:

Site location | Direction given orally: Y

867 Main Street, Woolloongabba QLD 4102

I, Christopher Mutton reasonably believe on 06-AUG-2020 at 15:10 that an activity is occurring at the workplace that involves a serious risk to the health or safety of a person emanating from an immediate or imminent exposure to a hazard and that this activity is contravening a provision of the:

Work Health and Safety Act 2011 - section(s) 19(3)(B)

I direct the person with control over the following activity to stop the activity of: Working at heights and pouring concrete from working platform formwork deck. Handrail on the shutter is compliant (northern side) with the code of practice (managing the risk of falls at workplace).

until an inspector is satisfied that the matters that give rise to the risk have been remedied.

Basis for inspector's belief:

Observations, inspections, photographs and conversations with relevant persons confirm that the PCBU has failed to install adequate handrail system to the formwork deck. Persons are at risk of fall from heights greater than 2metres.

Directions (if any) on the measures to be taken to remedy the risk, activities or matters or the contravention or likely contravention: It is mandatory to comply with these directions

Recommendations (if any): Recommendations may be followed or you may adopt and follow another way that gives at least the same level of protection against the risk

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

06-AUG-2020 | [redacted]

Date issued | Inspector's location

Service method:

Delivered directly to the person named

DANNY MCGRATH | Management Representative For Person Conducting A Business Or Undertaking

Notice given to | Relationship to person to whom notice is issued

Information about how to obtain a review of this decision is detailed on the back of this notice.

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice.

You must comply with this notice. Failure to comply may incur a maximum penalty of $100 000 for an individual and $500 000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the Department. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by Office of Industrial Relations to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.
The Office of Industrial Relations privacy information is on our website at www.worksafe.qld.gov.au/.

FORM 24
V15.03.19

RECIPIENT'S COPY

Infringement notice

This notice is issued under the *State Penalties Enforcement Act 1999* section 13 to a person who is contravening or has contravened a provision that has been designated an offence under the Act or Regulation that may attract an infringement notice. This notice requires the person to whom it is issued to ensure payment by the due date unless other available action is taken (refer to reverse side of notice for relevant information).

Notice No. F 2000019

Notice issued to:

Legal name of alleged offender: CPB CONTRACTORS PTY LTD		
ABN: 98 000 893 667 ACN:		
Trading as (if applicable):		
Address: Boggo Road Station, Dutton Park - Qld Postcode: 4102		
Date of birth: / /	Gender: ☐ Male ☐ Female ☐ Other	Contact number:
Identification type:	ID number:	

Details of alleged contravention:

Location of offence: Boggo Road Station, Dutton Park - Qld 4102

I, Chris O'Donnell (Inspector name) reasonably believe on 4/08/2020 (date) at 12:00 hrs (24 hour time)

you committed an infringement notice offence by contravening a provision of the:

- ☐ *Work Health and Safety Act 2011*, section
- ☑ *Work Health and Safety Regulation 2011*, regulation 346(3)
- ☐ *Electrical Safety Act 2002*, section
- ☐ *Electrical Safety Regulation 2013*, regulation
- ☐ *Safety in Recreational Water Activities Act 2011*, section
- ☐ *Safety in Recreational Water Activities Regulation 2011*, regulation

Offence code: 9012

Penalty amount $2,160 ***Payment must be received within 28 days of the date of this notice unless other available action has been taken (refer to reverse side of notice for relevant information).***

Description of the offence:

The pcbu, namely CPB Contractors Pty Limited failed to ensure, so far as is reasonably practicable that the hazardous chemical register was readily available to any worker using, handling or storing a hazardous chemical, or anyone else likely to be affected by a hazardous chemical at the workplace.

[redacted] [redacted] [redacted]

Inspector's contact number

6/8/2020 Date issued

Brendale WHSQ Office Inspector's work address

Service method:

☐ Delivered personally ☐ Left for a person at the workplace ☐ Registered Post ☐ Fax ☐ Left at the person's last known place of residence or business
☐ Email (Note: Email may only be used with the consent of the notice recipient using their nominated email address)

Peter Cullen Notice given to

Management Representative Relationship to person to whom notice is issued

Information about payment options is detailed on the back of this notice.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

ABN 66 056 168 982

Queensland Government

What to do next

You have 28 days from the date of the notice to choose one of the options listed below. A reminder notice will not be issued.

If you don't act by the due date, your fine will be enforced by the State Penalties Enforcement Registry (SPER). This means you'll have to pay additional fees and face enforcement action.

1. Pay the fine

Pay by referencing the infringement notice number and using one of the payment options on this notice. The easiest way to pay is by calling 1300 362 128 and using a credit card (American Express, Visa, Mastercard only). OR

Return a copy of this notice with full payment (cheque or money order only) payable to the Office of Industrial Relations, Accounts receivable, PO Box 820, Lutwyche QLD 4030. **Do not mail cash.**

2. Can't pay the full amount

Voluntary instalment plan

If you cannot pay the full amount by the due date and the fine is at least $200, you can make an application for a voluntary instalment plan.

Application can be made before the due date by completing the section below and mailing it to the Office of Industrial Relations with an initial payment of $60 (cheque or money order only). Make the cheque payable to the Office of Industrial Relations, and send to Accounts receivable, PO Box 820, Lutwyche QLD 4030. **Do not mail cash.** OR

By calling 1300 362 128 and using a credit card (American Express, Visa, Mastercard only).

Signature: _____ Date: _____

Current address: _____

_____

Contact phone number: _____ Infringement notice number: _____

Complete and return this section to:
Office of Industrial Relations, Accounts receivable, PO Box 820, Lutwyche QLD 4030

An instalment plan will be sent to you by the State Penalty Enforcement Register (SPER). Failure to comply with the instalment plan may result in enforcement by SPER and you will be required to pay additional fees.

3. Take this matter to court

You have the right to elect to have this matter dealt with by a court. This section must be completed, and the complete notice forwarded to the Office of Industrial Relations within 28 days from the date of service of this infringement notice.

You are responsible for obtaining your own legal advice before the court hearing. If found guilty of the offence you may be required to pay costs. If you do not appear on the date set for the hearing, the offence may be heard in your absence.

To be completed by the alleged offender

I, _____ _____
Given name/s Family name

elect to have the matter dealt with by a Court of Law and understand a summons will be issued to me.

Signature: _____ Date: _____

Current address: _____


_____

Contact phone number: _____ Infringement notice number: _____

Complete and return this section to:
SPER Liaison Officer, Office of Industrial Relations, GPO Box 69, Brisbane QLD 4001.

Withdrawal of the infringement notice

This notice may be withdrawn at any time before the penalty is paid in full.
If the notice is withdrawn, the Office of Industrial Relations may determine that further prosecution is warranted.



RECIPIENT'S COPY

FORM 24
V15.03.19

Infringement notice

This notice is issued under the *State Penalties Enforcement Act* 1999 section 13 to a person who is contravening or has contravened a provision that has been designated an offence under the Act or Regulation that may attract an infringement notice. This notice requires the person to whom it is issued to ensure payment by the due date unless other available action is taken (refer to reverse side of notice for relevant information).

Notice No. F 2006054

Notice issued to:

Legal name of alleged offender: CPB Contractors PTY Ltd ACN:
ABN: 98000893667
Trading as (if applicable):
Address: Level 3, 339 Coronation Drive, Milton Postcode: 4064
Date of birth: / / Gender: ☐ Male ☐ Female ☐ Other Contact number:
Identification type: ID number:

Details of alleged contravention:

Location of offence
Roma Street Station, Roma St, Brisbane City Wide QLD Acoustic Shed
I, Travis Dingo (Inspector name) reasonably believe on 5/9/2020 (date) at 12.30pm (24 hour time)
you committed an infringement notice offence by contravening a provision of the:

- ☐ *Work Health and Safety Act 2011*, section
- ☑ *Work Health and Safety Regulation 2011*, regulation 316(1)
- ☐ *Electrical Safety Act 2002*, section
- ☐ *Electrical Safety Regulation 2013*, regulation
- ☐ *Safety in Recreational Water Activities Act 2011*, section
- ☐ *Safety in Recreational Water Activities Regulation 2011*, regulation

Offence code: Fail

Penalty amount $ 3690 ***Payment must be received within 28 days of the date of this notice unless other available action has been taken (refer to reverse side of notice for relevant information).***

Description of the offence:

PCBU failed to ensure that a register of hazardous chemicals used, handled or stored at the workplace is prepared and kept at the workplace (b) PCBU failed to ensure that the register of hazardous chemicals is maintained so that the information in the register is up to date.

Issuing inspector:

[redacted] [redacted] [redacted]
(Signature of inspector) (Inspector's no) (Inspector's contact number)
Date issued: 6/9/2020
Inspector's work address: WHSQ MT Gravatt

Service method:

☑ Delivered personally ☐ Left for a person at the workplace ☐ Registered Post ☐ Fax ☐ Left at the person's last known place of residence or business
☐ Email (Note: Email may only be used with the consent of the notice recipient using their nominated email address)

Michael Finch (Notice given to)
Senior Safety on Site (Relationship to person to whom notice is issued)

Information about payment options is detailed on the back of this notice.

PRIVACY COLLECTION STATEMENT

Approved for Payment

Cost Code Q80376-00280

Signature_____**(Mick Nash)**

Date_____

RELIABILITY COPY

Form 13

Improvement notice

Notice No. 2019717

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LTD

ABN: 98 000 893 667 ACN:

Trading as:

Address: Level 6 | HQ SOUTH TOWER, 520 WICKHAM ST FORTITUDE VALLEY QLD

Postcode: 4006

Details of contravention:

Site location

867 main street, Woolloongabba QLD 4102

I, Christopher Mutton (inspector name) reasonably believe on 6/8/2020 (date) at 11:35am (24 hour time)

that you ☒ are contravening a provision or ☐ have contravened a provision in circumstances that make it likely that the contravention will continue or be repeated; of the:

☒ *Work Health and Safety Act 2011*, section/s 19(3)(6)|33 ☐ *Work Health and Safety Regulation 2011*, regulation/s

☐ *Electrical Safety Act 2002*, section/s ☐ *Electrical Safety Regulation 2013*, regulation/s

☐ *Safety in Recreational Water Activities Act 2011*, section/s ☐ *Safety in Recreational Water Activities Regulation 2011*, regulation/s

Brief description of how the provision is being or has been contravened:

observations, inspections, photographs and conversations with relevant persons confirm that the PC/PCBU has failed to ensure that there covid(19) procedure was adhered to by HANSON concrete truck drivers. Met with gate keeper (LI) and he told me that concrete truck drivers are not completing covid(19) requirements. Completed covid(19) risk assessment forms could not be provided at the time of inspection.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention: It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing Inspector: [redacted]

Signature of inspector [redacted] Inspector's ID [redacted] Inspector's contact number [redacted]

Date issued 6/8/2020 Inspector's location Fortitude Valley

This contravention must be remedied before: 8/8/2020

Service method:

☐ Delivered personally ☐ Left for a person at the workplace ☐ Post

☐ Fax ☐ Email

☐ Left at the person's last known place of residence or business

Notice given to AISLING MCKENNA Relationship to person to whom notice is issued SENIOR SAFETY ADVISOR

This portion may be signed and returned where a contravention has been remedied before the stated date.

I certify that the requirements of this notice have been complied with:

Name (in block letters): JERRY KARAITI Position: SENIOR SAFETY ADVISOR

Signature [redacted] Date complied: 7/8/2020

ABN 94 696 188 983

Notice No. 2019717

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

Privacy collection statement

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

RECIPIENT'S COPY

Form 13

Improvement notice

Notice No. 2019718

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LTD

ABN: 98 000 893 667 ACN:

Trading as:

Address: Level 6 | HQ SOUTH TOWER 520 HICKHAM STREET FORTITUDE VALLEY QLD Postcode: 4006

Details of contravention:

Site location

267 main street woolloongabba QLD 4102

I, Christopher Mutton (Inspector name) reasonably believe on 6/8/2020 (date) at 1220 (24 hour time)

that you ☐ are contravening a provision or ☐ have contravened a provision in circumstances that make it likely that the contravention will continue or be repeated; of the:

☒ *Work Health and Safety Act 2011*, section/s 19(3)(c) / 33 ☐ *Work Health and Safety Regulation 2011*, regulation/s

☐ *Electrical Safety Act 2002*, section/s ☐ *Electrical Safety Regulation 2013*, regulation/s

☐ *Safety in Recreational Water Activities Act 2011*, section/s ☐ *Safety in Recreational Water Activities Regulation 2011*, regulation/s

Brief description of how the provision is being or has been contravened:

observations, inspections, photographs and conversations with relevant persons confirm that the PCBU has failed to ensure persons are not smoking cigarette's in or near flammable storage areas as per their site induction information. There is a risk of explosion which would cause serious injury.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

6 days

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing Inspector:

[redacted] (Signature of inspector) [redacted] (Inspector's ID) [redacted] (Inspector's contact number)

6/8/2020 (Date Issued) Eatons Hill (Inspector's location)

This contravention must be remedied before: 8/8/2020

Service method:

☒ Delivered personally ☐ Left for a person at the workplace ☐ Post
☐ Fax ☐ Email
☐ Left at the person's last known place of residence or business

AISLING MC KENNA (Notice given to) SENIOR SAFETY ADVISOR (Relationship to person to whom notice is issued)

This portion may be signed and returned where a contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name (in block letters): Position:

Signature: Date complied: / /

ABN 94 696 188 983

Notice No. 2019718

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $30,000 for an individual and $150,000 for a body corporate, government department or public authority.

Privacy collection statement

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13

Improvement notice

Notice No. 1 2019719

V1.3.18

Work Health and Safety Act 2011. Electrical Safety Act 2002. Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LTD

ABN: 98 000 893 667 ACN:

Trading as:

Address: Level 6 | HQ SOUTH TOWER, 520 WICKHAM STREET FORTITUDE VALLEY QLD

Postcode: 4006

Details of contravention:

Site location

867 Main STREET WOOLLONGABBA QLD 4102

I, Christopher Mutton (inspector name) reasonably believe on 6/8/2020 (date) at 1410 (24 hour time)

that you ☒ are contravening a provision or ☐ have contravened a provision in circumstances that make it likely that the contravention will continue or be repeated; of the:

☐ *Work Health and Safety Act 2011*, section/s _____ ☒ *Work Health and Safety Regulation 2011*, regulation/s 303(3)

☐ *Electrical Safety Act 2002*, section/s _____ ☐ *Electrical Safety Regulation 2013*, regulation/s _____

☐ *Safety in Recreational Water Activities Act 2011*, section/s _____ ☐ *Safety in Recreational Water Activities Regulation 2011*, regulation/s _____

Brief description of how the provision is being or has been contravened:

Observations, inspections, photographs and conversations with relevant persons confirm that the PC/PCBU failed to ensure that a copy of safe work method statement was readily accessible to workers

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

engaged by PCBU to carry out high risk construction work for the period prescribed. ENP workers within the station box excavation and safe work method statement was not accessible at the time of inspection.

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted] Signature of inspector

[redacted] Inspector's ID

[redacted] Inspector's contact number

6/8/2020 Date issued

Inspector's location

This contravention must be remedied before: 8/8/2020

Service method:

☒ Delivered personally ☐ Left for a person at the workplace ☐ Post
☐ Fax ☐ Email
☐ Left at the person's last known place of residence or business

AISLING McKENNA Notice given to

SENIOR SAFETY ADVISOR Relationship to person to whom notice is issued

This portion may be signed and returned where a contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name (in block letters): _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. 1 2019719

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

Privacy collection statement

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with relevant legislation is deemed necessary to fulfil those functions.

Queensland

Form 13

RECIPIENT'S COPY

Improvement notice

V1.3.18

Notice No. I2004208

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CBGU D&C JV

Address: ALBERT STREET STATION, ALBERT ST, BRISBANE 4000 QLD

Details of contravention:

Site location

Block 2 ALBERT STREET STATION, ALBERT ST, BRISBANE 4000 QLD

I, Lee Franklin reasonably believe on 07-AUG-2020 at 09:30 that you are contravening a provision of the:

Work Health and Safety Act 2011 - section(s) 19(3)(C)

Brief description of how the provision is being or has been contravened:

Through conversations with PC representatives and viewing site documentation I formed the belief that a rescue procedure for workers conducting inspections on top of a gantry crane was not in place, giving rise to risks to those workers.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions.

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

07-AUG-2020
Date issued

[redacted]
Inspector's location

This contravention must be remedied before: 13-AUG-2020

Service method: Delivered directly to the person named by electronic transmission

MELANIE KETCHENER
Notice given to

Management Representative For Person With Management Or Control Of A Workplace
Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: JOSHUA SIMS Position: PROJECT MANAGER

Signature: [redacted] Date complied: 12 / 08 / 20

ABN 94 496 188 983

Notice No. I2004208

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2004208

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CBGU D&C JV

Address: ALBERT STREET STATION, ALBERT ST, BRISBANE 4000 QLD

Details of contravention:

Site location

Block 2 ALBERT STREET STATION, ALBERT ST, BRISBANE 4000 QLD

I, Lee Franklin reasonably believe on 07-AUG-2020 at 09:30 that you are contravening a provision of the:
Work Health and Safety Act 2011 - section(s) 19(3)(C)

Brief description of how the provision is being or has been contravened:

Through conversations with PC representatives and viewing site documentation I formed the belief that a rescue procedure for workers conducting inspections on top of a gantry crane was not in place, giving rise to risks to those workers.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

07-AUG-2020
Date issued

[redacted]
Inspector's location

This contravention must be remedied before: 14-AUG-2020

Service method: Delivered directly to the person named by electronic transmission

MELANIE KETCHEN
Notice given to

Management Representative For Person With Management Or Control Of A Workplace
Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2004208

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

FORM 24
V15.03.19

RECIPIENT'S COPY

Infringement notice

This notice is issued under the *State Penalties Enforcement Act 1999* section 13 to a person who is contravening or has contravened a provision that has been designated an offence under the Act or Regulation that may attract an infringement notice. This notice requires the person to whom it is issued to ensure payment by the due date unless other available action is taken (refer to reverse side of notice for relevant information).

Notice No. F 2006167

Notice issued to:

Legal name of alleged offender:	CPB Contractors Pty Ltd		
ABN: 98 000 893 667	ACN:		
Trading as (if applicable):	CBGU D&C JV		
Address:	Level 6, HQ South Tower, 520 Wickham Street Fortitude Valley	Postcode:	4006
Date of birth: / /	Gender: ☐ Male ☐ Female ☐ Other	Contact number:	
Identification type:	ID number:		

Details of alleged contravention:

Location of offence: 867 Main Street Woolloongabba

I, Paul Robert Kitchener (Inspector name) reasonably believe on 3 August 2020 (Date) at 1345 (24 hour time)

you committed an infringement notice offence by contravening a provision of the:

- ☐ *Work Health and Safety Act 2011*, section
- ☒ *Work Health and Safety Regulation 2011*, regulation 346(1)
- ☐ *Electrical Safety Act 2002*, section
- ☐ *Electrical Safety Regulation 2013*, regulation
- ☐ *Safety in Recreational Water Activities Act 2011*, section
- ☐ *Safety in Recreational Water Activities Regulation 2011*, regulation

Offence code: 9011

Penalty amount $3600.00 ***Payment must be received within 28 days of the date of this notice unless other available action has been taken (refer to reverse side of notice for relevant information).***

Description of the offence:

PCBU failed to ensure that the register of hazardous chemicals is maintained so that the information in the register is up to date.

Issuing I

[redacted]

Signature of inspector

[redacted]

Inspector's ID

[redacted]

Inspector's contact number

7/8/2020
Date issued

WHSQ Logan
Inspector's work address

Service method:

☐ Delivered personally ☐ Left for a person at the workplace ☒ Registered Post ☐ Fax ☐ Left at the person's last known place of residence or business
☐ Email (Note: Email may only be used with the consent of the notice recipient using their nominated email address)

Brendan Taylor
Notice given to

Project Manager PCBU
Relationship to person to whom notice is issued

Information about payment options is detailed on the back of this notice.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and compliance with privacy legislation is deemed necessary to fulfil those functions.

ABN 94 496 188 987

Queensland Government

Approved for Payment

Cost Code Q80374-00280

Signature_____**(Mick Nash)**

Date_____

FORM 24
V15.03.19

RECIPIENT'S COPY

Infringement notice

This notice is issued under the *State Penalties Enforcement Act 1999* section 13 to a person who is contravening or has contravened a provision that has been designated an offence under the Act or Regulation that may attract an infringement notice. This notice requires the person to whom it is issued to ensure payment by the due date unless other available action is taken (refer to reverse side of notice for relevant information).

Notice No. F 2006168

Notice issued to:

Legal name of alleged offender: CPB Contractors Pty Ltd

ABN: 98 000 893 667 ACN:

Trading as (if applicable): CBGU D&C JV

Address: Level 6 HQ South Tower, 520 Wickham Street Fortitude Valley Postcode: 4006

Date of birth: / / Gender: ☐ Male ☐ Female ☐ Other Contact number:

Identification type: ID number:

Details of alleged contravention:

Location of offence

867 Main St Woolloongabba - Main Station Office

I, Paul Robert Kitchener (Inspector name) reasonably believe on 7 August 2020 (date) at 1130 (24 hour time)

you committed an infringement notice offence by contravening a provision of the:

☐ *Work Health and Safety Act 2011*, section

☒ *Work Health and Safety Regulation 2011*, regulation 346(3)

☐ *Electrical Safety Act 2002*, section

☐ *Electrical Safety Regulation 2013*, regulation

☐ *Safety in Recreational Water Activities Act 2011*, section

☐ *Safety in Recreational Water Activities Regulation 2011*, regulation

Offence code: 9012

Penalty amount $ 2160.00 ***Payment must be received within 28 days of the date of this notice unless other available action has been taken (refer to reverse side of notice for relevant information).***

Description of the offence:

PCBU failed to ensure that the hazardous chemical register is readily available to any worker using handling or storing a hazardous chemical or anyone else likely to be affected by a hazardous chemical at the workplace

Issuing officer:

[redacted] Signature of inspector

[redacted] Inspector's ID

[redacted] Inspector's contact number

7/8/2020 Date issued

WHSQ Logan Inspector's work address

Service method:

☐ Delivered personally ☐ Left for a person at the workplace ☒ Registered Post ☐ Fax ☐ Left at the person's last known place of residence or business
☐ Email (Note: Email may only be used with the consent of the notice recipient using their nominated email address)

Warren Tresider Notice given to

Station Manager for PCBU Relationship to person to whom notice is issued

Information about payment options is detailed on the back of this notice.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

ABN 94 496 188 983

Queensland Government

~~FORM 24~~
V15.03.19

RECIPIENT'S COPY

RIX.

Infringement notice

This notice is issued under the *State Penalties Enforcement Act 1999* section 13 to a person who is contravening or has contravened a provision that has been designated an offence under the Act or Regulation that may attract an infringement notice. This notice requires the person to whom it is issued to ensure payment by the due date unless other available action is taken (refer to reverse side of notice for relevant information).

Notice No. F 2006405

Notice issued to:

Legal name of alleged offender: THE RIX GROUP PTY LTD		
ABN: 50092239113	ACN:	
Trading as (if applicable):		
Address: 21 ALBION ST SUMNER QLD Postcode: 4074		
Date of birth: / /	Gender: ☐ Male ☐ Female ☐ Other	Contact number:
Identification type:	ID number:	

Details of alleged contravention:

Location of offence

867 MAIN ST WOOLLOONGABBA 4102 QLD

I, ALEX BAMBRICK (Inspector name) reasonably believe on 06 AUGUST 2020 (date) at 12:20 (24 hour time)

you committed an infringement notice offence by contravening a provision of the:

☐ *Work Health and Safety Act 2011*, section _____ ☒ *Work Health and Safety Regulation 2011*, regulation 346(1)

☐ *Electrical Safety Act 2002*, section _____ ☐ *Electrical Safety Regulation 2013*, regulation _____

☐ *Safety in Recreational Water Activities Act 2011*, section _____ ☐ *Safety in Recreational Water Activities Regulation 2011*, regulation _____

Offence code: 9001

Penalty amount $ 360.00 ***Payment must be received within 28 days of the date of this notice unless other available action has been taken (refer to reverse side of notice for relevant information).***

Description of the offence:

PCBU FAILED TO ENSURE THAT THE REGISTER OF HAZARDOUS CHEMICALS IS MAINTAINED SO THAT THE INFORMATION IN THE REGISTER IS UP TO DATE

Issuing inspector:

[redacted] [redacted] [redacted]

Signature of inspector — Inspector's ID — Inspector's contact number

7/8/20

Date issued — Inspector's work address [redacted]

Service method:

☒ Delivered personally ☐ Left for a person at the workplace ☐ Registered Post ☐ Fax ☐ Left at the person's last known place of residence or business
☐ Email (Note: Email may only be used with the consent of the notice recipient using their nominated email address)

CHAS PETRAS — Notice given to

SITE SUPERVISOR — Relationship to person to whom notice is issued

Information about payment options is detailed on the back of this notice.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

ABN 94 496 188 983

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2008401

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CBGU D&C JV

Address: 867 MAIN ST , WOOLLOONGABBA 4102 QLD

Details of contravention:

Site location

Main Station Offices (Vulture Street side of site), 867 Main St, Woolloongabba

I, Paul Kitchener reasonably believe on 07-AUG-2020 at 11:30 that you are contravening a provision of the:
Work Health and Safety Regulation 2011 - regulation 346(3)

Brief description of how the provision is being or has been contravened:

I observed and photographed at 1042 today two hazardous chemicals (a corrosive and a respirable Hazchem) in five litre containers at the workplace (Station Main Office). I requested a copy of the hazardous chemicals register and asked if there were safety data sheets available for the chemicals. I was informed that the register and SDS would be available shortly; if I continued my inspection they would be brought to me. At 1130 I revisited the offices for the Station and while I was eventually shown SDS for the product, the register was still not available to be accessed. You have not ensured that the register is readily available in accordance with regulation 346(3)

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Work Health and Safety Regulation 2011 - regulation 346(3)
The person must ensure that the register is readily accessible to- (a) a worker involved in using, handling or storing a hazardous chemical; and (b) anyone else who is likely to be affected by a hazardous chemical at the workplace

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice

Issuing inspector:

[redacted] [redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

07-AUG-2020 | PO BOX 829, WOODRIDGE 4114 QLD

Date issued | Inspector's location

This contravention must be remedied before: 11-AUG-2020

Service method: Delivered directly to the person named by electronic transmission

WARREN TRESIDER

Notice given to

Management Representative For Person Conducting A Business Or Undertaking

Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: FRASER WYPER Position: SAFETY MANAGER

Signature: [redacted] Date complied: 10/08/2020

ABN 94 496 188 [redacted]

Notice No. I2008401

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13

RECIPIENT'S COPY

Improvement notice

V1.3.16

Notice No. I2008401

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Internal review of decision

An eligible person whose interests are affected by an original decision may apply for the decision to be reviewed. Refer to the Internal review of decision ? guide for applicants, at www.worksafe.qld.gov.au

An eligible person is:

1. The person to whom the notice was issued.
2. A person conducting a business or undertaking whose interests are affected by the decision.
3. A worker whose interests are affected by the decision.
4. A health and safety representative who represents a worker whose interests are affected by the decision.

How does a person apply for a review of a decision?

The application for internal review must:

a) be made in the approved form to the reviewer

b) supported by enough information to enable the reviewer to decide the application

An application for internal review relating to an improvement notice issued under the *Work Health and Safety Act 2011* and the *Safety in Recreational Water Activities Act 2011* must be lodged before the date stated in the notice for compliance or within 14 calendar days of the decision coming to the notice of the eligible person, whichever is the lesser.

For an improvement notice issued under the *Electrical Safety Act 2002*, the application for internal review must be made within 14 days after the day the applicant receives the notice.

Lodgement of the form can be made via email whsrod@oir.qld.gov.au. Information about how to apply for an internal review of decision, including the application form, is available at www.worksafe.qld.gov.au or by calling 1300 362 128. There is no application fee.

The operation of the improvement notice is stayed (suspended) once the application for review of decision is lodged. The stay remains in effect until a decision is made by the internal reviewer and whichever of the following is earlier ? an external review is applied for or, 28 days have elapsed since the person became aware of the decision.

What happens next?

The internal reviewer must make a decision within 14 calendar days of receiving the application for internal review. The internal reviewer can confirm or vary the reviewable decision, or set aside the reviewable decision and substitute the original decision for another decision. Once the internal reviewer makes the decision, they must notify the applicant of the decision and the reasons for the decision in writing.

External review

An eligible person may apply to an external review body for a review of the internal decision of the internal decision reviewer, or the original decision of the regulator. From the day the applicant received or became aware of the decision, an application for external review must be made within:

- 30 calendar days to the Queensland Industrial Relations Commission (QIRC) relating to the *Work Health and Safety Act 2011*;
- 28 calendar days to the Queensland Civil Administration Tribunal (QCAT) relating to the *Electrical Safety Act 2002* or the *Safety in Recreational Waters Act 2011*.

QCAT and QIRC may confirm or vary the original decision, set aside the original decision and substitute another decision or set aside the original decision and return the matter to the decision maker with appropriate directions.

Please refer to www.worksafe.qld.gov.au or phone 1300 362 128 for more information on how to apply for an external review.

Privacy collection statement

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

The OIR's privacy information is on our website at www.worksafe.qld.gov.au.

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice.

You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

Form 13

RECIPIENT'S COPY

Improvement notice

Notice No. I2014256

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CBGU D&C JV

Address: 867 MAIN ST , WOOLLOONGABBA 4102 QLD

Details of contravention:

Site location

867 MAIN ST , WOOLLOONGABBA 4102 QLD

I, Simon McLennan reasonably believe on 07-AUG-2020 at 11:55 that you have contravened a provision in circumstances that make it likely that the contravention will continue or be repeated of the:

Work Health and Safety Regulation 2011 - regulation 40(A)

Brief description of how the provision is being or has been contravened:

The Person in control of the business or undertaking must ensure that egress is without risk to health and safety in an emergency situation. During inspection of the workplace a conversation has been had with the electrical supervisor and safety manager, who have confirmed that the perimeter lights installed to the station box excavation, which are used for the evening shift operations are not fitted with emergency batteries. I have also observed that the stairs used to enter/exit into the station box excavation, are not fitted with appropriate lighting for normal access/egress or emergency situations.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

A person conducting a business or undertaking at a workplace must ensure, so far as is reasonably practicable, the following- (a) the layout of the workplace allows, and the workplace is maintained so as to allow, for persons to enter and exit and to move about without risk to health and safety, both under normal working conditions and in an emergency;

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing Inspector:

[redacted]
Signature of inspector

2077
Inspector's ID

Inspector's contact number

07-AUG-2020
Date issued

[redacted]
Inspector's location

This contravention must be remedied before: 12-AUG-2020

Service method: Delivered directly to the person named by electronic transmission

BRENDAN TAYLOR
Notice given to

Management Representative For Person Conducting A Business Or Undertaking
Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: ANDREW BOWSKILL Position: SNR PROJECT MANAGER

Signature: [redacted] ate complied: 11/8/2020

ABN 94 496 188 983

Notice No. I2014256

An inspector may make ... in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Internal review of decision

An eligible person whose interests are affected by an original decision may apply for the decision to be reviewed. Refer to the Internal review of decision ? guide for applicants, at www.worksafe.qld.gov.au

An eligible person is:

1. The person to whom the notice was issued.
2. A person conducting a business or undertaking whose interests are affected by the decision.
3. A worker whose interests are affected by the decision.
4. A health and safety representative who represents a worker whose interests are affected by the decision.

How does a person apply for a review of a decision?

The application for internal review must:

a) be made in the approved form to the reviewer

b) supported by enough information to enable the reviewer to decide the application

An application for internal review relating to an improvement notice issued under the *Work Health and Safety Act 2011* and the *Safety in Recreational Water Activities Act 2011* must be lodged before the date stated in the notice for compliance or within 14 calendar days of the decision coming to the notice of the eligible person, whichever is the lesser.

For an improvement notice issued under the *Electrical Safety Act 2002*, the application for internal review must be made within 14 days after the day the applicant receives the notice.

Lodgement of the form can be made via email whsrod@oir.qld.gov.au. Information about how to apply for an internal review of decision, including the application form, is available at www.worksafe.qld.gov.au or by calling 1300 362 128. There is no application fee.

The operation of the improvement notice is stayed (suspended) once the application for review of decision is lodged. The stay remains in effect until a decision is made by the internal reviewer and whichever of the following is earlier ? an external review is applied for or, 28 days have elapsed since the person became aware of the decision.

What happens next?

The internal reviewer must make a decision within 14 calendar days of receiving the application for internal review. The internal reviewer can confirm or vary the reviewable decision, or set aside the reviewable decision and substitute the original decision for another decision. Once the internal reviewer makes the decision, they must notify the applicant of the decision and the reasons for the decision in writing.

External review

An eligible person may apply to an external review body for a review of the internal decision of the internal decision reviewer, or the original decision of the regulator. From the day the applicant received or became aware of the decision, an application for external review must be made within:

- 30 calendar days to the Queensland Industrial Relations Commission (QIRC) relating to the *Work Health and Safety Act 2011*;
- 28 calendar days to the Queensland Civil Administration Tribunal (QCAT) relating to the *Electrical Safety Act 2002* or the *Safety in Recreational Waters Act 2011*.

QCAT and QIRC may confirm or vary the original decision, set aside the original decision and substitute another decision or set aside the original decision and return the matter to the decision maker with appropriate directions.

Please refer to www.worksafe.qld.gov.au or phone 1300 362 128 for more information on how to apply for an external review.

Privacy collection statement

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

The OIR's privacy information is on our website at www.worksafe.qld.gov.au.

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice.

You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2021572

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED	
ABN: 98000893667	ACN: 000893667
Trading as: CPB CONTRACTORS PTY LIMITED	
Address: UNKNOWN ***, WOOLLOONGABBA 4102 QLD	

Details of contravention:

Site location

867 Mains Road, WOOLLLOONGABBA 4102.

I, Steve Rushton reasonably believe on 10-AUG-2020 at 12:00 that you are contravening a provision of the:
Work Health and Safety Act 2011 - section(s) 19(3)(C)

Brief description of how the provision is being or has been contravened:

Observations, photos and discussions with relevant persons confirmed that there are large quantities of hazardous chemicals and corrosive acids in the stores area.

A system has not been maintained to provide first aid in the storage facility in case of an emergency.
Issues identified but not limited: eyes wash is covered in dust. There is a shower on site, but has not been erected and in conversation with relevant person was told that it will not be constructed / installed for 2 weeks.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Provide management of hazardous chemicals compliance equal to or better than is outlined in the Managing Risks of Hazardous Chemicals in the Workplace Code of Practice 2013.

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted] | [redacted] | [redacted]
Signature of inspector | Inspector's ID | Inspector's contact number

10-AUG-2020 | [redacted]
Date issued | Inspector's location

This contravention must be remedied before:	**Service method:**
14-AUG-2020	Delivered directly to the person named by electronic transmission
AISLING MCKENNA	Health And Safety Representative
Notice given to	Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: JOSH KARATI Position: Senior Safety Advisor

Signature [redacted] Date complied: 13/8/20

ABN 91 496 [redacted]

Notice No. I2021572

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 RECIPIENT'S COPY

Improvement notice

Notice No. I2023587

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED	
ABN: 98000893667	ACN: 000893667
Trading as: CPB CONTRACTORS PTY LIMITED	
Address: UNKNOWN ***, WOOLLOONGABBA 4102 QLD	

Details of contravention:

Site location

Storage of chemical register system

I, John Azoune reasonably believe on 10-AUG-2020 at 10:30 that you are contravening a provision of the:
Work Health and Safety Act 2011 - section(s) 19(3)(C)

Brief description of how the provision is being or has been contravened:

The person conducting a business or undertaking must ensure, so far as is reasonably practicable the provision and maintenance of safe systems of work;
Inspector requested document and information on chemical stored in the "Blask Engineering" storage container. I was told this was locked and that workers were not on site by the Safety Manager for CPB.
The Safety manager stated that information obtained that the only hazardous chemicals would be chem-set chemicals. This container was locked and would require worker to return for another site to inspect. Inspector asked was there a record of chemicals stored on a register for emergencies as stated on the Project SHAE Manage plan, which requires hazardous chemicals, quantities and locations.
The Safety Manger stated they had problems obtaining information from contractors.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector	Inspector's ID	Inspector's contact number
10-AUG-2020	[redacted]	
Date issued	Inspector's location	

This contravention must be remedied before: 13-AUG-2020

Service method: Delivered directly to the person named by electronic transmission

AISLING MCKENNA — Notice given to

Health And Safety Representative — Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: [redacted] BRENDAN TAYLOR Position: PM

Signature: [redacted] Date complied: 12/08/20

ABN 94 496 188 [redacted]

Notice No. I2023587

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2023588

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CPB CONTRACTORS PTY LIMITED

Address: UNKNOWN ***, WOOLLOONGABBA 4102 QLD

Details of contravention:

Site location

Formwork area

I, John Azcune reasonably believe on 10-AUG-2020 at 11:33 that you are contravening a provision of the:
Work Health and Safety Act 2011 - section(s) 21(2)

Brief description of how the provision is being or has been contravened:

Person in control of plant namely traffic barriers must ensure so far as reasonably practicable that plant without risks to the health and safety of any person.
I observed a work area and personnel corridor that separated, live traffic with the use of plastic traffic barriers.
The traffic barriers were not rated to protect workers from impact form turning mobile plant as 4 were not filled with water as manufactures requirements and easily moved. I was told that they were be filled to obtain sufficient protection by the foreman.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

10-AUG-2020 | [redacted]

Date issued | Inspector's location

This contravention must be remedied before: 11-AUG-2020

Service method: Delivered directly to the person named by electronic transmission

ASHLING MCKENNA — Notice given to

Health And Safety Representative — Relationship to person to whom notice is issued

---

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: BRENDAN TAYLOR Position: PROJECT MANAGER

Signature: [redacted] Date complied: 10/8/20

ABN 94 496 188 983

Notice No. I2023588

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

FORM 12 **RECIPIENT'S COPY**
V1.1.12

Prohibition notice

This notice is issued under the *Work Health and Safety Act 2011* section 195 or the *Safety in Recreational Water Activities Act 2011* applied section 195 *Work Health and Safety Act 2011* (which includes a body corporate, government department or public authority) who has or may be reasonably presumed to have control over the prohibited activity. This notice prohibits an activity which involves or will involve an immediate or imminent risk to the health and safety of any person. **The legislation requires that the person to whom a prohibition notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Queensland Government
ABN 94 496 188 983

Work Health and Safety Act 2011
Safety in Recreational Water Activities Act 2011

Notice No. P1026604

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CPB CONTRACTORS PTY LIMITED

Address: UNKNOWN ***, WOOLLOONGABBA 4102 QLD

Details of serious risk:

Site location — Direction given orally: Y

867 Mains Road, WOOLLOONGABBA. 4102.

I, Steve Rushton reasonably believe on 10-AUG-2020 at 11:15 that an activity is occurring at the workplace that involves a serious risk to the health or safety of a person emanating from an immediate or imminent exposure to a hazard and that this activity is contravening a provision of the:

Work Health and Safety Act 2011 - section(s) 21(2)

I direct the person with control over the following activity to stop the activity of: Using the personnel corridor on the southern and eastern sides of the segment storage yard until such time that there is no risk of injury to workers from falling objects.

until an inspector is satisfied that the matters that give rise to the risk have been remedied.

Basis for inspector's belief:

Person in control of plant namely (storage of galvanising piping stacked) in the segment storage yard, must ensure so far as reasonably practicable that the plant is without risks to the health and safety of any person.

Observations, photos and discussions with relevant persons identified that the brackets as a force leaning against the galvanised stacks, posed a risk of pushing the stacks onto /into the personnel corridor being used by workers.

Directions (if any) on the measures to be taken to remedy the risk, activities or matters or the contravention or likely contravention: It is mandatory to comply with these directions

Recommendations (if any): Recommendations may be followed or you may adopt and follow another way that gives at least the same level of protection against the risk

Issuing inspector:

[redacted] | [redacted] | [redacted]
Signature of inspector | Inspector's ID | Inspector's contact number

10-AUG-2020 | [redacted]
Date issued | Inspector's location

Service method:

Delivered directly to the person named by electronic transmission

AISLING MCKENNA | Health And Safety Representative
Notice given to | Relationship to person to whom notice is issued

Information about how to obtain a review of this decision is detailed on the back of this notice.

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice.

You must comply with this notice. Failure to comply may incur a maximum penalty of $100 000 for an individual and $500 000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the Department. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by Office of Industrial Relations to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.
The Office of Industrial Relations privacy information is on our website at www.workfsafe.qld.gov.au/.

Internal review of decision

If a decision to prohibit an activity was made by an inspector, an eligible person may apply for an internal review of that decision.

An eligible person is:

1. The person to whom the notice was issued.
2. The person with management or control of the workplace, plant or substance.
3. A person conducting a business or undertaking whose interests are affected by the decision.
4. A worker whose interests are affected by the decision.
5. A health and safety representative who represents a worker whose interests are affected by the decision.
6. A health and safety representative who gave a direction under section 85 of the *Work Health and Safety Act 2011* to cease work, that is relevant to the prohibition notice.

How does a person apply for a review of a decision?

The person must complete and lodge the Internal Review Application form within 14 days of receiving the notice. There is no application fee.

The operation of the prohibition notice continues unless a separate application is made to stay (that is suspend) the prohibition while the review is undertaken. The regulator may or may not grant the stay. The regulator will make a decision on the stay within one working day after the regulator receives the application.

If a stay is granted, it remains in effect until a decision is made by the regulator and whichever of the following is earlier - an external review is applied for or 28 days have elapsed since the person became aware of the regulator's decision.

Information about how to apply for a review of decision, including application forms, is available online at www.worksafe.qld.gov.au, or by phoning Advisory Services on 1300 362 128.

What happens next?

Applications are reviewed within 14 days unless additional information is required. Applicants are provided with written confirmation of the result of the internal review including the reasons for the decision.

External review

If a decision to prohibit an activity was made by the regulator or the regulator has made a decision through internal review, an eligible person may apply to the Queensland Civil and Administrative Tribunal for an external review. An external review application must be made within 28 days of the person becoming aware of the regulator's decision.

Please refer to www.worksafe.qld.gov.au for more information on how to apply for an external review.

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2019720

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CBGU D&C JV

Address: LEVEL 6 SOUTH TOWER, 520 WICKHAM ST, FORTITUDE VALLEY 4006 QLD

Details of contravention:

Site location

Roma Street Cavern Shed, Roma Street Brisbane City QLD 4000

I, Christopher Mutton reasonably believe on 11-AUG-2020 at 11:48 that you are contravening a provision of the:
Work Health and Safety Act 2011 - section(s) 19(3)(B)

Brief description of how the provision is being or has been contravened:

Observations, inspections, photographs and conversations with relevant persons confirm that the PC/PCBU has failed to maintain safe plant (scaffold) to the shaft area. A component (Ledger) had been damage and inspection 3 days previous did not identified this damage. Damaged component was located immediately adjacent to the bottom landing of the stairs. Workers are at risk of scaffold failure which would cause injury.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

11-AUG-2020
Date issued

[redacted]
Inspector's location

This contravention must be remedied before: 13-AUG-2020

Service method: Delivered directly to the person named

MICHAEL FINCH
Notice given to

Health And Safety Representative
Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2019720

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2004210

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CBGU D&C JV

Address: ALBERT STREET STATION, ALBERT ST, BRISBANE 4000 QLD

Details of contravention:

Site location

Box Station area Lot 1 ALBERT STREET STATION, ALBERT ST, BRISBANE 4000 QLD

I, Lee Franklin reasonably believe on 12-AUG-2020 at 11:20 that you are contravening a provision of the:

Work Health and Safety Act 2011 - section(s) 19(3)(F)

Brief description of how the provision is being or has been contravened:

I observed and photographed an Onsite generator unit number GS3507 through conversation with a PC representative and a subcontractor representative who conducts daily and regular inspections of the generator, I formed the belief that persons responsible for daily pre start inspection and regular maintenance inspections of the generator did not have sufficient training and knowledge to complete daily and regular maintenance inspections as per manufacturers requirements giving rise to risk of injuries to workers and other persons.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

12-AUG-2020
Date issued

[redacted]
Inspector's location

This contravention must be remedied before: 15-AUG-2020

Service method: Delivered directly to the person named by electronic transmission

MARK TAYLOR
Notice given to

Management Representative For Person With Management Or Control Of A Workplace
Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2004210

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2021573

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: FORMCON PTY LTD

ABN: 42166785968 | ACN:

Trading as:

Address: ALBERT STREET STATION, ALBERT ST, BRISBANE 4000 QLD

Details of contravention:

Site location

LOT 1, ALBERT STREET STATION, ALBERT ST, BRISBANE 4000 QLD

I, Steve Rushton reasonably believe on 12-AUG-2020 at 14:00 that you are contravening a provision of the:
Work Health and Safety Act 2011 - section(s) 19(3)(B)

Brief description of how the provision is being or has been contravened:

Observations, photos of lifting assembly on the ground. Lifting assembly / gear was on the ground and at risk of damage from other plant, as load shifting operations were being carried out in close proximity to the lifting assembly left on the ground.
Observation of shackles, left laying in the gravel / dirt. Gravel could impede function of lifting equipment.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

12-AUG-2020
Date issued

[redacted]
Inspector's location

This contravention must be remedied before: 17-AUG-2020

Service method: Delivered directly to the person named by electronic transmission

DANIEL NAGLE
Notice given to

Management Representative For Person Conducting A Business Or Undertaking
Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2021573

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 RECIPIENT'S COPY

Improvement notice

Notice No. I2013532

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED	
ABN: 98000893667	ACN: 000893667
Trading as: CBGU D&C JV	
Address: 867 MAIN ST , WOOLLOONGABBA 4102 QLD	

Details of contravention:

Site location

WOOLLOONGABBA 4102 QLD Cross river rail

I, Travis Dungey reasonably believe on 12-AUG-2020 at 10:30 that you have contravened a provision in circumstances that make it likely that the contravention will continue or be repeated of the:

Work Health and Safety Act 2011 - section(s) 19(3)(C)

Brief description of how the provision is being or has been contravened:

The PC/PCBU on site has not ensured that a current (VMP) Vehicle Management Plan has been maintained on site to reflect current vehicle movements also the interaction and controls for plant and personal. The date on the Prestart vehicle Plan board was 6/8/2020 this is putting workers at risk in those areas without that safe system in place, conversations with CPB personal on site confirmed that no current plan was in place to reflect the works.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Without limiting subsections 19 (1) and 19 (2), a person conducting a business or undertaking must ensure, so far as is reasonably practicable the provision and maintenance of safe systems of work;

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted] Signature of inspector | [redacted] Inspector's ID | [redacted] Inspector's contact number

12-AUG-2020 Date issued | [redacted] Inspector's location

This contravention must be remedied before:	Service method:
15-AUG-2020	Delivered directly to the person named by electronic transmission
ADRIAN BOWSKILL Notice given to	Management Representative For Person Conducting A Business Or Undertaking Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.

I certify that the requirements of this notice have been complied with:

[redacted] JERRY KARAH Position: SENIOR SAFETY

Date complied: 13/8/20

ABN 94 496 168 983

Notice No. I2013532

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Internal review of decision

An eligible person whose interests are affected by an original decision may apply for the decision to be reviewed. Refer to the Internal review of decision ? guide for applicants, at www.worksafe.qld.gov.au

An eligible person is:

1. The person to whom the notice was issued.
2. A person conducting a business or undertaking whose interests are affected by the decision.
3. A worker whose interests are affected by the decision.
4. A health and safety representative who represents a worker whose interests are affected by the decision.

How does a person apply for a review of a decision?

The application for internal review must:

a) be made in the approved form to the reviewer

b) supported by enough information to enable the reviewer to decide the application

An application for internal review relating to an improvement notice issued under the *Work Health and Safety Act 2011* and the *Safety in Recreational Water Activities Act 2011* must be lodged before the date stated in the notice for compliance or within 14 calendar days of the decision coming to the notice of the eligible person, whichever is the lesser.

For an improvement notice issued under the *Electrical Safety Act 2002*, the application for internal review must be made within 14 days after the day the applicant receives the notice.

Lodgement of the form can be made via email whsrod@oir.qld.gov.au. Information about how to apply for an internal review of decision, including the application form, is available at www.worksafe.qld.gov.au or by calling 1300 362 128. There is no application fee.

The operation of the improvement notice is stayed (suspended) once the application for review of decision is lodged. The stay remains in effect until a decision is made by the internal reviewer and whichever of the following is earlier ? an external review is applied for or, 28 days have elapsed since the person became aware of the decision.

What happens next?

The internal reviewer must make a decision within 14 calendar days of receiving the application for internal review. The internal reviewer can confirm or vary the reviewable decision, or set aside the reviewable decision and substitute the original decision for another decision. Once the internal reviewer makes the decision, they must notify the applicant of the decision and the reasons for the decision in writing.

External review

An eligible person may apply to an external review body for a review of the internal decision of the internal decision reviewer, or the original decision of the regulator. From the day the applicant received or became aware of the decision, an application for external review must be made within:

- 30 calendar days to the Queensland Industrial Relations Commission (QIRC) relating to the *Work Health and Safety Act 2011*;
- 28 calendar days to the Queensland Civil Administration Tribunal (QCAT) relating to the *Electrical Safety Act 2002* or the *Safety in Recreational Waters Act 2011*.

QCAT and QIRC may confirm or vary the original decision, set aside the original decision and substitute another decision or set aside the original decision and return the matter to the decision maker with appropriate directions.

Please refer to www.worksafe.qld.gov.au or phone 1300 362 128 for more information on how to apply for an external review.

Privacy collection statement

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

The OIR's privacy information is on our website at www.worksafe.qld.gov.au.

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice.

You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2013533

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED	
ABN: 98000893667	ACN: 000893667
Trading as: CBGU D&C JV	
Address: 867 MAIN ST , WOOLLOONGABBA 4102 QLD	

Details of contravention:

Site location

WOOLLOONGABBA 4102 QLD

I, Travis Dungey reasonably believe on 12-AUG-2020 at 10:35 that you have contravened a provision in circumstances that make it likely that the contravention will continue or be repeated of the:

Work Health and Safety Act 2011 - section(s) 47(1)

Brief description of how the provision is being or has been contravened:

While on site I observed and photographed and conversation with CPB management personnel on site indicated that there had been changes to vehicle movement on site, when asked CPB personnel informed myself that the workers had not been consulted in relation to these changes on site with out consultation these workers could be at risk when working in these area's

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

The person conducting a business or undertaking must, so far as is reasonably practicable, consult, as required in this division and any regulation, with workers who carry out work for the business or undertaking who are, or are likely to be, directly affected by a matter relating to work health or safety.

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]	[redacted]	[redacted]
Signature of inspector	Inspector's ID	Inspector's contact number
12-AUG-2020	[redacted]	
Date issued	Inspector's location	

This contravention must be remedied before:	Service method:
15-AUG-2020	Delivered directly to the person named by electronic transmission
ADRIAN BOWSKILL	Management Representative For Person Conducting A Business Or Undertaking
Notice given to	Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block* [redacted] JERRY KARATI Position: SENIOR SUPERVISOR

Signature: [redacted] Date complied: 17/8/20.

ABN 94 498 188 [redacted]

Notice No. I2013533

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Internal review of decision

An eligible person whose interests are affected by an original decision may apply for the decision to be reviewed. Refer to the Internal review of decision ? guide for applicants, at www.worksafe.qld.gov.au

An eligible person is:

1. The person to whom the notice was issued.
2. A person conducting a business or undertaking whose interests are affected by the decision.
3. A worker whose interests are affected by the decision.
4. A health and safety representative who represents a worker whose interests are affected by the decision.

How does a person apply for a review of a decision?

The application for internal review must:

a) be made in the approved form to the reviewer

b) supported by enough information to enable the reviewer to decide the application

An application for internal review relating to an improvement notice issued under the *Work Health and Safety Act 2011* and the *Safety in Recreational Water Activities Act 2011* must be lodged before the date stated in the notice for compliance or within 14 calendar days of the decision coming to the notice of the eligible person, whichever is the lesser.

For an improvement notice issued under the *Electrical Safety Act 2002*, the application for internal review must be made within 14 days after the day the applicant receives the notice.

Lodgement of the form can be made via email whsrod@oir.qld.gov.au. Information about how to apply for an internal review of decision, including the application form, is available at www.worksafe.qld.gov.au or by calling 1300 362 128. There is no application fee.

The operation of the improvement notice is stayed (suspended) once the application for review of decision is lodged. The stay remains in effect until a decision is made by the internal reviewer and whichever of the following is earlier ? an external review is applied for or, 28 days have elapsed since the person became aware of the decision.

What happens next?

The internal reviewer must make a decision within 14 calendar days of receiving the application for internal review. The internal reviewer can confirm or vary the reviewable decision, or set aside the reviewable decision and substitute the original decision for another decision. Once the internal reviewer makes the decision, they must notify the applicant of the decision and the reasons for the decision in writing.

External review

An eligible person may apply to an external review body for a review of the internal decision of the internal decision reviewer, or the original decision of the regulator. From the day the applicant received or became aware of the decision, an application for external review must be made within:

- 30 calendar days to the Queensland Industrial Relations Commission (QIRC) relating to the *Work Health and Safety Act 2011*;
- 28 calendar days to the Queensland Civil Administration Tribunal (QCAT) relating to the *Electrical Safety Act 2002* or the *Safety in Recreational Waters Act 2011*.

QCAT and QIRC may confirm or vary the original decision, set aside the original decision and substitute another decision or set aside the original decision and return the matter to the decision maker with appropriate directions.

Please refer to www.worksafe.qld.gov.au or phone 1300 362 128 for more information on how to apply for an external review.

Privacy collection statement

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

The OIR's privacy information is on our website at www.worksafe.qld.gov.au.

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice.

You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $60,000 for an individual and $250,000 for a body corporate, government department or public authority.

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2013534

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CBGU D&C JV

Address: BOGGO ROAD STATION, , DUTTON PARK 4102 QLD

Details of contravention:

Site location

BOGGO ROAD STATION, , DUTTON PARK 4102 QLD

I, Travis Dungey reasonably believe on 13-AUG-2020 at 10:05 that you have contravened a provision in circumstances that make it likely that the contravention will continue or be repeated of the:

Work Health and Safety Act 2011 - section(s) 19(3)(C)

Brief description of how the provision is being or has been contravened:

I observed and photographed three full plastic diesel containers being stored in direct sunlight, the containers had safety directions for use and storage printed on them, the safety directions indicated, not to be used or stored in direct sunlight. The PC/PCBU has failed to maintain their safe system of work.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Work Health and Safety Act 2011 - section 19(3)(C)
Without limiting subsections 19 (1) and 19 (2), a person conducting a business or undertaking must ensure, so far as is reasonably practicable the provision and maintenance of safe systems of work;

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

13-AUG-2020
Date issued

[redacted]
Inspector's location

This contravention must be remedied before: 19-AUG-2020

Service method: Delivered directly to the person named by electronic transmission

PETER CULLEN
Notice given to

Management Representative For Person Conducting A Business Or Undertaking
Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2019721

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: DELTA PTY. LTD.

ABN: 67007069794 | ACN: 007 069 794

Trading as:

Address: 33 REMORA RD, HAMILTON 4007 QLD

Details of contravention:

Site location

Roma Street Station, Roma Street Brisbane QLD 4000

I, Christopher Mutton reasonably believe on 18-AUG-2020 at 10:50 that you are contravening a provision of the:
Work Health and Safety Act 2011 - section(s) 19(3)(C)

Brief description of how the provision is being or has been contravened:

Observations, inspections, photographs and conversations with relevant person confirm that the PCBU failed to ensure that a safe system implemented regarding workers entering high risk activity areas and not been given the opportunity to review the current safe work method statement version. This contravention occurred within the area called (Hotel Jen).

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted] | Signature of inspector | Inspector's ID | Inspector's contact number

18-AUG-2020 | [redacted] | Date issued | Inspector's location

This contravention must be remedied before: 21-AUG-2020

Service method: Delivered directly to the person named

KEVAN ZULU | Notice given to

Management Representative For Person Conducting A Business Or Undertaking | Relationship to person to whom notice is issued

---

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2019721

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2019722

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: IDEC SOLUTIONS PTY LTD

ABN: 15082559920 | ACN:

Trading as:

Address: 265 QUEENSPORT RD, MURARRIE 4172 QLD

Details of contravention:

Site location

Roma Street Station, Roma Street Brisbane QLD 4000

I, Christopher Mutton reasonably believe on 18-AUG-2020 at 12:00 that you are contravening a provision of the:

Work Health and Safety Regulation 2011 - regulation 299(1)

Brief description of how the provision is being or has been contravened:

Observations, inspections, photographs and conversations with relevant person confirm that the PCBU failed to ensure that a safe work method statement for high risk construction work was prepared before work commenced. IDEC Solutions worker operating forklift and unloading truck on the I&B Busway area.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

18-AUG-2020
Date issued

[redacted]
Inspector's location

This contravention must be remedied before: 21-AUG-2020

Service method: Delivered directly to the person named

REGAN STUCKEY
Notice given to

Management Representative For Person Conducting A Business Or Undertaking
Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2019722

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

FORM 24
V1.1.12

RECIPIENT'S COPY

ABN 13 846 673 994

State Penalties Enforcement Act 1999

QUEENSLAND GOVERNMENT

Infringement notice

This notice is issued under the *State Penalties Enforcement Act 1999* section 13 to a person who is contravening or has contravened a provision that has been designated an offence under the Act or the regulations that may attract an infringement notice. This notice requires the person to whom it is issued to ensure payment by the due date unless other available action is taken (refer to reverse side of notice for relevant information).

Notice No. F 1027763

Notice issued to:

Legal name of alleged offender: IDEC SOLUTIONS PTY LTD		
ABN: 150 825 599 20	ACN:	
Trading as (if applicable):		
Address: 265 Queensport Rd N, MURARRIE QLD Postcode: 4172		
Date of birth: / /	Gender: ☐ Male ☐ Female	Contact number:
Identification type:	ID number:	

Details of alleged contravention:

Location of offence: Roma street station, Roma street BRISBANE CITY QLD 4000

I, Christopher MUTTON (inspector name) reasonably believe on 18/8/2020 (date) at 12.03pm (24 hour time)

you committed an infringement notice offence by contravening a provision of the:

- ☐ *Work Health and Safety Act 2011*, section ____
- ☒ *Work Health and Safety Regulation 2011*, regulation 299 (1)
- ☐ *Electrical Safety Act 2002*, section ____
- ☐ *Electrical Safety Regulation 2002*, regulation ____
- ☐ *Safety in Recreational Water Activities Act 2011*, section ____
- ☐ *Safety in Recreational Water Activities Regulation 2011*, regulation ____

Offence code: 9001

Penalty amount $ 3600 ***Payment must be received within 28 days after the date of this notice.***

Description of the offence:

PCBU failed to ensure that a safe work method statement for high risk construction work was prepared before the work commenced.

Issuing inspector:

[redacted]

Signature of inspector

18/8/2020
Date issued

Inspector's ID: Robina
Inspector's work address

Inspector's contact number

Service method:

☒ Delivered personally ☐ Left for a person at the workplace ☐ Registered Post ☐ Fax ☐ Left at the person's last known place of residence or business

REGAN STUCKEY
Notice given to

SITE SUPERVISOR
Relationship to person to whom notice is issued

Information about payment options is detailed on the back of this notice.

PRIVACY COLLECTION STATEMENT
The Department of Justice and Attorney-General collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the Department. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by The Department of Justice and Attorney-General to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.
The Department of Justice and Attorney-General privacy information is on our website at www.justice.qld.gov.au.

Payment Options

You have 28 days from the date of the notice to choose one of the options listed below. A reminder notice will not be issued.

Do not mail cash. Payment can be accepted by mail (cheque or money order) payable to the Department of Justice and Attorney-General. Payments can be made in person at any Department of Justice and Attorney-General office via cash, cheque, money order and credit and debit cards.

☐ **Full payment**

Return a copy of this notice with full payment to Workplace Health and Safety Queensland.

☐ **Voluntary instalment plan**

If the fine is at least $200, an initial instalment of at least $60 must be made by the due date. Complete the section below and return this notice with your first payment to Workplace Health and Safety Queensland.

Signature: _____ Date: _____

Current Address: _____

Contact Phone Number: _____ Infringement Notice Number: _____

Complete and return this section to:

SPER Liaison Officer, Operations Support Services, Workplace Health and Safety Queensland, GPO Box 69, BRISBANE QLD 4001.

An instalment plan will be sent to you by the State Penalties Enforcement Registry (SPER). Failure to comply with the instalment plan may result in enforcement by SPER and you will be required to pay additional fees.

Election for Court Hearing

You have the right to elect to have this matter dealt with by a court. This Election for Court Hearing must be completed and the complete notice forwarded to the Department of Justice and Attorney-General within the **28 day period** from the date of service of this infringement notice.

You are responsible for obtaining your own legal advice before the Court hearing. If found guilty of the offence you may be required to pay costs. If you do not appear on the date set for the hearing, the offence may be heard in your absence.

To be completed by the alleged offender

I, _____ _____
Given name/s Family name

elect to have the matter dealt with by a Court of Law and understand a summons will be issued to me.

Signature: _____ Date: _____

Current Address: _____

Contact Phone Number: _____ Infringement Notice Number: _____

Complete and return this section to:
SPER Liaison Officer, Workplace Health and Safety Queensland, GPO Box 69, BRISBANE QLD 4001.

Application to cancel infringement notice for a mistake of fact

If you were served with this infringement notice and named as the alleged offender, you are taken to have committed the offence. However, if you believe you have been wrongly identified as the alleged offender, you may apply to have the infringement notice cancelled because of a mistake of fact.

If you wish to apply for a mistake of fact, you must complete a Statutory Declaration and provide information supporting your claim for a mistake of fact. Your Statutory Declaration may be made by obtaining a form from any Courthouse, making the declaration in the presence of a Commissioner for Declarations, and returning this notice with the declaration to Workplace Health and Safety Queensland.

Written confirmation of your application for a mistake of fact will be sent to you. Your application for a mistake of fact will be reviewed within 14 days of being confirmed. You will be notified in writing of the outcome of your application for a mistake of fact within 14 days after a decision has been made. If your application for a mistake of fact is unsuccessful, you will be notified of a new payment date.

Withdrawal of the infringement notice

This notice may be withdrawn before or after the penalty is paid. In the event that the notice is withdrawn, the Department of Justice and Attorney-General may determine that further prosecution is warranted.

RECIPIENT'S COPY

Form 13

Improvement notice

Notice No. I 2024868

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: DELTA PTY LTD

ABN: 67 007 668 794 ACN:

Trading as: DELTA GROUP

Address: 33 REMORA RD, HAMILTON, QLD Postcode: 4007

Details of contravention:

Site location: ROMA STREET STATION, ROMA STREET, BRISBANE, QLD 4000

I, DANIEL ALA-OUTINEN (Inspector name) reasonably believe on 18.8.2020 (date) at 12.00 (24 hour time)

that you ☐ are contravening a provision or ☒ have contravened a provision in circumstances that make it likely that the contravention will continue or be repeated: of the:

- ☒ *Work Health and Safety Act 2011*, section/s 21 (2)
- ☐ *Work Health and Safety Regulation 2011*, regulation/s
- ☐ *Electrical Safety Act 2002*, section/s
- ☐ *Electrical Safety Regulation 2013*, regulation/s
- ☐ *Safety in Recreational Water Activities Act 2011*, section/s
- ☐ *Safety in Recreational Water Activities Regulation 2011*, regulation/s

Brief description of how the provision is being or has been contravened:

THE PCBU HAS FAILED TO ENSURE, SO FAR AS REASONABLY PRACTICABLE, THAT PLANT AT THE WORKPLACE IS WITHOUT RISKS TO HEALTH AND SAFETY. IT WAS OBSERVED AND PHOTOGRAPHED THAT THE KEYS TO THE FORKLIFT OWNED BY THE PCBU AND WAS NOT IN OPERATION AT THE TIME OF INSPECTION.

~~**Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention**~~
~~It is mandatory to comply with these directions~~

REVIEW OF THE FORKLIFT'S OPERATOR'S MANUAL STATES ON PAGE 29 THAT WHEN LEAVING THE TRUCK, THE KEY IS TO BE REMOVED.

Recommendations (if any): It is no [redacted]

[redacted]

Signature of inspector [redacted] Inspector's ID Inspector's contact number

18 / 8 / 2020 Date issued

IPSWICH QLD Inspector's location

This contravention must be remedied before:

21 / 8 / 2020

Service method:

- ☒ Delivered personally
- ☐ Left for a person at the workplace
- ☐ Post
- ☐ Fax
- ☐ Email
- ☐ Left at the person's last known place of residence or business

KEVAN ZULV Notice given to

SAFETY MANAGER Relationship to person to whom notice is issued

This portion may be signed and returned where a contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name (in block letters): Position:

Signature: Date complied: / /

ABN 94 496 188 983

Notice No. I 2024868

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

Privacy collection statement

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Internal review of decision

An eligible person whose interests are affected by an original decision may apply for the decision to be reviewed. Refer to the Internal review of decision - guide for applicants, at www.worksafe.qld.gov.au.

An eligible person is:

1. The person to whom the notice was issued.
2. A person conducting a business or undertaking whose interests are affected by the decision.
3. A worker whose interests are affected by the decision.
4. A health and safety representative who represents a worker whose interests are affected by the decision.

How does a person apply for a review of a decision?

The application for internal review must:

a) be made in the approved form to the reviewer

b) be supported by enough information to enable the reviewer to decide the application

An application for internal review relating to an improvement notice issued under the *Work Health and Safety Act 2011* and the *Safety in Recreational Water Activities Act 2011* must be lodged before the date stated in the notice for compliance or within 14 calendar days of the decision coming to the notice of the eligible person, whichever is the lesser.

For an improvement notice issued under the *Electrical Safety Act 2002*, the application for internal review must be made within 14 days after the day the applicant receives the notice.

Lodgement of the form can be made via email: whsrod@oir.qld.gov.au. Information about how to apply for an internal review of the decision, including the application form, is available at www.worksafe.qld.gov.au or by calling 1300 362 128. There is no application fee.

The operation of the improvement notice is stayed (suspended) once the application for review of the decision is lodged. The stay remains in effect until a decision is made by the internal reviewer and whichever of the following is earlier – an external review is applied for or, 28 days have elapsed since the person became aware of the decision.

What happens next?

The internal reviewer must make a decision within 14 calendar days of receiving the application for internal review. The internal reviewer can confirm or vary the reviewable decision, or set aside the reviewable decision and substitute the original decision for another decision. Once the internal reviewer makes the decision, they must notify the applicant of the decision and the reasons for the decision in writing.

External review

An eligible person may apply to an external review body for a review of the internal decision of the internal decision reviewer, or the original decision of the regulator. From the day the applicant received or became aware of the decision, an application for external review must be made within:

- 30 calendar days to the Queensland Industrial Relations Commission (QIRC) relating to the *Work Health and Safety Act 2011*;
- 28 calendar days to the Queensland Civil Administration Tribunal (QCAT) relating to the *Electrical Safety Act 2002* or the *Safety in Recreational Water Activities Act 2011*.

QCAT and QIRC may confirm or vary the original decision, set aside the original decision and substitute another decision, or set aside the original decision and return the matter to the decision-maker with appropriate directions.

Please refer to www.worksafe.qld.gov.au or phone 1300 362 128 for more information on how to apply for an external review.

Privacy collection statement

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

OIR's privacy information is on our website www.worksafe.qld.gov.au.

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice.

You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2008412

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CBGU D&C JV

Address: BOGGO ROAD STATION, , DUTTON PARK 4102 QLD

Details of contravention:

Site location

Mechanics Workshop Area, Boggo Rd Station

I, Paul Kitchener reasonably believe on 19-AUG-2020 at 09:30 that you have contravened a provision in circumstances that make it likely that the contravention will continue or be repeated of the:

Work Health and Safety Act 2011 - section(s) 19(3)(D)

Brief description of how the provision is being or has been contravened:

I observed and photographed a flammables storage cabinet at the workplace. The cabinet is sitting on a timber pallet, and has spray cans of flammable materials (CRC Brakleen, CO Contact Cleaner, 5.56 Multipurpose and Battery Terminal Cleaner). There was a decal within the cabinet indicating the cabinet has 'A ground screw' for attachment to 'an acceptable ground wire' for the cabinet. There is no earthing or grounding of the cabinet in accordance with manufacturer's instructions. You have not ensured, so far as is reasonably practicable the safe use, handling and storage of substances

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Work Health and Safety Act 2011 - section 19(3)(D)
Without limiting subsections 19 (1) and 19 (2), a person conducting a business or undertaking must ensure, so far as is reasonably practicable the safe use, handling and storage of plant, structures and substances

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

19-AUG-2020 | [redacted]

Date issued | Inspector's location

This contravention must be remedied before: 22-AUG-2020

Service method: Delivered directly to the person named by electronic transmission

PETER MELLOY — Notice given to

Management Representative For Person Conducting A Business Or Undertaking — Relationship to person to whom notice is issued

---

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2008412

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2003553

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CBGU D&C JV

Address: LEVEL 6 SOUTH TOWER, 520 WICKHAM ST, FORTITUDE VALLEY 4006 QLD

Details of contravention:

Site location

ROMA STREET STATION, ROMA ST, BRISBANE CITY 4000 QLD

I, Antony Lackey reasonably believe on 24-AUG-2020 at 14:24 that you are contravening a provision of the:
Work Health and Safety Regulation 2011 - regulation 40(A)

Brief description of how the provision is being or has been contravened:

Failure to ensure so far as is reasonably practicable the workplace is maintained so as to allow for persons to enter and exit and to move about without risk to health and safety under normal and emergency conditions. I observed, noted and photographed emergency fire doors wedged open, these doors are additional controls for noise and dust, one door closer was broken in the stairwell ground floor to basement west tower.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

24-AUG-2020
Date issued

[redacted]
Inspector's location

This contravention must be remedied before: 27-AUG-2020

Service method: Delivered directly to the person named by electronic transmission

PETER EVERILL
Notice given to

Management Representative For Person Conducting A Business Or Undertaking
Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2003553

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2003555

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED	
ABN: 98000893667	ACN: 000893667
Trading as: CBGU D&C JV	
Address: LEVEL 6 HQ SOUTH TOWER, 520 WICKHAM ST , FORTITUDE VALLEY 4006 QLD	

Details of contravention:

Site location

ROMA STREET STATION, ROMA ST, BRISBANE CITY 4000 QLD

I, Antony Lackey reasonably believe on 25-AUG-2020 at 13:57 that you have contravened a provision in circumstances that make it likely that the contravention will continue or be repeated of the:

Work Health and Safety Act 2011 - section(s) 19(2)

Brief description of how the provision is being or has been contravened:

Failure to ensure so far as is reasonably practicable the health and safety of other persons is not put at risk from work carried out as part of the conduct of the business or undertaking. The inspector inquired into an notifiable incident where a worker received an injure requiring surgery. The worker advised that The Rix Group was instructed by CPB Contractors to relocated/ removed their items from basement one during their stand down period. It was identified that The Rix Group normally used a tele-handler to move their gear around but access was blocked for the tele-handler to be used. The Rix Group supervisor only known means of safe access was down a set of stairs with a pallet jack/ pallet truck. No other safe access route was provided.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:

It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector	Inspector's ID	Inspector's contact number
25-AUG-2020	[redacted]	
Date issued	Inspector's location	

This contravention must be remedied before:	**Service method:**
28-AUG-2020	Delivered directly to the person named by electronic transmission
PETER EVERILL	Management Representative For Person Conducting A Business Or Undertaking
Notice given to	Relationship to person to whom notice is issued

---

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2003555

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

RECIPIENT'S COPY

Form 13

Improvement notice

Notice No. I 2019681

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB Contractors Pty Ltd

ABN: ACN:

Trading as:

Address: Level 6/43 South Tower, 520 Wickham St Fortitude Valley

Postcode: 4006

Details of contravention:

Site location

Albert Street Station Ltr 1, Brisbane 4002

I, Anzac Booka (Inspector name) reasonably believe on 05-08-2020 (date) at 1140 (24 hour time)

that you ☑ are contravening a provision or ☐ have contravened a provision in circumstances that make it likely that the contravention will continue or be repeated; of the:

☐ *Work Health and Safety Act 2011*, section/s ____ ☑ *Work Health and Safety Regulation 2011*, regulation/s 40(a)

☐ *Electrical Safety Act 2002*, section/s ____ ☐ *Electrical Safety Regulation 2013*, regulation/s ____

☐ *Safety in Recreational Water Activities Act 2011*, section/s ____ ☐ *Safety in Recreational Water Activities Regulation 2011*, regulation/s ____

Brief description of how the provision is being or has been contravened:

Observations, inspections, photographs and conversations with relevant persons inform you have failed to ensure the layout of the workplace allows and is maintained as is allow for persons to enter and exit and move about

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

without risk to health and safety, both under normal working conditions and in an emergency. Observed safe smart stairs system leading forward at treads with gaps greater than 225 mm at handrail

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

end

Issuing Inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

5/8/2020 | Robinc

Date issued | Inspector's location

This contravention must be remedied before: 07/08/2020

Service method:

☑ Delivered personally ☐ Left for a person at the workplace ☐ Post
☐ Fax ☐ Email
☐ Left at the person's last known place of residence or business

Notice given to: MARK TAYLOR | Relationship to person to whom notice is issued

This portion may be signed and returned where a contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name (in block letters): MARK TAYLOR Position: Senior Safety Advisor

Signature: [redacted] Date complied: 7/8/20

ABN 94 456 188 983

Notice No. I 2019681

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $30,000 for an individual and $150,000 for a body corporate, government department or public authority.

Privacy collection statement

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

270

7/8/20

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2003556

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: THE RIX GROUP PTY LTD

ABN: 50092239113 | ACN:

Trading as:

Address: 21 ARGON ST, SUMNER 4074 QLD

Details of contravention:

Site location

ROMA STREET STATION, ROMA ST, BRISBANE CITY 4000 QLD

I, Antony Lackey reasonably believe on 26-AUG-2020 at 09:12 that you have contravened a provision in circumstances that make it likely that the contravention will continue or be repeated of the:

Work Health and Safety Act 2011 - section(s) 19(3)(F)

Brief description of how the provision is being or has been contravened:

Failure to ensure so far as is reasonably practicable the provision of any information, training, instruction that is necessary to protect all persons from risks to their health and safety arising from work carried out as part of the conduct of the business or undertaking. A worker received an injury (notifiable incident) when relocating a pallet jack/ truck down a stair well. The Rix Group has confirmed there wasn't any training conducted for teh use of a pallet jack/ truck.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

26-AUG-2020 | [redacted]

Date issued | Inspector's location

This contravention must be remedied before: 04-SEP-2020

Service method: Delivered directly to the person named by electronic transmission

MARC LEVINSON — Notice given to

Management Representative For Person Conducting A Business Or Undertaking — Relationship to person to whom notice is issued

---

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 963

Notice No. I2003556

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2013545

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: DELTA PTY. LTD.

ABN: 67007069794 | ACN: 007 069 794

Trading as:

Address: ROMA STREET STATION, ROMA ST, BRISBANE CITY 4000 QLD

Details of contravention:

Site location

ROMA STREET STATION, ROMA ST, BRISBANE CITY 4000 QLD

I, Travis Dungey reasonably believe on 26-AUG-2020 at 13:40 that you have contravened a provision in circumstances that make it likely that the contravention will continue or be repeated of the:

Work Health and Safety Act 2011 - section(s) 19(3)(C)

Brief description of how the provision is being or has been contravened:

You have failed to provide or maintain a safe system of work on site I observed that a worker from a transport company entered the site and interacted with personal on site I asked to see a covid-19 triaging for that work no checking had been undertaken this is putting workers at risk as a result.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Without limiting subsections 19 (1) and 19 (2), a person conducting a business or undertaking must ensure, so far as is reasonably practicable the provision and maintenance of safe systems of work;

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

I [redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

26-AUG-2020
Date issued

[redacted]
Inspector's location

This contravention must be remedied before: 29-AUG-2020

Service method: Delivered directly to the person named by electronic transmission

KEVAN ZULU
Notice given to

Health And Safety Representative
Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2013546

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CBGU D&C JV

Address: ROMA STREET STATION, ROMA ST, BRISBANE CITY 4000 QLD

Details of contravention:

Site location

ROMA STREET STATION, ROMA ST, BRISBANE CITY 4000 QLD

I, Travis Dungey reasonably believe on 26-AUG-2020 at 13:45 that you are contravening a provision of the:
Work Health and Safety Act 2011 - section(s) 19(3)(C)

Brief description of how the provision is being or has been contravened:

You have failed to provide or maintain a safe system of work. I observed that Delta a contractor to CPB had let a worker enter the worksite at the western Gate load out area with out COVID -19 triaging taken place . the whole site is under control by CPB I observed that a procedure is to be followed by all contractors on site to manage COVID-19 on site. the PC/PCBU has failed to make sure that the contractor has followed CPB procedures on site.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Without limiting subsections 19 (1) and 19 (2), a person conducting a business or undertaking must ensure, so far as is reasonably practicable the provision and maintenance of safe systems of work;

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

26-AUG-2020
Date issued

[redacted]
Inspector's location

This contravention must be remedied before: 29-AUG-2020

Service method: Delivered directly to the person named by electronic transmission

PETER EVERILL
Notice given to

Management Representative For Person Conducting A Business Or Undertaking
Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2013546

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2023592

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: QUEENSLAND PRE-STRESSING PTY. LTD.

ABN: 95063541873 | ACN:

Trading as:

Address: ALBERT STREET STATION, ALBERT ST, BRISBANE 4000 QLD

Details of contravention:

Site location

I, John Azcune reasonably believe on 26-AUG-2020 at 10:14 that you are contravening a provision of the:
Work Health and Safety Act 2011 - section(s) 19(1)

Brief description of how the provision is being or has been contravened:

A person conducting a business or undertaking must ensure, so far as is reasonably practicable, the health and safety of (a) workers engaged, or caused to be engaged by the person; and (b)workers whose activities in carrying out work are influenced or directed by the person.
I observed an item of plant known as a drilling rig which was on site to drill into rock and other material that contain silica.
The Work Method Statement stated that a "P2 type dust mask must be worn as per current Fit test Cert to control dust.
I was told by the site manager for the company that drilling had taken place this morning which is would create dust.
The workers that I spoke to and photographed said they had been fit tested to protect against Respirable dust and that they should have been clean shaven.
At the time of the Inspector audit, workers had facial hair which would impede the protection of respirable dust.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

26-AUG-2020
Date issued

[redacted]
Inspector's location

This contravention must be remedied before: 27-AUG-2020

Service method: Delivered directly to the person named by electronic transmission

ROBBERT MCLAREN
Notice given to

Management Representative For Person Conducting A Business Or Undertaking
Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2023592

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

FORM 12 **RECIPIENT'S COPY**
V1.1.12

Prohibition notice

This notice is issued under the *Work Health and Safety Act 2011* section 195 or the *Safety in Recreational Water Activities Act 2011* applied section 195 *Work Health and Safety Act 2011* (which includes a body corporate, government department or public authority) who has or may be reasonably presumed to have control over the prohibited activity. This notice prohibits an activity which involves or will involve an immediate or imminent risk to the health and safety of any person. **The legislation requires that the person to whom a prohibition notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Queensland Government
ABN 94 496 188 983

Work Health and Safety Act 2011
Safety in Recreational Water Activities Act 2011

Notice No. P1023343

Notice issued to:

Legal name of person/business or undertaking: DELTA GROUP AUST PTY LTD

ABN: 58000507415 | ACN:

Trading as: DO NOT USE NOT CORRECT LEGAL ENTITY

Address: 33 REMORA RD, HAMILTON 4007 QLD

Details of serious risk:

Site location — Direction given orally: Y

ROMA STREET STATION, ROMA ST, BRISBANE CITY 4000 QLD

I, Antony Lackey reasonably believe on 27-AUG-2020 at 10:25 that an activity is occurring at the workplace that involves a serious risk to the health or safety of a person emanating from an immediate or imminent exposure to a hazard and that this activity is contravening a provision of the:

Work Health and Safety Act 2011 - section(s) 19(3)(C)

I direct the person with control over the following activity to stop the activity of: Rock breaking with risks of fly rock hitting persons.

until an inspector is satisfied that the matters that give rise to the risk have been remedied.

Basis for inspector's belief:

Failure to ensure so far as is reasonably practicable the provision and maintenance safe systems of work. I observed, noted, video and photographed a worker on foot within the working radius of a 21t excavator using a rock breaker on concrete. The worker only had standard PPE (safety helmet and glasses) to prevent injuries from fly rock. No other controllers were implemented to prevent or minimise fly rock.

Directions (if any) on the measures to be taken to remedy the risk, activities or matters or the contravention or likely contravention: It is mandatory to comply with these directions

Recommendations (if any): Recommendations may be followed or you may adopt and follow another way that gives at least the same level of protection against the risk

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

27-AUG-2020
Date issued

[redacted]
Inspector's location

Service method:

Delivered directly to the person named by electronic transmission

KEVAN ZULU
Notice given to

Management Representative For Person Conducting A Business Or Undertaking
Relationship to person to whom notice is issued

Information about how to obtain a review of this decision is detailed on the back of this notice.

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice.

You must comply with this notice. Failure to comply may incur a maximum penalty of $100 000 for an individual and $500 000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the Department. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by Office of Industrial Relations to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.
The Office of Industrial Relations privacy information is on our website at www.workfsafe.qld.gov.au/.

FORM 12
V1.1.12

RECIPIENT'S COPY

Prohibition notice

This notice is issued under the *Work Health and Safety Act 2011* section 195 or the *Safety in Recreational Water Activities Act 2011* applied section 195 *Work Health and Safety Act 2011* (which includes a body corporate, government department or public authority) who has or may be reasonably presumed to have control over the prohibited activity. This notice prohibits an activity which involves or will involve an immediate or imminent risk to the health and safety of any person. **The legislation requires that the person to whom a prohibition notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Queensland Government

ABN 94 496 188 983

Work Health and Safety Act 2011
Safety in Recreational Water Activities Act 2011

Notice No. P1023344

Notice issued to:

Legal name of person/business or undertaking: DELTA PTY. LTD.

ABN: 67007069794 | ACN: 007 069 794

Trading as:

Address: 33 REMORA RD, HAMILTON 4007 QLD

Details of serious risk:

Site location

ROMA STREET STATION, ROMA ST, BRISBANE CITY 4000 QLD

Direction given orally: Y

I, Antony Lackey reasonably believe on 27-AUG-2020 at 10:25 that an activity is occurring at the workplace that involves a serious risk to the health or safety of a person emanating from an immediate or imminent exposure to a hazard and that this activity is contravening a provision of the:

Work Health and Safety Act 2011 - section(s) 19(3)(C)

I direct the person with control over the following activity to stop the activity of: Workers standing in the operating radius of excavators with risks of being hit.

until an inspector is satisfied that the matters that give rise to the risk have been remedied.

Basis for inspector's belief:

Failure to ensure so far as is reasonably practicable the provision and maintenance of safe systems of work. I observed, noted, video and photographed a worker holding a hose for dust suppression standing inside the reachable working radius of a 21t excavator.

Directions (if any) on the measures to be taken to remedy the risk, activities or matters or the contravention or likely contravention: It is mandatory to comply with these directions

Recommendations (if any): Recommendations may be followed or you may adopt and follow another way that gives at least the same level of protection against the risk

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

27-AUG-2020
Date issued

[redacted]
Inspector's location

Service method:

Delivered directly to the person named by electronic transmission

KEVAN ZULU
Notice given to

Management Representative For Person Conducting A Business Or Undertaking
Relationship to person to whom notice is issued

Information about how to obtain a review of this decision is detailed on the back of this notice.

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice.

You must comply with this notice. Failure to comply may incur a maximum penalty of $100 000 for an individual and $500 000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the Department. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by Office of Industrial Relations to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.
The Office of Industrial Relations privacy information is on our website at www.worksafe.qld.gov.au/.

FORM 24
V15.03.19

ORIGINAL

Infringement notice

This notice is issued under the *State Penalties Enforcement Act 1999* section 13 to a person who is contravening or has contravened a provision that has been designated an offence under the Act or Regulation that may attract an infringement notice. This notice requires the person to whom it is issued to ensure payment by the due date unless other available action is taken (refer to reverse side of notice for relevant information).

Notice No. F 2000426

Notice issued to:

Legal name of alleged offender: DELTA PTY LTD	
ABN: 67 007069794	ACN:
Trading as (if applicable):	
Address: 33 KOMORA ROAD HAMILTON	Postcode: 4007
Date of birth: / /	Gender: ☐ Male ☐ Female ☐ Other
Identification type:	ID number:

Details of alleged contravention:

Location of offence: ROMA STREET STATION (PA183) ROMA STREET BRISBANE 4000

I, ANTONY LACEY (Inspector name) reasonably believe on 27-8-20 (date) at 1025 (24 hour time)

you committed an infringement notice offence by contravening a provision of the:

- ☐ *Work Health and Safety Act 2011*, section
- ☑ *Work Health and Safety Regulation 2011*, regulation 300 (2)
- ☐ *Electrical Safety Act 2002*, section
- ☐ *Electrical Safety Regulation 2013*, regulation
- ☐ *Safety in Recreational Water Activities Act 2011*, section
- ☐ *Safety in Recreational Water Activities Regulation 2011*, regulation

Offence code: 9003 * P.T.O. *

Penalty amount $ 3600 **Payment must be received within 28 days of the date of this notice unless other available action has been taken (refer to reverse side of notice for relevant information).**

Description of the offence:

FAILURE TO ENSURE THAT THE HIGH RISK ACTIVITY WAS STOPPED IMMEDIATELY & RESUMED ONLY IN ACCORDANCE WITH THE WORK METHOD STATEMENT. I OBSERVED, NOTED, VIDEO, PHOTOGRAPHED A 21t HITACHI EXCAVATOR WAS OPERATING WITH A ROCK BREAKER AND A SPOTTER NEAR BY. THERE WAS NO PHYSICAL BARRIERS TAPE OR FLAGGING TO DELINEATE AND IDENTIFY EXCLUSIONS IMPLEMENTED AS PER SWMS 005, PAGE 8.

Issuing inspector:

[redacted]

Signature of inspector

28 / 8 / 20
Date issued

[redacted]

Service method:

☑ Delivered personally ☐ Left for a person at the workplace ☐ Registered Post ☐ Fax ☐ Left at the person's last known place of residence or business
☑ Email (Note: Email may only be used with the consent of the notice recipient using their nominated email address)

KEVAN ZULU
Notice given to

SAFETY MANAGER
Relationship to person to whom notice is issued

Information about payment options is detailed on the back of this notice.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislative administration and all applicable privacy laws. This includes information collected by inspectors. All the OIR does that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its compliance powers and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

ABN 66 939 388 063

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2003557

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: DELTA PTY. LTD.

ABN: 67007069794 | ACN: 007 069 794

Trading as:

Address: 33 REMORA RD, HAMILTON 4007 QLD

Details of contravention:

Site location

ROMA STREET STATION, ROMA ST, BRISBANE CITY 4000 QLD

I, Antony Lackey reasonably believe on 27-AUG-2020 at 10:25 that you have contravened a provision in circumstances that make it likely that the contravention will continue or be repeated of the:

Work Health and Safety Act 2011 - section(s) 19(3)(C)

Brief description of how the provision is being or has been contravened:

Failure to ensure so far as is reasonably practicable the provision and maintenance of safe systems of work. The inspector attended site on the 27/8/2020 and observed an 67t excavator, plant ID number 32480 had slipped off a pile of demolished material as was leaning approximately 45% to the left. The inspector was advised that worker couldn't exit the cabin door and had to use the emergency exit rear window. The operator was located on the pile for six hours before it moved/ squatted.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:

It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Australian Standard 2601
3.4.3.2 By load-shifting equipment
Where demolition is carried out by load-shifting equipment operating from ground level, Clause 3.5 shall apply. In addition, care shall be taken to minimize the risk of the equipment tilting by ensuring that it is operated from firm, stable ground.

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

31-AUG-2020
Date issued

[redacted]
Inspector's location

This contravention must be remedied before: 12-SEP-2020

Service method: Delivered directly to the person named by electronic transmission

KEVAN ZULU
Notice given to

Management Representative For Person Conducting A Business Or Undertaking
Relationship to person to whom notice is issued

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2003557

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2003557

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2004195

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: X-CEL SCAFFOLDING PTY LTD

ABN: 82142295690 | ACN:

Trading as:

Address: 111 RAILWAY AVE, STRATHPINE 4500 QLD

Details of contravention:

Site location

111 RAILWAY AVE, STRATHPINE 4500 QLD

I, Paul Watts reasonably believe on 31-AUG-2020 at 11:30 that you are contravening a provision of the:

Work Health and Safety Regulation 2011 - regulation 41(1)

Brief description of how the provision is being or has been contravened:

I have responded to a workplace complaint and met with the director of X-Cel Scaffolding Solutions Pty Ltd and made observations of the site toilets near the office and then the old toilets that are sign posted as "out of order" but accessible and I have formed a reasonable belief that the company has failed so far as reasonably practicable to provide a work environment that is without risk to persons health and safety

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

X-Cel Scaffolding Solutions Pty Ltd must ensure that adequate facilities for workers are provided including toilets, drinking water, washing facilities and eating facilities and that the workplace facilities are maintained in a clean and hygienic condition. Note that the "out of order" toilet is to be secured against unauthorised access.

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

31-AUG-2020 | [redacted]

Date issued | Inspector's location

This contravention must be remedied before: 01-SEP-2020

Service method: Delivered directly to the person named by electronic transmission

RICHIE PEARSON

Notice given to

Management Representative For Person Conducting A Business Or Undertaking

Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2004195

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2004196

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: X-CEL SCAFFOLDING PTY LTD

ABN: 82142295690 | ACN:

Trading as:

Address: 111 RAILWAY AVE, STRATHPINE 4500 QLD

Details of contravention:

Site location

111 RAILWAY AVE, STRATHPINE 4500 QLD

I, Paul Watts reasonably believe on 31-AUG-2020 at 11:20 that you are contravening a provision of the:
Work Health and Safety Regulation 2011 - regulation 40(A)

Brief description of how the provision is being or has been contravened:

I have responded to a complaint and met the director of X-Cel Scaffolding Pty Ltd then conducted a walk through of the work site and I have identified some areas where there is the potential for slip trips and falls due to the storage of materials and waste and I have formed a reasonable belief that the company has failed so far as reasonably practicable to ensure that the workplace is safe for persons to enter and exit and also to move around without risk to health and safety both under normal working conditions and during an emergency

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

X-Cel Scaffolding Pty Ltd must so far as reasonably practicable ensure that the workplace is safe for persons to enter and exit and also to move around without risk to health and safety both under normal working conditions and during an emergency

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

31-AUG-2020 | [redacted]

Date issued | Inspector's location

This contravention must be remedied before: 18-SEP-2020

Service method: Delivered directly to the person named by electronic transmission

RICHIE PEARSON
Notice given to

Management Representative For Person Conducting A Business Or Undertaking
Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2004196

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2004197

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: X-CEL SCAFFOLDING PTY LTD	
ABN: 82142295690	ACN:
Trading as:	
Address: 111 RAILWAY AVE, STRATHPINE 4500 QLD	

Details of contravention:

Site location

111 RAILWAY AVE, STRATHPINE 4500 QLD

I, Paul Watts reasonably believe on 31-AUG-2020 at 11:30 that you are contravening a provision of the:
Work Health and Safety Act 2011 - section(s) 19(3)(C)

Brief description of how the provision is being or has been contravened:

i have responded to a workplace complaint and met with the director of X-Cel Scaffolding Solutions Pty Ltd and conducted a walk through of the site and I have identified that there are a small number of scaffold stillages that have damaged stillage legs or uprights, a small number of stillages that are stored on uneven ground, stillages are stacked 6 stillages high and no engineering is available for the stacking of stillages 6 high, a small number of scaffold components where the components are stored on uneven ground and it appears that there is the potential for the components or stillages to over turn. I have formed a reasonable belief that company has failed so far as reasonably practicable to ensure that the stacking and storage of scaffold stillages and components manages the risk of stillages or components overturing.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

X-Cel Scaffolding Pty Ltd must ensure that the system for stacking and storing scaffold components is assessed and that the risk of stillages or other components over turning is managed.

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector	Inspector's ID	Inspector's contact number
31-AUG-2020	[redacted]	
Date issued	Inspector's location	

This contravention must be remedied before: 30-SEP-2020

Service method: Delivered directly to the person named by electronic transmission

Notice given to	Relationship to person to whom notice is issued
RICHIE PEARSON	Management Representative For Person Conducting A Business Or Undertaking

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2004197

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2004197

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2004030

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: MR DAVID GROGAN

ABN: | ACN:

Trading as:

Address: 10 , 22 EASTERN SERVICE RD, STAPYLTON 4207 QLD

Details of contravention:

Site location

867 MAIN ST , WOOLLOONGABBA 4102 QLD

I, Lewis Cash reasonably believe on 01-SEP-2020 at 08:30 that you have contravened a provision in circumstances that make it likely that the contravention will continue or be repeated of the:

Work Health and Safety Act 2011 - section(s) 19(3)(F)

Brief description of how the provision is being or has been contravened:

I observed a Kwik Cut worker undertaking concrete cutting activity on the construction project, he was observed not wearing RPE when using the road saw machine. After consultation the worker was unaware that that respiratory protection was required for this task with the equipment being used and believed the companies process did not require him to use it. After enquiring into this matter PRE is stipulated for use when using the road saw machine, therefore I have identified inadequate information, training and instruction for use of safety controls which needs to be addressed with the company internally.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Work Health and Safety Act 2011 - section 19(3)(F)
Without limiting subsections 19 (1) and 19 (2), a person conducting a business or undertaking must ensure, so far as is reasonably practicable the provision of any information, training, instruction or supervision that is necessary to protect all persons from risks to their health and safety arising from work carried out as part of the conduct of the business or undertaking;

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

02-SEP-2020
Date issued

[redacted]
Inspector's location

This contravention must be remedied before: 05-SEP-2020

Service method: Delivered directly to the person named by electronic transmission

MATT GROGAN
Notice given to

Management Representative For Person Conducting A Business Or Undertaking
Relationship to person to whom notice is issued

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2004030

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2004030

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2019497

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as:

Address: 600 GREGORY TERRACE , BOWEN HILLS 4006 QLD

Details of contravention:

Site location

Lanham St, Bowen Hills area of works

I, Damian Crow reasonably believe on 03-SEP-2020 at 10:30 that you are contravening a provision of the:
Work Health and Safety Act 2011 - section(s) 19(3)(C)

Brief description of how the provision is being or has been contravened:

Rock breaking observed occurring with worker conducting water dust suppression within 3-5 meters of hammer tip, controls regarding managing risk of fly rock not implemented as per RIS Workpack Risk Register and subcontractor SWMS.
Hammer shroud advised to have been in use previous day, but deteriorated and was removed.
Pre-start tool box notes requirement for hammer shroud, fly rock prevention control measure use.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

03-SEP-2020
Date issued

[redacted]
Inspector's location

This contravention must be remedied before: 05-SEP-2020

Service method: Delivered directly to the person named by electronic transmission

MATTHEW LAUGHTON
Notice given to

Management Representative For Person With Management Or Control Of A Workplace
Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2019497

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2019498

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: RCNT HOLDINGS PTY LTD

ABN: 85154591509 | ACN:

Trading as:

Address: 45 WENTWORTH PL, BANYO 4014 QLD

Details of contravention:

Site location

Lanham St, Bowen Hills area of works

I, Damian Crow reasonably believe on 03-SEP-2020 at 10:30 that you are contravening a provision of the:

Work Health and Safety Act 2011 - section(s) 19(3)(C)

Brief description of how the provision is being or has been contravened:

Rock breaking observed occurring with worker conducting water dust suppression within 3-5 meters of hammer tip, controls regarding managing risk of fly rock not implemented as per RIS Workpack Risk Register and SWMS.
Hammer shroud advised to have been in use previous day, but deteriorated and was removed.
Pre-start tool box notes requirement for hammer shroud, fly rock prevention control measure use.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:

It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

03-SEP-2020 | [redacted]

Date issued | Inspector's location

This contravention must be remedied before: 05-SEP-2020

Service method: Delivered directly to the person named by electronic transmission

FINN RORKE

Notice given to

Management Representative For Person Conducting A Business Or Undertaking

Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2008421

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CBGU D&C JV

Address: ROMA STREET STATION, ROMA ST, BRISBANE CITY 4000 QLD

Details of contravention:

Site location

ROMA STREET STATION, ROMA ST, BRISBANE CITY 4000 QLD

I, Paul Kitchener reasonably believe on 15-SEP-2020 at 10:00 that you are contravening a provision of the:

Work Health and Safety Act 2011 - section(s) 19(3)(E)

Brief description of how the provision is being or has been contravened:

I observed and photographed two portable site toilets at the workplace, one in the M&E Piling Pad (marked as Female) and one in the Western End Inner Northern Busway, where female workers were working in the area. Neither of the toilets had facilities for the disposal of female sanitary items. Schedule 5 of the Work Health and Safety Regulations 2011 states: (2) Each toilet made available to a female construction person
must:
(a) have facilities to dispose of sanitary items for females;
and
(b) be separated from urinals so that no urinal can be seen
by her.
You have not, so far as reasonably practicable, ensured that there is the provision of adequate facilities in relation to the provision of female hygiene disposal facilities for female workers in these areas.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Work Health and Safety Act 2011 - section 19(3)(E)
Without limiting subsections 19 (1) and 19 (2), a person conducting a business or undertaking must ensure, so far as is reasonably practicable the provision of adequate facilities for the welfare at work of workers in carrying out work for the business or undertaking, including ensuring access to those facilities

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

15-SEP-2020 | [redacted]

Date issued | Inspector's location

This contravention must be remedied before: 18-SEP-2020

Service method: Delivered directly to the person named by electronic transmission

ROBERT RICHES
Notice given to

Management Representative For Person Conducting A Business Or Undertaking
Relationship to person to whom notice is issued

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 RECIPIENT'S COPY

Improvement notice

Notice No. I2008421

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This portion may be signed and returned where contravention has been remedied before the stated date.

[redacted]at the requirements of this notice have been complied with:

Nam[redacted] WAITE Position: SAFETY ADVISOR

Sig[redacted] Date complied: 17/9/2020

ABN 9[redacted]

Notice No. I2008421

[redacted]

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

FORM 12 **RECIPIENT'S COPY**
V1.1.12

Prohibition notice

This notice is issued under the *Work Health and Safety Act 2011* section 195 or the *Safety in Recreational Water Activities Act 2011* applied section 195 *Work Health and Safety Act 2011* (which includes a body corporate, government department or public authority) who has or may be reasonably presumed to have control over the prohibited activity. This notice prohibits an activity which involves or will involve an immediate or imminent risk to the health and safety of any person. **The legislation requires that the person to whom a prohibition notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Queensland Government
ABN 94 496 188 983

Work Health and Safety Act 2011
Safety in Recreational Water Activities Act 2011

Notice No. P1036655

Notice issued to:

Legal name of person/business or undertaking: QUEENSLAND PRE-STRESSING PTY. LTD.

ABN: 95063541873 | ACN:

Trading as:

Address: 69 FREDERICK ST, NORTHGATE 4013 QLD

Details of serious risk:

Site location — Direction given orally: Y

Wall TSW3

I, Damian Crow reasonably believe on 15-SEP-2020 at 11:00 that an activity is occurring at the workplace that involves a serious risk to the health or safety of a person emanating from an immediate or imminent exposure to a hazard and that this activity is contravening a provision of the:

Work Health and Safety Act 2011 - section(s) 19(3)(B)

I direct the person with control over the following activity to stop the activity of: cease use of grout mixers where physical access to mixing blade is not effectively prevented, when blade is operational

until an inspector is satisfied that the matters that give rise to the risk have been remedied.

Basis for inspector's belief:

Two grout mixers observed in use as part of rock drilling/anchoring activities onsite. One mixer obsevved in use with workers opening top guard.
No effective/functional means to eliminate a persons exposure to moving mixer blade when operational, guard on larger mixer observed to be lockable, but no lock available/in use at time of observation

Directions (if any) on the measures to be taken to remedy the risk, activities or matters or the contravention or likely contravention: It is mandatory to comply with these directions

Work Health and Safety Act 2011 - section 19(3)(B)
Without limiting subsections 19 (1) and 19 (2), a person conducting a business or undertaking must ensure, so far as is reasonably practicable the provision and maintenance of safe plant and structures;

Recommendations (if any): Recommendations may be followed or you may adopt and follow another way that gives at least the same level of protection against the risk

Issuing inspector:

[redacted] | Signature of inspector | Inspector's ID | Inspector's contact number

15-SEP-2020 | Date issued

[redacted] | Inspector's location

Service method:

Delivered directly to the person named by electronic transmission

ROB MCLAREN | Notice given to

Management Representative For Person Conducting A Business Or Undertaking | Relationship to person to whom notice is issued

Information about how to obtain a review of this decision is detailed on the back of this notice.

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice.

You must comply with this notice. Failure to comply may incur a maximum penalty of $100 000 for an individual and $500 000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the Department. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by Office of Industrial Relations to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.
The Office of Industrial Relations privacy information is on our website at www.workfsafe.qld.gov.au/.

FORM 12 **RECIPIENT'S COPY**
V1.1.12

Prohibition notice

This notice is issued under the *Work Health and Safety Act 2011* section 195 or the *Safety in Recreational Water Activities Act 2011* applied section 195 *Work Health and Safety Act 2011* (which includes a body corporate, government department or public authority) who has or may be reasonably presumed to have control over the prohibited activity. This notice prohibits an activity which involves or will involve an immediate or imminent risk to the health and safety of any person. **The legislation requires that the person to whom a prohibition notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Queensland Government
ABN 94 496 188 983

Work Health and Safety Act 2011
Safety in Recreational Water Activities Act 2011

Notice No. P1026226

Notice issued to:

Legal name of person/business or undertaking: IDEC SOLUTIONS PTY LTD

ABN: 15082559920 | ACN:

Trading as:

Address: 867 MAIN ST , WOOLLOONGABBA 4102 QLD

Details of serious risk:

Site location | Direction given orally: N

I, John Azcune reasonably believe on 16-SEP-2020 at 09:08 that an activity is occurring at the workplace that involves a serious risk to the health or safety of a person emanating from an immediate or imminent exposure to a hazard and that this activity is likely to be contravening a provision of the:

Work Health and Safety Act 2011 - section(s) 19(3)(B)

I direct the person with control over the following activity to stop the activity of: Using plant , namely wielder with brand name LINCONELECTRIC ITALIA Code 52096 until recertified safe to use by a competent person .

until an inspector is satisfied that the matters that give rise to the risk have been remedied.

Basis for inspector's belief:

I observed and photographed a wielder in use by Troy Roberts. I asked the lead electrician on site Kelvin MALTBY to examine my concerns of the 15 amp lead being grinded off at the earth .He confirmed that it had been ground off to fit 10 amp which made it out side of manufactures requirements.

Directions (if any) on the measures to be taken to remedy the risk, activities or matters or the contravention or likely contravention: It is mandatory to comply with these directions

Recommendations (if any): Recommendations may be followed or you may adopt and follow another way that gives at least the same level of protection against the risk

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

16-SEP-2020
Date issued

[redacted]
Inspector's location

Service method:

Delivered directly to the person named by electronic transmission

REGAN STUCKEY
Notice given to

Management Representative For Person Conducting A Business Or Undertaking
Relationship to person to whom notice is issued

Information about how to obtain a review of this decision is detailed on the back of this notice.

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice.

You must comply with this notice. Failure to comply may incur a maximum penalty of $100 000 for an individual and $500 000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the Department. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by Office of Industrial Relations to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.
The Office of Industrial Relations privacy information is on our website at www.workfsafe.qld.gov.au/.

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2004041

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: UNITY ALLIANCE

Address: 600 GREGORY TERRACE , BOWEN HILLS 4006 QLD

Details of contravention:

Site location

450 GREGORY TERRACE , BOWEN HILLS 4006 QLD

I, Lewis Cash reasonably believe on 30-SEP-2020 at 08:15 that you are contravening a provision of the:
Work Health and Safety Act 2011 - section(s) 19(3)(C)

Brief description of how the provision is being or has been contravened:

I observed whilst conducting an inspection of the site no available facilities for disposal of feminine hygiene/ sanitary products in the signed female toilet. This non-compliance has been identified multiple times project wide , therefore I have identified an inadequate system of work to ensure toilet facilities are managed.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

30-SEP-2020
Date issued

[redacted]
Inspector's location

This contravention must be remedied before: 02-OCT-2020

Service method: Delivered directly to the person named by electronic transmission

EDDY COFFEY
Notice given to

Management Representative For Person With Management Or Control Of A Workplace
Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2004041

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

FORM 12 **RECIPIENT'S COPY**
V1.1.12

Prohibition notice

This notice is issued under the *Work Health and Safety Act 2011* section 195 or the *Safety in Recreational Water Activities Act 2011* applied section 195 *Work Health and Safety Act 2011* (which includes a body corporate, government department or public authority) who has or may be reasonably presumed to have control over the prohibited activity. This notice prohibits an activity which involves or will involve an immediate or imminent risk to the health and safety of any person. **The legislation requires that the person to whom a prohibition notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Queensland Government
ABN 94 496 188 983

Work Health and Safety Act 2011
Safety in Recreational Water Activities Act 2011

Notice No. P1025045

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CBGU D&C JV

Address: ROMA STREET STATION, ROMA ST, BRISBANE CITY 4000 QLD

Details of serious risk:

Site location — Direction given orally: Y

Tunnel 2 Adit, Roma Street Cavern, Roma Street Station

I, Paul Kitchener reasonably believe on 30-SEP-2020 at 12:16 that an activity is occurring at the workplace that involves a serious risk to the health or safety of a person emanating from an immediate or imminent exposure to a hazard and that this activity is contravening a provision of the:

Work Health and Safety Act 2011 - section(s) 21(2)

I direct the person with control over the following activity to stop the activity of: Use of Robodrill Underground Drilling Rig S/N 532 (Year of Manufacture 2018)

until an inspector is satisfied that the matters that give rise to the risk have been remedied.

Basis for inspector's belief:

Around 0845 30/09/2020, an operator was loading the Dolly of the Robodrill Underground Drilling Rig S/N 532 prior to loading the carousel of the unit. He then rotated the head of the unit, at which time a 5.4 metre long bolt fell from the Dolly back towards a geotechnical Engineer who was working within the restricted zone, falling across a tripod and geotechnical equipment approximately 2 -3 metres from the engineer. It is at this stage uncertain if it is a plant failure or an operator error which allowed the bolt to fall. You are to ensure in accordance with S21(2) of the Work Health and Safety Act 2011 that the plant is without risk to the health and safety of any person at the workplace and provide evidence demonstrating this to WHSQ prior to the unit being allowed to return to service.

Directions (if any) on the measures to be taken to remedy the risk, activities or matters or the contravention or likely contravention: It is mandatory to comply with these directions

Work Health and Safety Act 2011 - section 21(2)
The person with management or control of fixtures, fittings or plant at a workplace must ensure, so far as is reasonably practicable, that the fixtures, fittings and plant are without risks to the health and safety of any person.

Recommendations (if any): Recommendations may be followed or you may adopt and follow another way that gives at least the same level of protection against the risk

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

30-SEP-2020 — Date issued

[redacted] — Inspector's location

Service method:

Delivered directly to the person named by electronic transmission

MICHAEL FINCH — Notice given to

Management Representative For Person Conducting A Business Or Undertaking — Relationship to person to whom notice is issued

Information about how to obtain a review of this decision is detailed on the back of this notice.

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice.

You must comply with this notice. Failure to comply may incur a maximum penalty of $100 000 for an individual and $500 000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the Department. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by Office of Industrial Relations to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.
The Office of Industrial Relations privacy information is on our website at www.workfsafe.qld.gov.au/.

Internal review of decision

If a decision to prohibit an activity was made by an inspector, an eligible person may apply for an internal review of that decision.

An eligible person is:

1. The person to whom the notice was issued.
2. The person with management or control of the workplace, plant or substance.
3. A person conducting a business or undertaking whose interests are affected by the decision.
4. A worker whose interests are affected by the decision.
5. A health and safety representative who represents a worker whose interests are affected by the decision.
6. A health and safety representative who gave a direction under section 85 of the *Work Health and Safety Act 2011* to cease work, that is relevant to the prohibition notice.

How does a person apply for a review of a decision?

The person must complete and lodge the Internal Review Application form within 14 days of receiving the notice. There is no application fee.

The operation of the prohibition notice continues unless a separate application is made to stay (that is suspend) the prohibition while the review is undertaken. The regulator may or may not grant the stay. The regulator will make a decision on the stay within one working day after the regulator receives the application.

If a stay is granted, it remains in effect until a decision is made by the regulator and whichever of the following is earlier - an external review is applied for or 28 days have elapsed since the person became aware of the regulator's decision.

Information about how to apply for a review of decision, including application forms, is available online at www.worksafe.qld.gov.au, or by phoning Advisory Services on 1300 362 128.

What happens next?

Applications are reviewed within 14 days unless additional information is required. Applicants are provided with written confirmation of the result of the internal review including the reasons for the decision.

External review

If a decision to prohibit an activity was made by the regulator or the regulator has made a decision through internal review, an eligible person may apply to the Queensland Civil and Administrative Tribunal for an external review. An external review application must be made within 28 days of the person becoming aware of the regulator's decision.

Please refer to www.worksafe.qld.gov.au for more information on how to apply for an external review.

FORM 24
V15.05.19

ORIGINAL

Infringement notice

This notice is issued under the *State Penalties Enforcement Act 1999* section 13 to a person who is contravening or has contravened a provision that has been designated an offence under the Act or Regulation that may attract an infringement notice. This notice requires the person to whom it is issued to ensure payment by the due date unless other available action is taken (refer to reverse side of notice for relevant information).

Notice No. F 2011166

Notice issued to:

Legal name of alleged offender:	CPB CONTRACTORS PTY LIMITED
ABN: 98 000 99 3667	ACN:
Trading as (if applicable):	
Address:	Postcode:
Date of birth: / /	Gender: ☐ Male ☐ Female ☐ Other
Contact number:	
Identification type:	ID number:

Details of alleged contravention:

Location of offence

867 MAINST, HOLLANDARRA 4102 MAINTENANCE SHED, MECHANICAL ENGINEERING

I, STEVE RUSSELL (Inspector name) reasonably believe on 30/09/2020 at 9.30 HRS (24 hour time)

you committed an infringement notice offence by contravening a provision of the:

- ☐ *Work Health and Safety Act 2011*, section
- ☑ *Work Health and Safety Regulation 2011*, regulation 3 (1)
- ☐ *Electrical Safety Act 2002*, section
- ☐ *Electrical Safety Regulation 2013*, regulation
- ☐ *Safety in Recreational Water Activities Act 2011*, section
- ☐ *Safety in Recreational Water Activities Regulation 2011*, regulation

Offence code: 9011

Penalty amount $ 3600 ***Payment must be received within 28 days of the date of this notice unless other available action has been taken (refer to reverse side of notice for relevant information).***

Description of the offence:

(B) PCBU FAILED TO ENSURE THAT THE REGISTER OF HAZARDOUS CHEMICALS IS MAINTAINED SO THAT THE INFORMATION IN THE REGISTER IS UP TO DATE

[redacted]

Signature of inspector

01/10/2020

Date issued

[redacted]

Service method:

☐ Delivered personally ☐ Left for a person at the workplace ☐ Registered Post ☐ Fax ☐ Left at the person's last known place of residence or business
☑ Email (Note: Email may only be used with the consent of the notice recipient using their nominated email address)

ADAM CAVEL — Notice given to

SAFETY ADVISOR — Relationship to person to whom notice is issued

Information about payment options is detailed on the back of this notice.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislated administrative and all applicable privacy laws. This includes information collected by inspectors of the OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2019730

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CBGU D&C JV

Address: LEVEL 6 SOUTH TOWER, 520 WICKHAM ST, FORTITUDE VALLEY 4006 QLD

Details of contravention:

Site location

Acoustic Shed Lot (2) Albert Street, Brisbane QLD 4000

I, Christopher Mutton reasonably believe on 01-OCT-2020 at 13:55 that you are contravening a provision of the:
Work Health and Safety Regulation 2011 - regulation 40(A)

Brief description of how the provision is being or has been contravened:

Observations, inspections, photographs and conversations with relevant person confirm that the PC/PCBU has failed to maintain safe access and egress at the bottom of the (ADIT) shaft. Concrete barrier placed on the left side blocking access and egress and on the other side Shot Crete wall with less than a foot gap. Muddy and slippery conditions on the pathway leading to the roadway. Workers are at risk of injury by falls and in-adequate access at the bottom of the Calbah scaffold stairs.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

01-OCT-2020
Date issued

[redacted]
Inspector's location

This contravention must be remedied before: 03-OCT-2020

Service method: Delivered directly to the person named

SUE SARLANIS
Notice given to

Management Representative For Person With Management Or Control Of A Workplace
Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2024890

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CBGU D&C JV

Address: ALBERT STREET STATION, ALBERT ST, BRISBANE 4000 QLD

Details of contravention:

Site location

Albert Street, Brisbane - Stations Lot 1

I, Daniel Ala-Outinen reasonably believe on 01-OCT-2020 at 09:40 that you have contravened a provision in circumstances that make it likely that the contravention will continue or be repeated of the:

Work Health and Safety Act 2011 - section(s) 19(3)(C)

Brief description of how the provision is being or has been contravened:

The PCBU has failed to ensure, so far as is reasonably practicable, the provision and maintenance of safe systems of work. I observed and photographed a Franna pick and carry crane unloading and loading materials from the protection slab down into excavation pit. 3 seperate, unconnected bike rack style crowd control pedestrian rated hard barriers were set up approx. 1.2m fromm Franna plant operating zone (POZ) and scaffold access stair. 2 seperate, unconnected, unfilled, white, water-fillable barriers had been set up approx. 800mm from Franna POZ and scaffold access stair. Conversations had with CPB management and review of the Barrier Selection Guide provided by CPB found that pedestrian rated hard barriers are not to be used where workers will be positioned within 2m of haulage routes and/or other mobile plant operations. It also states that pedestrian rated hard barriers must not be used within a POZ.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice

Issuing inspector:

[redacted] | | |

Signature of inspector | Inspector's ID | Inspector's contact number

01-OCT-2020 | [redacted] |

Date issued | Inspector's location

This contravention must be remedied before: 09-OCT-2020

Service method: Delivered directly to the person named

KOSHIV NIRANJAN

Notice given to

Management Representative For Person Conducting A Business Or Undertaking

Relationship to person to whom notice is issued

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2024890

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2024890

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2013767

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: EALWIN OPERATIONS PTY LTD

ABN: 79169671274 | ACN: 169671274

Trading as:

Address: 867 MAIN ST , WOOLLOONGABBA 4102 QLD

Details of contravention:

Site location

EALWIN OPERATIONS PTY LTD

I, Alex Bambrick reasonably believe on 07-OCT-2020 at 15:30 that you have contravened a provision in circumstances that make it likely that the contravention will continue or be repeated of the:

Work Health and Safety Act 2011 - section(s) 19(3)(C)

Brief description of how the provision is being or has been contravened:

Observation photographs and conversations with relevant people confirmed that a safe system of work has not been maintained. This resulted in a securing pin not being in place to secure an attachment to an excavator. Which resulted in the attachment falling a distance and dislodging hydraulic fluid lines that discharged fluid. This created the risk of serious injury to workers.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:

It is mandatory to comply with these directions

Without limiting subsections 19 (1) and 19 (2), a person conducting a business or undertaking must ensure, so far as is reasonably practicable the provision and maintenance of safe systems of work

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

09-OCT-2020

Date issued

[redacted]

Inspector's location

This contravention must be remedied before: 13-OCT-2020

Service method: Delivered directly to the person named by electronic transmission

AARON CORBY

Notice given to

Management Representative For Person Conducting A Business Or Undertaking

Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2013767

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: EALWIN OPERATIONS PTY LTD

ABN: 79169671274 | ACN: 169671274

Trading as:

Address: 867 MAIN ST , WOOLLOONGABBA 4102 QLD

Details of contravention:

Site location

EALWIN OPERATIONS PTY LTD

I, Alex Bambrick reasonably believe on 07-OCT-2020 at 15:30 that you have contravened a provision in circumstances that make it likely that the contravention will continue or be repeated of the:

Work Health and Safety Act 2011 - section(s) 19(3)(C)

Brief description of how the provision is being or has been contravened:

Observation photographs and conversations with relevant people confirmed that a safe system of work has not been maintained. This resulted in a securing pin not being in place to secure an attachment to an excavator. Which resulted in the attachment falling a distance and dislodging hydraulic fluid lines that discharged fluid. This created the risk of serious injury to workers.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:

It is mandatory to comply with these directions

Without limiting subsections 19 (1) and 19 (2), a person conducting a business or undertaking must ensure, so far as is reasonably practicable the provision and maintenance of safe systems of work

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

09-OCT-2020

Date issued

[redacted]

Inspector's location

This contravention must be remedied before: 13-OCT-2020

Service method: Delivered directly to the person named by electronic transmission

AARON CORBY

Notice given to

Management Representative For Person Conducting A Business Or Undertaking

Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2013768

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CBGU D&C JV

Address: ALBERT STREET STATION, ALBERT ST, BRISBANE 4000 QLD

Details of contravention:

Site location

ALBERT STREET STATION, ALBERT ST, BRISBANE 4000 QLD

I, Alex Bambrick reasonably believe on 13-OCT-2020 at 10:35 that you have contravened a provision in circumstances that make it likely that the contravention will continue or be repeated of the:

Work Health and Safety Act 2011 - section(s) 19(3)(C)

Brief description of how the provision is being or has been contravened:

Observations and conversations with relevant people have confirmed that workers entered site without completing a Covid19 Triage. This contravention confirms that a safe system of work has not been maintained. Which has the potential to cause serious harm to workers health and safety.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:

It is mandatory to comply with these directions

Without limiting subsections 19 (1) and 19 (2), a person conducting a business or undertaking must ensure, so far as is reasonably practicable the provision and maintenance of safe systems of work

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

13-OCT-2020

Date issued

[redacted]

Inspector's location

This contravention must be remedied before: 15-OCT-2020

Service method: Delivered directly to the person named by electronic transmission

MARK TAYLOR

Notice given to

Management Representative For Person Conducting A Business Or Undertaking

Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2013768

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2004079

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: LARGE CONCRETE PUMPING PTY LTD

ABN: 51605568161 | ACN:

Trading as:

Address: 30-32 BLUE EAGLE DR, MEADOWBROOK 4131 QLD

Details of contravention:

Site location

867 MAIN ST , WOOLLOONGABBA 4102 QLD

I, Frank D'Allura reasonably believe on 14-OCT-2020 at 13:00 that you are contravening a provision of the:
Work Health and Safety Act 2011 - section(s) 21(2)

Brief description of how the provision is being or has been contravened:

LARGE CONCRETE PUMPING PTY LTD who has management or control of plant namely concrete boom pump at a workplace has failed to ensure, so far as is reasonably practicable, that the plant are without risks to the health and safety of any person. I attended the construction workplace where I observed a EVERDIGM concrete boom pump with a identification no LCP006 -REGO-XS-43AH pumping concrete for a concrete pour. I observed a safety chain & wire sling setup to retain flexible hose and reducer which was not positively restraining the reducer from falling onto workers if something was to fail. The setup that was in place to secure the discharge system was relying on a connection point that is not rated connection point.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

14-OCT-2020
Date issued

[redacted]
Inspector's location

This contravention must be remedied before: 21-OCT-2020

Service method: Delivered directly to the person named by electronic transmission

SHANE LARGE
Notice given to

Management Representative For Person With Management Or Control Of A Workplace
Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2004079

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13

RECIPIENT'S COPY

Improvement notice

Notice No. I105803

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED	
ABN: 98000893667	ACN: 000893667
Trading as: CBGU D&C JV	
Address: LEVEL 6 SOUTH TOWER, 520 WICKHAM ST, FORTITUDE VALLEY 4006 QLD	

Details of contravention:

Site location

BOGGO ROAD STATION, , DUTTON PARK 4102 QLD

I, Damian Crow reasonably believe on 15-OCT-2020 at 11:30 that you are contravening a provision of the:

Work Health and Safety Act 2011 - section(s) 19(3)(A)

Brief description of how the provision is being or has been contravened:

Pre-cast concrete barriers utilised along top edge of excavation capping beam, and at turning point of haul road entry.
Certification available for single free standing Pre-cast concrete barriers.
Observations and photographs have identified that installation in multiple areas where PCB's are potentially exposed to vehicular impact has not been conducted as per certified design.
Additional longitudinal metal piping has been added on top of PCB's in some areas, potentially increasing risk of vehicular contact and lateral loads applied to PCB's.
Two of - T Lock barriers observed instu at turning point of main haul road supported by shotcrete with unknown lateral integrity.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:

It is mandatory to comply with these directions

Work Health and Safety Act 2011 - section 19(3)(A)
Without limiting subsections 19 (1) and 19 (2), a person conducting a business or undertaking must ensure, so far as is reasonably practicablethe provision and maintenance of a work environment without risks to health and safety;

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector	Inspector's ID	Inspector's contact number
15-OCT-2020	[redacted]	
Date issued	Inspector's location	

This contravention must be remedied before:	**Service method:**
21-OCT-2020	Delivered directly to the person named by electronic transmission
SHANE BRADLEY	Management Representative For Person With Management Or Control Of A Workplace
Notice given to	Relationship to person to whom notice is issued

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I105803

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I105803

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 RECIPIENT'S COPY

Improvement notice

Notice No. I2015326

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CALOUNDRA CONCRETE PUMPING QLD PTY LTD

ABN: 34632205728 | ACN:

Trading as:

Address: 33 ALLEN ST, MOFFAT BEACH 4551 QLD

Details of contravention:

Site location

667 MAIN ST , WOOLLOONGABBA 4102 QLD

I, Lee Franklin reasonably believe on 16-OCT-2020 at 14:00 that you have contravened a provision in circumstances that make it likely that the contravention will continue or be repeated of the:

Work Health and Safety Act 2011 - section(s) 19(3)(B)

Brief description of how the provision is being or has been contravened:

I viewed and photographed a Schwing 27 SX concrete placement boom pump serial number 1010433, Unit 9 Monthly pipeline test and inspection pages and observed that no evidence of inspection was noted on any of the 3 pages completed for September 2020, last dated entry evidencing testing and inspection being August 2020 giving rise to risk of injuries to workers and other persons.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:

It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice

Issuing Inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

16-OCT-2020

Date issued

[redacted]

Inspector's location

This contravention must be remedied before: 21-OCT-2020

Service method: Delivered directly to the person named by electronic transmission

BRAD HUGHES

Notice given to

Management Representative For Person Conducting A Business Or Undertaking

Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.

I certify that the requirements of this notice have been complied with:

Name: [redacted] JOHN TORRISI Position: MANAGER

Signature: [redacted] Date complied: 19/10/2020

ABN 94 4[redacted]

Notice No. I2015326

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2004094

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: QUEENSLAND PRE-STRESSING PTY. LTD.

ABN: 95063541873 | ACN:

Trading as:

Address: 69 FREDERICK ST, NORTHGATE 4013 QLD

Details of contravention:

Site location

JOE BAKER STREET , DUTTON PARK 4102 QLD

I, Frank D'Allura reasonably believe on 04-NOV-2020 at 09:15 that you are contravening a provision of the:
Work Health and Safety Act 2011 - section(s) 19(3)(F)

Brief description of how the provision is being or has been contravened:

QUEENSLAND PRE-STRESSING PTY. LTD. who is conducting a business or undertaking must ensure, so far as is reasonably practicable the provision of any , training ,instruction or supervision that is necessary to protect all persons from risks to their health and safety arising from work carried out as part of the conduct of the business or undertaking; I attended the workplace and inspected the site shed where equipment was being stored. I inspected 2 green slings which had cuts through the outer casing and I could see fibres of slings. Slings were not taken out of service as no out of service tag and not stored in a way so it can't be unintentionally be put back into service. Also observed a LPG gas regulator that had a damaged pressure gauge and no tag out and was available to be used by workers as not secured also. I asked employee of company about how equipment that is faulty ,damaged or in need of repair is managed and he couldn't explain the process to me.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

04-NOV-2020 | [redacted]

Date issued | Inspector's location

This contravention must be remedied before: 13-NOV-2020

Service method: Delivered directly to the person named by electronic transmission

NEIL STEVENS

Notice given to

Management Representative For Person With Management Or Control Of A Workplace

Relationship to person to whom notice is issued

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2004094

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2004094

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2015340

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: UNITY ALLIANCE

Address: 600 GREGORY TERRACE , BOWEN HILLS 4006 QLD

Details of contravention:

Site location

600 GREGORY TERRACE , BOWEN HILLS 4006 QLD

I, Lee Franklin reasonably believe on 04-NOV-2020 at 12:20 that you are contravening a provision of the:
Work Health and Safety Regulation 2011 - regulation 43(2)

Brief description of how the provision is being or has been contravened:

Through viewing site specific emergency response plan rev00 I formed the belief that the plan procedures give rise to the risk of injury to workers and other persons as the person/s designated as emergency response team leader or deputy team leader or alternate team leader are not located on site. The person with this role has been designated to make all major decisions regarding emergency response.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

04-NOV-2020
Date issued

[redacted]
Inspector's location

This contravention must be remedied before: 10-NOV-2020

Service method: Delivered directly to the person named by electronic transmission

MATTHEW LAUGHTON
Notice given to

Management Representative For Person With Management Or Control Of A Workplace
Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2015340

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2004488

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CBGU D&C JV

Address: ALBERT STREET STATION, ALBERT ST, BRISBANE 4000 QLD

Details of contravention:

Site location

Lot 2- ALBERT STREET STATION, ALBERT ST, BRISBANE 4000 QLD

I, Young Min Lee reasonably believe on 23-NOV-2020 at 13:15 that you are contravening a provision of the:
Work Health and Safety Act 2011 - section(s) 19(3)(F)

Brief description of how the provision is being or has been contravened:

After conversations regarding an electric shock incident, I was told workers were using a temporary portable lighting commissioned on the 21/11/2020. The electrical foreman advised the lighting should not have been used during shotcreting due to the moisture. The temporary task lighting was not appropriate for the task and workers were not advised of the limitations on the use of this temporary lighting.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

23-NOV-2020
Date issued

[redacted]
Inspector's location

This contravention must be remedied before: 27-NOV-2020

Service method: Delivered directly to the person named by electronic transmission

SUSAN SARLANIS
Notice given to

Management Representative For Person With Management Or Control Of A Workplace
Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2004488

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2004701

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CBGU D&C JV

Address: 867 MAIN ST , WOOLLOONGABBA 4102 QLD

Details of contravention:

Site location

Cross River Rail - Woolloongabba

I, Christopher O'Donnell reasonably believe on 17-DEC-2020 at 00:10 that you have contravened a provision in circumstances that make it likely that the contravention will continue or be repeated of the:

Work Health and Safety Regulation 2011 - regulation 314

Brief description of how the provision is being or has been contravened:

The Principal Contractor for the Cross River Rail construction project failed to put in place arrangements for ensuring the person conducting the business or undertaking at the workplace managed the risks to health and safety associated with an object falling on a person where the falling object is reasonably likely to injure the person.

I formed a reasonable belief the above contravention occurred as on the 17th day of December 2020, a load that was being lifted on the Cross River Rail construction site at Woolloongabba fell. The risk of the object falling on a person and causing serious injury was not minimised so far as was reasonably practicable. The falling object was a 'wind lashing rod' and fell in two sections landing near a person that was not involved with the work giving rise to the risk of serious injury or death if the worker had been struck by the object.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Exclusion zones should be established for the lifting and landing areas and also along the load¿s travel path. Access to these areas should be restricted to people directly involved with the work. When determining the size of exclusion zones, all risks arising in relation to the work should be taken into consideration.

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

22-DEC-2020 | [redacted]

Date issued | Inspector's location

This contravention must be remedied before: 24-DEC-2020

Service method: Delivered directly to the person named by electronic transmission

JERRY KARATI

Notice given to

Management Representative For Person Conducting A Business Or Undertaking

Relationship to person to whom notice is issued

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2004701

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2004701

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

FORM 12
V1.1.12

RECIPIENT'S COPY

Prohibition notice

This notice is issued under the *Work Health and Safety Act 2011* section 195 or the *Safety in Recreational Water Activities Act 2011* applied section 195 *Work Health and Safety Act 2011* (which includes a body corporate, government department or public authority) who has or may be reasonably presumed to have control over the prohibited activity. This notice prohibits an activity which involves or will involve an immediate or imminent risk to the health and safety of any person. **The legislation requires that the person to whom a prohibition notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Queensland Government
ABN 94 496 188 983

Work Health and Safety Act 2011
Safety in Recreational Water Activities Act 2011

Notice No. P1021464

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CBGU D&C JV

Address: 867 MAIN ST , WOOLLOONGABBA 4102 QLD

Details of serious risk:

Site location | Direction given orally: Y

Cross River Rail - Woolloongabba

I, Christopher O'Donnell reasonably believe on 17-DEC-2020 at 00:10 that an activity may occur at the workplace that will involve a serious risk to the health or safety of a person emanating from an immediate or imminent exposure to a hazard and that this activity is likely to be contravening a provision of the:

Work Health and Safety Act 2011 - section(s) 19(2)

I direct the person with control over the following activity to stop the activity of: Using cranes or other plant to lift loads over a person, or suspend/travel a load near a person where the person could potentially be struck or nearly struck by loads being lifted, lowered or suspended in workplaces.

until an inspector is satisfied that the matters that will give rise to the risk have been remedied.

Basis for inspector's belief:

On the 17th day of December 2020, a load that was being lifted on the Cross River Rail construction site at Woolloongabba fell. The risk of the object falling on a person and causing serious injury was not minimised so far as was reasonably practicable. The falling object was a 'wind lashing rod' and fell in two sections landing near a person that was not involved with the work giving rise to the risk of serious injury or death if the worker had been struck by the object.

Directions (if any) on the measures to be taken to remedy the risk, activities or matters or the contravention or likely contravention: It is mandatory to comply with these directions

Recommendations (if any): Recommendations may be followed or you may adopt and follow another way that gives at least the same level of protection against the risk

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

22-DEC-2020
Date issued

[redacted]
Inspector's location

Service method:

Delivered directly to the person named by electronic transmission

JERRY KARATI
Notice given to

Management Representative For Person Conducting A Business Or Undertaking
Relationship to person to whom notice is issued

Information about how to obtain a review of this decision is detailed on the back of this notice.

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice.

You must comply with this notice. Failure to comply may incur a maximum penalty of $100 000 for an individual and $500 000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the Department. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by Office of Industrial Relations to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.
The Office of Industrial Relations privacy information is on our website at www.worksafe.qld.gov.au/.

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I1047776

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: TITAN CRANES AND RIGGING PTY LTD

ABN: 68109564721 | ACN:

Trading as:

Address: 867 MAIN ST , WOOLLOONGABBA 4102 QLD

Details of contravention:

Site location

867 MAIN ST , WOOLLOONGABBA 4102 QLD

I, Christopher O'Donnell reasonably believe on 17-DEC-2020 at 00:10 that you have contravened a provision in circumstances that make it likely that the contravention will continue or be repeated of the:

Work Health and Safety Regulation 2011 - regulation 54

Brief description of how the provision is being or has been contravened:

The PCBU, namely Titan Cranes failed to minimise the risk of an object falling on a person by providing adequate protection against the risk.
On the 17th of December 2020, a load was being lifted on the Cross River Rail Construction Project (Woolloongabba). The load fell in two sections nearly hitting a worker performing unrelated construction worker close to the area the lifting task was being performed. The risk of the object being lifted by the tower crane falling onto a person and causing serious injury had not been minimised so as as is reasonably practicable with no exclusion zones or other controls in place that managed the risks to the health and safety associated with an object falling on a person were the object is reasonably likely to injure the person.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Adequate protection includes preventing an object from falling freely, so far as is reasonably practicable, or providing a system to arrest the fall of a falling object if it is not reasonably practicable to prevent an object from falling. Examples of systems include secure barriers, providing a safe means of raising and lowering objects, and providing an exclusion zone people are prohibited from entering.

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

04-JAN-2021
Date issued

[redacted]
Inspector's location

This contravention must be remedied before: 14-JAN-2021

Service method: Delivered directly to the person named by electronic transmission

READ WARREN
Notice given to

Management Representative For Person Conducting A Business Or Undertaking
Relationship to person to whom notice is issued

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I1047776

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983 **Notice No. I1047776**

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

FORM 12 **RECIPIENT'S COPY**
V1.1.12

Prohibition notice

This notice is issued under the *Work Health and Safety Act 2011* section 195 or the *Safety in Recreational Water Activities Act 2011* applied section 195 *Work Health and Safety Act 2011* (which includes a body corporate, government department or public authority) who has or may be reasonably presumed to have control over the prohibited activity. This notice prohibits an activity which involves or will involve an immediate or imminent risk to the health and safety of any person. **The legislation requires that the person to whom a prohibition notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Queensland Government
ABN 94 496 188 983

Work Health and Safety Act 2011
Safety in Recreational Water Activities Act 2011

Notice No. P1020600

Notice issued to:

Legal name of person/business or undertaking: TITAN CRANES AND RIGGING PTY LTD

ABN: 68109564721 | ACN:

Trading as:

Address: 867 MAIN ST , WOOLLOONGABBA 4102 QLD

Details of serious risk:

Site location — Direction given orally: Y

867 MAIN ST , WOOLLOONGABBA 4102 QLD

I, Christopher O'Donnell reasonably believe on 17-DEC-2020 at 00:10 that an activity may occur at the workplace that will involve a serious risk to the health or safety of a person emanating from an immediate or imminent exposure to a hazard and that this activity is likely to be contravening a provision of the:

Work Health and Safety Act 2011 - section(s) 19(2)

I direct the person with control over the following activity to stop the activity of: Using cranes or other plant to lift loads over a person, or suspend/travel a load near a person where the person could potentially be struck or nearly struck by loads being lifted, lowered or suspended in workplaces.

until an inspector is satisfied that the matters that will give rise to the risk have been remedied.

Basis for inspector's belief:

On the 17th day of December 2020, a load that was being lifted on the Cross River Rail construction site at Woolloongabba fell. The risk of the object falling on a person and causing serious injury was not minimised so far as was reasonably practicable. The falling object was a 'wind lashing rod' and fell in two sections landing near a person that was not involved with the work giving rise to the risk of serious injury or death if the worker had been struck by the object.

Directions (if any) on the measures to be taken to remedy the risk, activities or matters or the contravention or likely contravention: It is mandatory to comply with these directions

Recommendations (if any): Recommendations may be followed or you may adopt and follow another way that gives at least the same level of protection against the risk

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

04-JAN-2021
Date issued

[redacted]
Inspector's location

Service method:

Delivered directly to the person named by electronic transmission

READ WARREN
Notice given to

Management Representative For Person Conducting A Business Or Undertaking
Relationship to person to whom notice is issued

Information about how to obtain a review of this decision is detailed on the back of this notice.

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice.

You must comply with this notice. Failure to comply may incur a maximum penalty of $100 000 for an individual and $500 000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the Department. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by Office of Industrial Relations to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.
The Office of Industrial Relations privacy information is on our website at www.workfsafe.qld.gov.au/.

Form 13

RECIPIENT'S COPY

Improvement notice

Notice No. I2004427

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: TITAN CRANES AND RIGGING PTY LTD

ABN: 68109564721 | ACN:

Trading as:

Address: 867 MAIN ST , WOOLLOONGABBA 4102 QLD

Details of contravention:

Site location

91 Leopard St Woollongabba 4102 QLD

I, Marc Ryder reasonably believe on 13-JAN-2021 at 11:36 that you are contravening a provision of the:

Work Health and Safety Regulation 2011 - regulation 43(2)

Brief description of how the provision is being or has been contravened:

I have made enquiries onsite and reviewed associated documents in conjunction with the Titan Emergency Procedure , Recovery of Injured Worker from Tower Crane and formed the reasonable belief that Titan Cranes and Rigging have failed to maintain the emergency plan so that it remains effective due to the only response option that has been tested is not able to be implemented as the specified item of plant (MEWP) is not available, the plan does not list the required frequency of testing to be conducted to ensure the plan is kept up to date and relevant.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:

It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

13-JAN-2021

Date issued

[redacted]

Inspector's location

This contravention must be remedied before: 21-JAN-2021

Service method: Delivered directly to the person named by electronic transmission

WARREN READ

Notice given to

Management Representative For Person Conducting A Business Or Undertaking

Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.

I certify that the requirements of this notice have been complied with:

Name *in block letters*: WARREN READ Position: MMC

Signature: [redacted] Date complied: 19/1/21

ABN 94 496 188 9

Notice No. I2004427

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Internal review of decision

An eligible person whose interests are affected by an original decision may apply for the decision to be reviewed. Refer to the Internal review of decision ? guide for applicants, at www.worksafe.qld.gov.au

An eligible person is:

1. The person to whom the notice was issued.
2. A person conducting a business or undertaking whose interests are affected by the decision.
3. A worker whose interests are affected by the decision.
4. A health and safety representative who represents a worker whose interests are affected by the decision.

How does a person apply for a review of a decision?

The application for internal review must:

a) be made in the approved form to the reviewer

b) supported by enough information to enable the reviewer to decide the application

An application for internal review relating to an improvement notice issued under the *Work Health and Safety Act 2011* and the *Safety in Recreational Water Activities Act 2011* must be lodged before the date stated in the notice for compliance or within 14 calendar days of the decision coming to the notice of the eligible person, whichever is the lesser.

For an improvement notice issued under the *Electrical Safety Act 2002*, the application for internal review must be made within 14 days after the day the applicant receives the notice.

Lodgement of the form can be made via email whsrod@oir.qld.gov.au. Information about how to apply for an internal review of decision, including the application form, is available at www.worksafe.qld.gov.au or by calling 1300 362 128. There is no application fee.

The operation of the improvement notice is stayed (suspended) once the application for review of decision is lodged. The stay remains in effect until a decision is made by the internal reviewer and whichever of the following is earlier ? an external review is applied for or, 28 days have elapsed since the person became aware of the decision.

What happens next?

The internal reviewer must make a decision within 14 calendar days of receiving the application for internal review. The internal reviewer can confirm or vary the reviewable decision, or set aside the reviewable decision and substitute the original decision for another decision. Once the internal reviewer makes the decision, they must notify the applicant of the decision and the reasons for the decision in writing.

External review

An eligible person may apply to an external review body for a review of the internal decision of the internal decision reviewer, or the original decision of the regulator. From the day the applicant received or became aware of the decision, an application for external review must be made within:

- 30 calendar days to the Queensland Industrial Relations Commission (QIRC) relating to the *Work Health and Safety Act 2011*;
- 28 calendar days to the Queensland Civil Administration Tribunal (QCAT) relating to the *Electrical Safety Act 2002* or the *Safety in Recreational Waters Act 2011*.

QCAT and QIRC may confirm or vary the original decision, set aside the original decision and substitute another decision or set aside the original decision and return the matter to the decision maker with appropriate directions.

Please refer to www.worksafe.qld.gov.au or phone 1300 362 128 for more information on how to apply for an external review.

Privacy collection statement

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

The OIR's privacy information is on our website at www.worksafe.qld.gov.au.

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice.

You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

FORM 62
V1.1.12

RECIPIENT'S COPY

Non-disturbance notice

This notice is issued under the *Work Health and Safety Act 2011* section 198, the *Safety in Recreational Water Activities Act 2011* applied section 198 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 149. This notice requires the person with management or control of a workplace (which can mean a body corporate, government department or public authority) to preserve the site at which a notifiable incident has occurred or prevent the disturbance of a particular site for a specified period including the operation of plant. **The legislation requires that the person to whom a non-disturbance notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Queensland Government
ABN 94 496 188 983

Work Health and Safety Act 2011
Electrical Safety Act 2002
Safety in Recreational Water Activities Act 2011

Notice No. NDI1001368

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CBGU D&C JV

Address: LVL 3 SOUTH TOWER, 339 CORONATION DR, MILTON 4064 QLD

Details of non-disturbance:

Site location / plant location / plant identification

ROMA ST STATION ROMA ST,CAVERN [ADIT AREA]

I, Frank D'Allura on 01-FEB-2021 at 18:15 require the person identified above to:

prevent the disturbance of a particular site (including any plant, substance, structure or thing associated with the site)

However, the issue of this notice does not prevent the person identified above taking any action:

- to assist an injured person; or
- to remove a deceased person; or
- that is essential to make the site safe or to prevent a further incident; or
- that is associated with a police investigation; or
- for which an inspector has given permission.

Measures to be taken to preserve the site or prevent disturbance of the site:

Put controls in place to secure the incident scene from unauthorised access of people so plant being telehandler and EWP knuckle boom are not tampered with or moved. I will permit the principal contractor to make safe the telehandler so it comes back onto the ground as close as possible to its location as from the incident. You can lower the load suspended off the telehandler but do not dismantle the rigging and leave rigging attach to Telehandler. Do not move the EWP that was involved in the incident. I allow access to internet area with plant to inspect electrical cable to confirm if electrically safe.

This notice will remain in force until:

Date 08-FEB-2021 Time (24 hrs) 18:15

A non-disturbance notice can apply only for a maximum of seven days. If the inspector considers it necessary to do so, he or she may issue one or more subsequent non-disturbance notices, either before or after the expiry of this notice.

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

01-FEB-2021
Date issued

[redacted]
Inspector's location

Service method:

Left for the person named with person who is or appears to be in management or control of the workplace

MICHAEL FINICH
Notice given to

Management Representative For Person With Management Or Control Of A Workplace
Relationship to person to whom notice is issued

Information about how to obtain a review of this decision is detailed on the back this notice.

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice.

You must comply with this notice within the period stated. Failure to comply may incur a maximum penalty of $50 000 for an individual, and $250 000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the Department. Note that privacy laws do not apply if other laws prohibit or allow or require the collection of information, and do not apply to the collection of information by The Office of Industrial Relations to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.
The Office of Industrial Relations privacy information is on our website at www.worksafe.qld.gov.au

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I1047782

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CBGU D&C JV

Address: LVL 3 SOUTH TOWER, 339 CORONATION DR, MILTON 4064 QLD

Details of contravention:

Site location

Roma Street Cavern - The Adit

I, Christopher O'Donnell reasonably believe on 01-FEB-2021 at 12:25 that you are contravening a provision of the:

Work Health and Safety Act 2011 - section(s) 19(3)(C)

Brief description of how the provision is being or has been contravened:

The person conducting the business or undertaking failed to ensure, so far as is reasonably practicable the provision and maintenance of safe systems of work.
I reviewed and made copies of the safe work method statement provided to me by Michael Finch. The SWMS did have any controls in place to minimise the risks associated with energised electrical installations and the potential for the electrical installations to be damaged.
There was no spotter in place during the installation of an air extraction duct weighing 347kgs. Workers were asked to elevate the energised cable cable with their hands giving rise to the risk of serious injuries if the insulation of the cable was damaged.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

02-FEB-2021
Date issued

[redacted]
Inspector's location

This contravention must be remedied before: 08-FEB-2021

Service method: Delivered directly to the person named by electronic transmission

MICHAEL FINCH
Notice given to

Management Representative For Person With Management Or Control Of A Workplace
Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I1047782

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I1047783

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED	
ABN: 98000893667	ACN: 000893667
Trading as: CBGU D&C JV	
Address: LVL 3 SOUTH TOWER, 339 CORONATION DR, MILTON 4064 QLD	

Details of contravention:

Site location

Roma Street (Cross River Rail) Roma Cavern Adit

I, Christopher O'Donnell reasonably believe on 01-FEB-2021 at 12:25 that you have contravened a provision in circumstances that make it likely that the contravention will continue or be repeated of the:

Work Health and Safety Regulation 2011 - regulation 214

Brief description of how the provision is being or has been contravened:

The person with management or control of powered mobile plant at a workplace, namely CPB Contractors Pty Ltd failed to manage risks to health and safety associated with the following the plant overturning creating a risk to health and safety.
An incident occurred at the Roma Street Tunnel (Cross River Rail) in the Roma Cavern Adit section of the tunnel. The incident involved a tele-handler that had become unbalanced on an incline of 14.2% while carry a 347kg section of ductwork. The telehandler was only supported by a section of concrete barrier, a large extraction unit and a boom type MEWP.
The telehandler had very little room to move, had no slew function and was not able to rope up/down. In order to position the section of duct the telehandler had to traverse forwards and backwards and adjust the articulation and luff of the boom. This combination made it difficult for the operator to position the section of duct and gave rise to the risk of the telehandler overturning.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector	Inspector's ID	Inspector's contact number
02-FEB-2021	[redacted]	
Date issued	Inspector's location	

This contravention must be remedied before:	**Service method:**
08-FEB-2021	Delivered directly to the person named by electronic transmission
MICHAEL FINCH	Management Representative For Person With Management Or Control Of A Workplace
Notice given to	Relationship to person to whom notice is issued

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I1047783

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I1047783

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

FORM 12 **RECIPIENT'S COPY**
V1.1.12

Prohibition notice

This notice is issued under the *Work Health and Safety Act 2011* section 195 or the *Safety in Recreational Water Activities Act 2011* applied section 195 *Work Health and Safety Act 2011* (which includes a body corporate, government department or public authority) who has or may be reasonably presumed to have control over the prohibited activity. This notice prohibits an activity which involves or will involve an immediate or imminent risk to the health and safety of any person. **The legislation requires that the person to whom a prohibition notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Queensland Government
ABN 94 496 188 983

Work Health and Safety Act 2011
Safety in Recreational Water Activities Act 2011

Notice No. P1021804

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CBGU D&C JV

Address: LVL 3 SOUTH TOWER, 339 CORONATION DR, MILTON 4064 QLD

Details of serious risk:

Site location — Direction given orally: Y

ROMA STREET CAVERN THE ADIT

I, Frank D'Allura reasonably believe on 02-FEB-2021 at 10:30 that an activity may occur at the workplace that will involve a serious risk to the health or safety of a person emanating from an immediate or imminent exposure to a hazard and that this activity is likely to be contravening a provision of the:

Work Health and Safety Act 2011 - section(s) 19(3)(B)

I direct the person with control over the following activity to stop the activity of: Allowing workers to use and operate the Dieci Hercules 120.10 Telescopic Handler ser-no 2030391 until the plant has been fully inspected by a competent person for damage or faults and then deemed safe to use .

until an inspector is satisfied that the matters that will give rise to the risk have been remedied.

Basis for inspector's belief:

I attended to the Roma Street Tunnel (Cross River Rail project) in the Roma Cavern Adit section in relation to a incident involving the named plant. I observed that the boom of Telescopic Handler has made contact with the EWP knuckle boom with a unknown amount of force . The Telescopic Handler is on 2 wheels and observed control cables for boom that could be damaged. I am unaware if the plant has any structural damage or operational damage which might of have happened from the incident.

Directions (if any) on the measures to be taken to remedy the risk, activities or matters or the contravention or likely contravention: It is mandatory to comply with these directions

Recommendations (if any): Recommendations may be followed or you may adopt and follow another way that gives at least the same level of protection against the risk

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

02-FEB-2021
Date issued

[redacted]
Inspector's location

Service method:

Delivered directly to the person named by electronic transmission

MICHAEL FINICH
Notice given to

Management Representative For Person With Management Or Control Of A Workplace
Relationship to person to whom notice is issued

Information about how to obtain a review of this decision is detailed on the back of this notice.

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice.

You must comply with this notice. Failure to comply may incur a maximum penalty of $100 000 for an individual and $500 000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the Department. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by Office of Industrial Relations to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.
The Office of Industrial Relations privacy information is on our website at www.workfsafe.qld.gov.au/.

FORM 12 **RECIPIENT'S COPY**
V1.1.12

Prohibition notice

This notice is issued under the *Work Health and Safety Act 2011* section 195 or the *Safety in Recreational Water Activities Act 2011* applied section 195 *Work Health and Safety Act 2011* (which includes a body corporate, government department or public authority) who has or may be reasonably presumed to have control over the prohibited activity. This notice prohibits an activity which involves or will involve an immediate or imminent risk to the health and safety of any person. **The legislation requires that the person to whom a prohibition notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Queensland Government
ABN 94 496 188 983

Work Health and Safety Act 2011
Safety in Recreational Water Activities Act 2011

Notice No. P1021805

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CBGU D&C JV

Address: LVL 3 SOUTH TOWER, 339 CORONATION DR, MILTON 4064 QLD

Details of serious risk:

Site location — Direction given orally: Y

ROMA STREET CAVERN THE ADIT

I, Frank D'Allura reasonably believe on 02-FEB-2021 at 10:30 that an activity may occur at the workplace that will involve a serious risk to the health or safety of a person emanating from an immediate or imminent exposure to a hazard and that this activity is likely to be contravening a provision of the:

Work Health and Safety Act 2011 - section(s) 19(3)(B)

I direct the person with control over the following activity to stop the activity of: allowing workers to use and operate the EWP knuckle boom that was involved in the incident on the 1/2/2021 in the Roma street Caven until the plant has been fully inspected by a competent person for damage or faults and then deemed safe to use.

until an inspector is satisfied that the matters that will give rise to the risk have been remedied.

Basis for inspector's belief:

I attended to the Roma Street Tunnel [Cross River Rail Project] in the the Roma Cavern ADIT section in relation to a incident involving the EWP mentioned above . I observed the EWP basket has the boom of the Telescopic handler leaning against it and it is applying a unknown amount of force on the basket and components of the EWP. I am unaware if there was any other damage to critical parts of the EWP which could effect it operation in anyway.

Directions (if any) on the measures to be taken to remedy the risk, activities or matters or the contravention or likely contravention: It is mandatory to comply with these directions

Recommendations (if any): Recommendations may be followed or you may adopt and follow another way that gives at least the same level of protection against the risk

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

02-FEB-2021 | [redacted]

Date issued | Inspector's location

Service method:

Delivered directly to the person named by electronic transmission

MICHAEL FINICH — Notice given to

Management Representative For Person With Management Or Control Of A Workplace — Relationship to person to whom notice is issued

Information about how to obtain a review of this decision is detailed on the back of this notice.

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice.

You must comply with this notice. Failure to comply may incur a maximum penalty of $100 000 for an individual and $500 000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the Department. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by Office of Industrial Relations to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.
The Office of Industrial Relations privacy information is on our website at www.workfsafe.qld.gov.au/.

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2060274

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: SSKB BODY CORPORATE MANAGEMENT PTY. LTD.

ABN: 59100137862 | ACN:

Trading as:

Address: CTS35634 OAKS HOTEL, 108 ALBERT ST, BRISBANE CITY 4000 QLD

Details of contravention:

Site location

Eastern side of tower

I, John Azcune reasonably believe on 04-FEB-2022 at 08:03 that you are contravening a provision of the:
Work Health and Safety Act 2011 - section(s) 19(1)

Brief description of how the provision is being or has been contravened:

Inspector has obtain evidence of bottle and cans being thrown of the upper level of the OAKs building located at the corner of Charlotte Street and Albert street. The PCBU must ensure so far as reasonably practicable that persons are not affected by activities and placing controls to warn and alert occupancies of the the dangers.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

07-FEB-2022 | [redacted]

Date issued | Inspector's location

This contravention must be remedied before: 28-FEB-2022

Service method: Delivered directly to the person named by electronic transmission

PETER DUNN — Notice given to

Management Representative For Person With Management Or Control Of A Workplace — Relationship to person to whom notice is issued

---

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2060274

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2015679

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED	
ABN: 98000893667	ACN: 000893667
Trading as: CBGU D&C JV	
Address: LVL 3 SOUTH TOWER, 339 CORONATION DR, MILTON 4064 QLD	

Details of contravention:

Site location

867 MAIN ST , WOOLLOONGABBA 4102 QLD
Northern Tunnel

I, Frank D'Allura reasonably believe on 08-FEB-2021 at 11:55 that you are contravening a provision of the:
Work Health and Safety Act 2011 - section(s) 19(3)(C)

Brief description of how the provision is being or has been contravened:

CPB CONTRACTORS PTY LIMITED who is conducting a business or undertaking have failed to ensure, so far as is reasonably practicable the provision and maintenance of safe systems of work. I observed in northern tunnel a area where principal contractor stores hazardous chemicals in hazardous chemical cabinets. . One is for Flammable liquids and other for Corrosives. I reviewed contents of Flammable storage cabinet and observed that 2 Corrosive products were stored in this cabinet with other substances as in brake cleaner and engine oil. I was advised by Pc representatives that there is no process in place to manage chemical compatibility when storing these chemicals in this situation. I proceeded to main store above ground and discussed storage management and identified that the main store has a process in place to manage the compatibility of chemicals.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector	Inspector's ID	Inspector's contact number
08-FEB-2021	[redacted]	
Date issued	Inspector's location	

This contravention must be remedied before:	**Service method:**
12-FEB-2021	Delivered directly to the person named by electronic transmission
AISLING MCKENNA	Management Representative For Person With Management Or Control Of A Workplace
Notice given to	Relationship to person to whom notice is issued

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2015679

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2015679

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2008596

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: QUEENSLAND PRE-STRESSING PTY. LTD.

ABN: 95063541873 | ACN:

Trading as:

Address: ROMA STREET STATION, ROMA ST, BRISBANE CITY 4000 QLD

Details of contravention:

Site location

I, John Azcune reasonably believe on 15-MAR-2021 at 14:22 that you are contravening a provision of the:
Work Health and Safety Regulation 2011 - regulation 300(1)

Brief description of how the provision is being or has been contravened:

Person conducting a business or undertaking that includes the carrying out of high risk construction work must ensuring that high risk construction work is carried out in accordance with the safe work method statement for the work.
I observed a worker wearing RPE which requires to have fit testing carried out to achieve a seal to protect worker respiratory system, as stated in the WMS. The worker was aloud to have a full face beard which impeded his protection while shot creteing.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

15-MAR-2021
Date issued

[redacted]
Inspector's location

This contravention must be remedied before: 16-MAR-2021

Service method: Delivered directly to the person named by electronic transmission

TONY LOPEZ
Notice given to

Management Representative For Person Conducting A Business Or Undertaking
Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2008596

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2015687

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CBGU D&C JV

Address: LVL 3 SOUTH TOWER, 339 CORONATION DR, MILTON 4064 QLD

Details of contravention:

Site location

ROMA STREET STATION, ROMA ST, BRISBANE CITY 4000 QLD. Station box M&E.

I, Frank D'Allura reasonably believe on 15-MAR-2021 at 09:36 that you are contravening a provision of the:

Work Health and Safety Regulation 2011 - regulation 40(A)

Brief description of how the provision is being or has been contravened:

I attended to the construction workplace and conducted a site audit of access provided to workers into the M&E station box. I observed that the access which was provided to workers was a single stretcher stairs scaffold and a first aid box. The second set of scaffold stretcher stairs was not available as earth excavated around them stopping access. I also observed that QPS have 2 unleaded fuel generators operating near the only access point and a 20lt drum of petrol in waste bin. The work area has lots of water on ground and if a refuelling incident was to occur, access out of station box in a emergency would be prevented. I also established the work procedure for refuelling the unleaded fuel generators doesn't manage the risks of a potential fire during refuelling. This issue is potential creating a situation where access out of the station box during a emergency would be affected.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:

It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

15-MAR-2021 | [redacted]

Date issued | Inspector's location

This contravention must be remedied before: 19-MAR-2021

Service method: Delivered directly to the person named by electronic transmission

PETER EVERILL — Notice given to

Management Representative For Person With Management Or Control Of A Workplace — Relationship to person to whom notice is issued

---

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2015687

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2015688

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: QUEENSLAND PRE-STRESSING PTY. LTD.

ABN: 95063541873 | ACN:

Trading as:

Address: 69 FREDERICK ST, NORTHGATE 4013 QLD

Details of contravention:

Site location

ROMA STREET STATION, ROMA ST, BRISBANE CITY 4000 QLD

I, Frank D'Allura reasonably believe on 15-MAR-2021 at 11:30 that you are contravening a provision of the:
Work Health and Safety Act 2011 - section(s) 19(3)(B)

Brief description of how the provision is being or has been contravened:

QUEENSLAND PRE-STRESSING PTY. LTD. who is conducting a business or undertaking has failed to ensure, so far as is reasonably practicable the provision and maintenance of safe plant namely concrete line pump. I attended the construction workplace and observed the Concord concrete line pump with a rego-XQ59NT which was operational and pumping concrete. I conducted a inspection of pump and identified some issues relating to safety signage on pump as it was damaged and worn and hard to read. The owner of plant needs to ensure that the plant is maintained in a way to ensure it is safe to use.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

15-MAR-2021
Date issued

[redacted]
Inspector's location

This contravention must be remedied before: 18-MAR-2021

Service method: Delivered directly to the person named by electronic transmission

TONY LOPEZ
Notice given to

Management Representative For Person With Management Or Control Of A Workplace
Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2015688

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2015689

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: QUEENSLAND PRE-STRESSING PTY. LTD.

ABN: 95063541873 | ACN:

Trading as:

Address: 69 FREDERICK ST, NORTHGATE 4013 QLD

Details of contravention:

Site location

ROMA STREET STATION, ROMA ST, BRISBANE CITY 4000 QLD

I, Frank D'Allura reasonably believe on 15-MAR-2021 at 14:24 that you are contravening a provision of the:
Work Health and Safety Act 2011 - section(s) 19(3)(C)

Brief description of how the provision is being or has been contravened:

QUEENSLAND PRE-STRESSING PTY. LTD. who is a conducting a business or undertaking has not ensured, so far as is reasonably practicable the provision and maintenance of safe systems of work in relation to the refuelling of unleaded fuel plant . I identified that the PCBU has unleaded fuel generators on site that need to be refuelled more than once a day . I looked at the procedure and identified it doesn't provide any advice to the workers of when it is safe to refuel the unleaded fuel plant. By not having this information provided to workers is potentially exposing workers to a injury if fuel was to ignite during the refuelling process.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

15-MAR-2021 | [redacted]

Date issued | Inspector's location

This contravention must be remedied before: 19-MAR-2021

Service method: Delivered directly to the person named by electronic transmission

TONY LOPEZ

Notice given to

Management Representative For Person With Management Or Control Of A Workplace

Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

FORM 12 **RECIPIENT'S COPY**
V1.1.12

Prohibition notice

This notice is issued under the *Work Health and Safety Act 2011* section 195 or the *Safety in Recreational Water Activities Act 2011* applied section 195 *Work Health and Safety Act 2011* (which includes a body corporate, government department or public authority) who has or may be reasonably presumed to have control over the prohibited activity. This notice prohibits an activity which involves or will involve an immediate or imminent risk to the health and safety of any person. **The legislation requires that the person to whom a prohibition notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Queensland Government
ABN 94 496 188 983

Work Health and Safety Act 2011
Safety in Recreational Water Activities Act 2011

Notice No. P1026247

Notice issued to:

Legal name of person/business or undertaking: TRANSPACIFIC INDUSTRIAL SOLUTIONS PTY LTD

ABN: 57099813546 | ACN:

Trading as:

Address: ROMA STREET STATION, ROMA ST, BRISBANE CITY 4000 QLD

Details of serious risk:

Site location — Direction given orally: Y

Work area near deep excavation where workers had access at piling area

I, John Azcune reasonably believe on 15-MAR-2021 at 12:01 that an activity may occur at the workplace that involves a serious risk to the health or safety of a person emanating from an immediate or imminent exposure to a hazard and that this activity is contravening a provision of the:

Work Health and Safety Act 2011 - section(s) 19(3)(A)

I direct the person with control over the following activity to stop the activity of: Working near a excavation that is 2.4 deep with no controls in place to prevent engulfment from collapse

until an inspector is satisfied that the matters that give rise to the risk have been remedied.

Basis for inspector's belief:

I was told by a worker that he was excavating with vacuum pump which reached 2.4 metres deep. No shoring was used as the High Risk work method stated. to control the risk of entrapment.

Directions (if any) on the measures to be taken to remedy the risk, activities or matters or the contravention or likely contravention: It is mandatory to comply with these directions

Recommendations (if any): Recommendations may be followed or you may adopt and follow another way that gives at least the same level of protection against the risk

Issuing inspector:

[redacted] | Inspector's ID | Inspector's contact number

Signature of inspector

15-MAR-2021 — Date issued

[redacted] — Inspector's location

Service method:

Delivered directly to the person named by electronic transmission

CHRIS HANSEN — Notice given to

Management Representative For Person Conducting A Business Or Undertaking — Relationship to person to whom notice is issued

Information about how to obtain a review of this decision is detailed on the back of this notice.

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice.

You must comply with this notice. Failure to comply may incur a maximum penalty of $100 000 for an individual and $500 000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the Department. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by Office of Industrial Relations to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.
The Office of Industrial Relations privacy information is on our website at www.workfsafe.qld.gov.au/.

FORM 24 **RECIPIENT'S COPY**

Infringement notice

V15.03.19

This notice is issued under the *State Penalties Enforcement Act 1999* section 13 to a person who is contravening or has contravened a provision that has been designated an offence under the Act or Regulation that may attract an infringement notice. This notice requires the person to whom it is issued to ensure payment by the due date unless other available action is taken (refer to the second page of this notice for relevant information).

Notice No. F176168

Notice issued to:

Legal name of alleged offender: QUEENSLAND PRE-STRESSING PTY. LTD.		
ABN: 95063541873	ACN:	
Trading as (if applicable):		
Address: ROMA STREET STATION, ROMA ST, BRISBANE CITY 4000 QLD		
Date of birth:	Gender:	Contact number:
Identification type:	ID number:	

Details of alleged contravention:

Location of offence

ROMA STREET STATION, ROMA ST, BRISBANE CITY 4000 QLD

I, John Azcune reasonably believe on 15-MAR-2021 at 09:00 you committed an infringement notice offence by contravening a provision of the:

Work Health and Safety Regulation 2011, regulation 299(1)

Offence code: 9001

Penalty amount $3600 ***Payment must be received within 28 days of the date of this notice unless other available action has been taken (refer to the second page of this notice for relevant information).***

Description of the offence:

Person conducting a business or undertaking failed to ensure that a safe work method statement for high risk construction work was prepared before the work commenced

Issuing inspector:

[redacted]

Signature of inspector	Inspector's ID	Inspector's contact number
16-MAR-2021	[redacted]	
Date issued	Inspector's location	

Service method:

Email

TONY LOPEZ	Management Representative For Person Conducting A Business Or Undertaking
Notice given to	Relationship to person to whom notice is issued

Information about payment options is detailed on the second page of this notice.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

ABN 94 496 188 983

Queensland Government

FORM 24 **RECIPIENT'S COPY**

Infringement notice

V15.03.19

This notice is issued under the *State Penalties Enforcement Act 1999* section 13 to a person who is contravening or has contravened a provision that has been designated an offence under the Act or Regulation that may attract an infringement notice. This notice requires the person to whom it is issued to ensure payment by the due date unless other available action is taken (refer to the second page of this notice for relevant information).

Notice No. F176169

Notice issued to:

Legal name of alleged offender: TRANSPACIFIC INDUSTRIAL SOLUTIONS PTY LTD		
ABN: 57099813546	ACN:	
Trading as (if applicable):		
Address: ROMA STREET STATION, ROMA ST, BRISBANE CITY 4000 QLD		
Date of birth:	Gender:	Contact number:
Identification type:	ID number:	

Details of alleged contravention:

Location of offence

ROMA STREET STATION, ROMA ST, BRISBANE CITY 4000 QLD

I, John Azcune reasonably believe on 15-MAR-2021 at 12:30 you committed an infringement notice offence by contravening a provision of the:

Work Health and Safety Regulation 2011, regulation 300(1)

Offence code: 9002

Penalty amount $3600 ***Payment must be received within 28 days of the date of this notice unless other available action has been taken (refer to the second page of this notice for relevant information).***

Description of the offence:

Person conducting a business or undertaking failed to put in place arrangements for ensuring that high risk construction work is carried out in accordance with safe work method statement

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

16-MAR-2021
Date issued

[redacted]
Inspector's location

Service method:

Email

JOHN BENHAM
Notice given to

Management Representative For Person Conducting A Business Or Undertaking
Relationship to person to whom notice is issued

Information about payment options is detailed on the second page of this notice.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

ABN 94 496 188 983

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2008744

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: AVOPILING AUSTRALIA PTY LTD

ABN: 96163544483 | ACN:

Trading as:

Address: JOE BAKER STREET , DUTTON PARK 4102 QLD

Details of contravention:

Site location

Southern Portal (Kent Street) 30 Joe Baker Street, Dutton Park

I, Paul Kitchener reasonably believe on 09-APR-2021 at 12:00 that you are contravening a provision of the:

Work Health and Safety Act 2011 - section(s) 21(2)

Brief description of how the provision is being or has been contravened:

I observed and photographed an access ladder to a LIEBHERR LB-24-270 Plant No. LB24-02 which has damage to the lower rung and damage to the support frames. The ladder is presenting a risk to the health and safety of workers by way of a fall from heights. You have not ensured, so far as is reasonably practicable, that the plant is without risks to the health and safety of any person.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Work Health and Safety Act 2011 - section 21(2)
The person with management or control of fixtures, fittings or plant at a workplace must ensure, so far as is reasonably practicable, that the fixtures, fittings and plant are without risks to the health and safety of any person.

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

09-APR-2021
Date issued

[redacted]
Inspector's location

This contravention must be remedied before: 15-APR-2021

Service method: Delivered directly to the person named by electronic transmission

BRETT SPROULE
Notice given to

Management Representative For Person Conducting A Business Or Undertaking
Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2008744

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2035555

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: AVOPILING (QLD) PTY LTD

ABN: 42142842644 | ACN: 142842644

Trading as:

Address: LANHAM ST, BOWEN HILLS 4006 QLD

Details of contravention:

Site location

Cross River Rail - LANHAM ST, BOWEN HILLS 4006 QLD

I, Christopher O'Donnell reasonably believe on 09-APR-2021 at 11:00 that you are contravening a provision of the:

Work Health and Safety Act 2011 - section(s) 19(3)(B)

Brief description of how the provision is being or has been contravened:

The person conducting a business or undertaking, namely Avopiling (Qld) pty Ltd failed to ensure, so far as is reasonably practicable the provision and maintenance of safe plant.
I observed and photographed a Bauer BG40-02 piling rig. The rig was fitted with a steel reinforced concrete pump hose, the hose significant damage revealing the steel reinforcement beneath the outer rubber sheath. The only test performed on the hose was a visual inspection with no indication provided as to the amount of time the hose had been in service giving rise to the risk of serious injury if the hose was to rupture.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

09-APR-2021
Date issued

[redacted]
Inspector's location

This contravention must be remedied before: 13-APR-2021

Service method: Delivered directly to the person named by electronic transmission

TES BRHANE
Notice given to

Management Representative For Person Conducting A Business Or Undertaking
Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2035555

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13

RECIPIENT'S COPY

Improvement notice

Notice No. I2035556

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: AVOPILING (QLD) PTY LTD

ABN: 42142842644 | ACN: 142842644

Trading as:

Address: LANHAM ST, BOWEN HILLS 4006 QLD

Details of contravention:

Site location

Cross River Rail - Lantham Street, Bowen Hills

I, Christopher O'Donnell reasonably believe on 09-APR-2021 at 11:00 that you are contravening a provision of the:

Work Health and Safety Act 2011 - section(s) 19(3)(F)

Brief description of how the provision is being or has been contravened:

The person conducting a business or undertaking , namely Avopiling (Qld) Pty Ltd failed to ensure, so far as is reasonably practicable the provision of any information, training, instruction or supervision that is necessary to protect all persons from risks to their health and safety arising from work carried out as part of the conduct of the business or undertaking.
I observed and photographed manufacturers inspections and maintenance schedule for the Bauer BG40-02 requiring a variety of inspections to be performed at varying time frames. I spoke to the operator who stated that he was unaware of some of the inspections required to be performed and that they were not being completed as he was unaware of the inspections and was believed the automatic lubrication system was lubricating all components that required lubrication. The rig had missed 5x50 hour inspections and 1x250 hour inspection at the time of inspection.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

09-APR-2021
Date issued

[redacted]
Inspector's location

This contravention must be remedied before: 14-APR-2021

Service method: Delivered directly to the person named by electronic transmission

TES BRHANE
Notice given to

Management Representative For Person Conducting A Business Or Undertaking
Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

FORM 12
V1.1.12

RECIPIENT'S COPY

Prohibition notice

This notice is issued under the *Work Health and Safety Act 2011* section 195 or the *Safety in Recreational Water Activities Act 2011* applied section 195 *Work Health and Safety Act 2011* (which includes a body corporate, government department or public authority) who has or may be reasonably presumed to have control over the prohibited activity. This notice prohibits an activity which involves or will involve an immediate or imminent risk to the health and safety of any person. **The legislation requires that the person to whom a prohibition notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Queensland Government

ABN 94 496 188 983

Work Health and Safety Act 2011
Safety in Recreational Water Activities Act 2011

Notice No. P1020605

Notice issued to:

Legal name of person/business or undertaking: AVOPILING (QLD) PTY LTD

ABN: 42142842644 | ACN: 142842644

Trading as:

Address: LANHAM ST, BOWEN HILLS 4006 QLD

Details of serious risk:

Site location | Direction given orally: Y

Cross River Rail - LANHAM ST, BOWEN HILLS 4006 QLD

I, Christopher O'Donnell reasonably believe on 09-APR-2021 at 11:00 that an activity may occur at the workplace that will involve a serious risk to the health or safety of a person emanating from an immediate or imminent exposure to a hazard and that this activity is likely to be contravening a provision of the:

Work Health and Safety Act 2011 - section(s) 19(1)

I direct the person with control over the following activity to stop the activity of: Using the piling Bauer BG40-02 Piling Rig.

until an inspector is satisfied that the matters that will give rise to the risk have been remedied.

Basis for inspector's belief:

I observed and photographed a flexible steel reinforced concrete placing hose, the hoses outer sheath was damaged to the point the steel reinforcement was clearly visible giving rise to the risk of serious injury if the concrete hose was to fil.

Directions (if any) on the measures to be taken to remedy the risk, activities or matters or the contravention or likely contravention: It is mandatory to comply with these directions

Recommendations (if any): Recommendations may be followed or you may adopt and follow another way that gives at least the same level of protection against the risk

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

09-APR-2021 | [redacted]

Date issued | Inspector's location

Service method:

Delivered directly to the person named by electronic transmission

TES BRHANE | Management Representative For Person Conducting A Business Or Undertaking

Notice given to | Relationship to person to whom notice is issued

Information about how to obtain a review of this decision is detailed on the back of this notice.

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice.

You must comply with this notice. Failure to comply may incur a maximum penalty of $100 000 for an individual and $500 000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the Department. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by Office of Industrial Relations to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.
The Office of Industrial Relations privacy information is on our website at www.worksafe.qld.gov.au/.

FORM 24 **RECIPIENT'S COPY**

Infringement notice

V15.03.19

This notice is issued under the *State Penalties Enforcement Act 1999* section 13 to a person who is contravening or has contravened a provision that has been designated an offence under the Act or Regulation that may attract an infringement notice. This notice requires the person to whom it is issued to ensure payment by the due date unless other available action is taken (refer to the second page of this notice for relevant information).

Notice No. F176175

Notice issued to:

Legal name of alleged offender: CPB CONTRACTORS PTY LIMITED		
ABN: 98000893667	ACN: 000893667	
Trading as (if applicable): CBGU D&C JV		
Address: LVL 3 SOUTH TOWER, 339 CORONATION DR, MILTON 4064 QLD		
Date of birth:	Gender:	Contact number:
Identification type:	ID number:	

Details of alleged contravention:

Location of offence

867 MAIN ST , WOOLLOONGABBA 4102 QLD

I, John Azcune reasonably believe on 23-APR-2021 at 07:35 you committed an infringement notice offence by contravening a provision of the:

Work Health and Safety Regulation 2011, regulation 300(2)

Offence code: 9003

Penalty amount $3600 ***Payment must be received within 28 days of the date of this notice unless other available action has been taken (refer to the second page of this notice for relevant information).***

Description of the offence:

Person conducting a business or undertaking failed to ensure that high risk construction work not being carried out in accordance with the safe work method statement was stopped immediately, or as soon as it was safe to do so, and only resumed once the work was being done in accordance with the safe work method statement

Issuing inspector:

[redacted]

Signature of inspector	Inspector's ID	Inspector's contact number
23-APR-2021	[redacted]	
Date issued	Inspector's location	

Service Method:	Email

Information about payment options is detailed on the second page of this notice.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

ABN 94 496 188 983

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2058203

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CBGU D&C JV

Address: LVL 3 SOUTH TOWER, 339 CORONATION DR, MILTON 4064 QLD

Details of contravention:

Site location

V2 Gate area

I, John Azcune reasonably believe on 23-APR-2021 at 09:00 that you are contravening a provision of the:
Work Health and Safety Regulation 2011 - regulation 300(1)

Brief description of how the provision is being or has been contravened:

PCBU has not ensured that high risk construction work is carried out in accordance with the safe work method statement for the work. I observed and videoed articulated mobile crane with ID "CA7019" was operating out side of the current WMS which states that an observer will be used when reversing.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted] | Inspector's ID | Inspector's contact number

Signature of inspector

23-APR-2021 | [redacted]

Date issued | Inspector's location

This contravention must be remedied before: 27-APR-2021

Service method: Delivered directly to the person named by electronic transmission

LUCY NASSER | Health And Safety Representative

Notice given to | Relationship to person to whom notice is issued

---

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2015629

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as:

Address: LVL 3 SOUTH TOWER, 339 CORONATION DR, MILTON 4064 QLD

Details of contravention:

Site location

Northern portal- Gregory terrace, Spring Hill

I, Lewis Cash reasonably believe on 27-APR-2021 at 14:00 that you are contravening a provision of the:

Work Health and Safety Act 2011 - section(s) 19(3)(C)

Brief description of how the provision is being or has been contravened:

An incident has occurred where the operator of the Cat mini excavator was expanding the undercarriage to bring the tracks out to full width. This function requires the bucket and blade of the machine to elevate the tracks in order for the hydraulics to expand or retract the undercarriage. During this process the excavator has rolled and injured the operator. After consultation into the incident its has been identified that the contributing factors of the failure are due to the excavator being elevated excessively to perform the task which only requires minimal elevation of the tracks and the use of a small width bucket approx. 300mm giving rise to instability on one side. CPB Contractors PTY LIMITED have failed to ensure, so far as is reasonably practicable the provision and maintenance of safe systems of work.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:

It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

27-APR-2021 | [redacted]

Date issued | Inspector's location

This contravention must be remedied before: 01-MAY-2021

Service method: Delivered directly to the person named by electronic transmission

FARREN WYPER

Notice given to

Management Representative For Person With Management Or Control Of A Workplace

Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2015629

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

FORM 12 **RECIPIENT'S COPY**
V1.1.12

Prohibition notice

This notice is issued under the *Work Health and Safety Act 2011* section 195 or the *Safety in Recreational Water Activities Act 2011* applied section 195 *Work Health and Safety Act 2011* (which includes a body corporate, government department or public authority) who has or may be reasonably presumed to have control over the prohibited activity. This notice prohibits an activity which involves or will involve an immediate or imminent risk to the health and safety of any person. **The legislation requires that the person to whom a prohibition notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Queensland Government
ABN 94 496 188 983

Work Health and Safety Act 2011
Safety in Recreational Water Activities Act 2011

Notice No. P1021212

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as:

Address: LVL 3 SOUTH TOWER, 339 CORONATION DR, MILTON 4064 QLD

Details of serious risk:

Site location — Direction given orally: Y

Northern Portal- Gregory Terrace, Spring Hill 4000 QLD

I, Lewis Cash reasonably believe on 27-APR-2021 at 13:20 that an activity may occur at the workplace that will involve a serious risk to the health or safety of a person emanating from an immediate or imminent exposure to a hazard and that this activity is likely to be contravening a provision of the:

Work Health and Safety Act 2011 - section(s) 19(3)(B)

I direct the person with control over the following activity to stop the activity of: use of the Cat mini excavator model number- 3017DCR, ID number- CAT3017DCLJD00444.

until an inspector is satisfied that the matters that will give rise to the risk have been remedied.

Basis for inspector's belief:

An incident has occurred where the mini excavator has rolled over onto its side while performing a function. The excavator has received an unknown amount of damage in relation to the incident and needs to be assessed and deemed fit for use prior to any further use.

Directions (if any) on the measures to be taken to remedy the risk, activities or matters or the contravention or likely contravention: It is mandatory to comply with these directions

Recommendations (if any): Recommendations may be followed or you may adopt and follow another way that gives at least the same level of protection against the risk

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

27-APR-2021 | [redacted]

Date issued | Inspector's location

Service method:

Delivered directly to the person named by electronic transmission

FARREN WYPER | Management Representative For Person With Management Or Control Of A Workplace

Notice given to | Relationship to person to whom notice is issued

Information about how to obtain a review of this decision is detailed on the back of this notice.

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice.

You must comply with this notice. Failure to comply may incur a maximum penalty of $100 000 for an individual and $500 000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the Department. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by Office of Industrial Relations to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.
The Office of Industrial Relations privacy information is on our website at www.workfsafe.qld.gov.au/.

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2020343

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: IWTS GROUP PTY LTD

ABN: 93152692969 | ACN:

Trading as:

Address: 867 MAIN ST , WOOLLOONGABBA 4102 QLD

Details of contravention:

Site location

Water Treatment Plant 867 MAIN ST , WOOLLOONGABBA 4102 QLD

I, Lee Franklin reasonably believe on 28-APR-2021 at 10:40 that you have contravened a provision in circumstances that make it likely that the contravention will continue or be repeated of the:

Work Health and Safety Act 2011 - section(s) 19(3)(C)

Brief description of how the provision is being or has been contravened:

I observed, noted and photographed 2 hazardous substances stored on a bund in direct sunlight through viewing relevant SDS for both substances I formed the belief that they must not be stored together nor in direct sunlight. Through conversation with a PCBU representative I formed the belief that the risk of storing incompatible substances had not been identified nor controls put in place giving rise to the risk of injury to workers and other persons.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

28-APR-2021 | [redacted]

Date issued | Inspector's location

This contravention must be remedied before: 05-MAY-2021

Service method: Delivered directly to the person named by electronic transmission

BRIAN FALCO — Notice given to

Management Representative For Person Conducting A Business Or Undertaking — Relationship to person to whom notice is issued

---

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2020343

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2035558

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED	
ABN: 98000893667	ACN: 000893667
Trading as: CBGU D&C JV	
Address: LVL 3 SOUTH TOWER, 339 CORONATION DR, MILTON 4064 QLD	

Details of contravention:

Site location

ROMA STREET STATION (Tunnel), ROMA ST, BRISBANE CITY 4000 QLD

I, Christopher O'Donnell reasonably believe on 28-APR-2021 at 12:00 that you have contravened a provision in circumstances that make it likely that the contravention will continue or be repeated of the:

Work Health and Safety Act 2011 - section(s) 19(3)(C)

Brief description of how the provision is being or has been contravened:

The person conducting a business or undertaking failed to ensure, so far as is reasonably practicable the provision and maintenance of safe systems of work.
I observed and photographed a FJCS25 - 2500 kg jib in close proximity to a CAT DP35NT-C forklift truck. I was informed by representatives of CPB that the jib was used on the CAT forklift truck. Further investigation revealed there was no access to information about how to de-rate the capacity of the forklift truck or how the capacity of the forklift can be calculated when using the jib. There was no load chart relevant to the attachment or other information to inform the driver the maximum load that can be lifted when the radius of the jib is adjusted creating a risk to the health and safety of the operator and others if the maximum capacity of the forklift truck is exceeded.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:

It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector	Inspector's ID	Inspector's contact number
28-APR-2021	[redacted]	
Date issued	Inspector's location	

This contravention must be remedied before: 04-MAY-2021

Service method: Delivered directly to the person named by electronic transmission

Notice given to	Relationship to person to whom notice is issued
MICHAEL FINCH	Management Representative For Person Conducting A Business Or Undertaking

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2035558

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983 **Notice No. I2035558**

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2035559

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CBGU D&C JV

Address: LVL 3 SOUTH TOWER, 339 CORONATION DR, MILTON 4064 QLD

Details of contravention:

Site location

ROMA STREET STATION (Tunnel), ROMA ST, BRISBANE CITY 4000 QLD

I, Christopher O'Donnell reasonably believe on 28-APR-2021 at 12:00 that you have contravened a provision in circumstances that make it likely that the contravention will continue or be repeated of the:

Work Health and Safety Act 2011 - section(s) 19(3)(C)

Brief description of how the provision is being or has been contravened:

The person conducting a business or undertaking failed to ensure, so far as is reasonably practicable the provision and maintenance of safe systems of work in relation to agitator drivers and the exposure to RCS.
I was informed by the safety representative for the tunnels that concrete agitator drivers where not required to wear RPE while onsite if they are exposed to the risk for less than 5 minutes at a time and no more than 50 minutes in a day. I was further informed that there was no system in place to ensure, so far as is reasonably practicable that these limits were not exceeded by the drivers.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

28-APR-2021 | [redacted]

Date issued | Inspector's location

This contravention must be remedied before: 07-JUN-2021

Service method: Delivered directly to the person named by electronic transmission

MICHAEL FINCH
Notice given to

Management Representative For Person Conducting A Business Or Undertaking
Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2035559

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

FORM 12
V1.1.12

RECIPIENT'S COPY

Queensland Government
ABN 94 496 188 983

Work Health and Safety Act 2011
Safety in Recreational Water Activities Act 2011

Prohibition notice

This notice is issued under the *Work Health and Safety Act 2011* section 195 or the *Safety in Recreational Water Activities Act 2011* applied section 195 *Work Health and Safety Act 2011* (which includes a body corporate, government department or public authority) who has or may be reasonably presumed to have control over the prohibited activity. This notice prohibits an activity which involves or will involve an immediate or imminent risk to the health and safety of any person. **The legislation requires that the person to whom a prohibition notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice No. P1020607

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CBGU D&C JV

Address: LVL 3 SOUTH TOWER, 339 CORONATION DR, MILTON 4064 QLD

Details of serious risk:

Site location | Direction given orally: Y

ROMA STREET STATION (Tunnel), ROMA ST, BRISBANE CITY 4000 QLD

I, Christopher O'Donnell reasonably believe on 28-APR-2021 at 12:00 that an activity may occur at the workplace that will involve a serious risk to the health or safety of a person emanating from an immediate or imminent exposure to a hazard and that this activity is likely to be contravening a provision of the:

Work Health and Safety Act 2011 - section(s) 19(3)(D)

I direct the person with control over the following activity to stop the activity of: Using the FJCS25 - 2500kg jib with the CAT DP35NT-C forklift truck without a load chart relevant to the attachment or other information to inform the driver the maximum load that can be lifted when the radius of the jib is adjusted.

until an inspector is satisfied that the matters that will give rise to the risk have been remedied.

Basis for inspector's belief:

The person conducting a business or undertaking failed to ensure, so far as is reasonably practicable the safe use, handling and storage of plant, structures and substances.
I observed and photographed a FJCS25 - 2500 kg jib in close proximity to a CAT DP35NT-C forklift truck. I was informed by representatives of CPB that the jib was used on the CAT forklift truck. Further investigation revealed there was no access to information about how to de-rate the capacity of the forklift truck or how the capacity of the forklift can be calculated when using the jib. There was no load chart relevant to the attachment or other information to inform the driver the maximum load that can be lifted when the radius of the jib is adjusted creating a risk to the health and safety of the operator and others if the maximum capacity of the forklift truck is exceeded.

Directions (if any) on the measures to be taken to remedy the risk, activities or matters or the contravention or likely contravention: It is mandatory to comply with these directions

Recommendations (if any): Recommendations may be followed or you may adopt and follow another way that gives at least the same level of protection against the risk

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

28-APR-2021
Date issued

[redacted]
Inspector's location

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice.

You must comply with this notice. Failure to comply may incur a maximum penalty of $100 000 for an individual and $500 000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the Department. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by Office of Industrial Relations to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.
The Office of Industrial Relations privacy information is on our website at www.worksafe.qld.gov.au/.

Service method:

Delivered directly to the person named by electronic transmission	
MICHAEL FINCH	Management Representative For Person Conducting A Business Or Undertaking
Notice given to	Relationship to person to whom notice is issued

Information about how to obtain a review of this decision is detailed on the back of this notice.

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice.

You must comply with this notice. Failure to comply may incur a maximum penalty of $100 000 for an individual and $500 000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the Department. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by Office of Industrial Relations to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

The Office of Industrial Relations privacy information is on our website at www.workfsafe.qld.gov.au/.

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2008750

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: THOMAS KINGSLEY RESOURCES PTY LTD	
ABN: 44147169748	ACN: 147169748
Trading as:	
Address: 600 GREGORY TERRACE , BOWEN HILLS 4006 QLD	

Details of contravention:

Site location

450 Gregory Terrace, Spring Hill Northern Portal CRR

I, Paul Kitchener reasonably believe on 30-APR-2021 at 08:30 that you have contravened a provision in circumstances that make it likely that the contravention will continue or be repeated of the:

Work Health and Safety Act 2011 - section(s) 19(3)(C)

Brief description of how the provision is being or has been contravened:

I observed a Hitachi Excavator TKR PN2088 operating at the workplace. I spoke to the operator who advised me he had not conducted a pre-start for the unit and that he usually completes the pre-start documentation at the end of each day. The plant was stopped by representatives of the Principal Contractor, and your operator was able to conduct a pre-start while I was onsite. Discussions with representatives of your company advised that a pre-start is to be conducted before items of plant commence work for each day, and that workers have been inducted into the system and signed off on the relevant SWMS. This particular operator has not followed this process. You have not ensured, so far as is reasonably practicable the maintenance of safe systems of work.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Work Health and Safety Act 2011 - section 19(3)(C)
Without limiting subsections 19 (1) and 19 (2), a person conducting a business or undertaking must ensure, so far as is reasonably practicable the provision and maintenance of safe systems of work

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector	Inspector's ID	Inspector's contact number
30-APR-2021	[redacted]	
Date issued	Inspector's location	

This contravention must be remedied before: 06-MAY-2021

Service method: Delivered directly to the person named by electronic transmission

Notice given to	Relationship to person to whom notice is issued
JERRY DECK	Management Representative For Person Conducting A Business Or Undertaking

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2008750

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2008750

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2035564

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED	
ABN: 98000893667	ACN: 000893667
Trading as: UNITY ALLIANCE	
Address: LVL 3 SOUTH TOWER, 339 CORONATION DR, MILTON 4064 QLD	

Details of contravention:

Site location

Exhibition Railway Station

I, Christopher O'Donnell reasonably believe on 05-MAY-2021 at 10:00 that you have contravened a provision in circumstances that make it likely that the contravention will continue or be repeated of the:

Work Health and Safety Act 2011 - section(s) 19(3)(F)

Brief description of how the provision is being or has been contravened:

The person conducting a business or undertaking failed to ensure, so far as is reasonably practicable the provision of any information, training, instruction or supervision that is necessary to protect all persons from risks to their health and safety arising from work carried out as part of the conduct of the business or undertaking.

I observed and photographed a Komatsu PC600 - 60t excavator using a rock-breaker positioned in the 'zone of influence' of a battered edge where the angle of repose exceeded 45 degrees. The work was not conducted in accordance with the 'Excavation work code of practice 2021 and there was no paperwork available at the time of inspection or risk assessment to manage the hazards and risks arising from the work.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:

It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector	Inspector's ID	Inspector's contact number
05-MAY-2021	[redacted]	
Date issued	Inspector's location	

This contravention must be remedied before:	**Service method:**
11-MAY-2021	Delivered directly to the person named by electronic transmission
MATTHEW LAUGHTON	Management Representative For Person Conducting A Business Or Undertaking
Notice given to	Relationship to person to whom notice is issued

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2035564

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2035564

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2035565

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: DUNDRUM CIVIL PTY LTD

ABN: 75169498300 | ACN: 169498300

Trading as:

Address: NORMANBY QR TRAIN SHEDS, GREGORY TCE, SPRING HILL 4000 QLD

Details of contravention:

Site location

Exhibition Railway Station

I, Christopher O'Donnell reasonably believe on 05-MAY-2021 at 10:00 that you are contravening a provision of the:

Work Health and Safety Act 2011 - section(s) 26A

Brief description of how the provision is being or has been contravened:

The person conducting a business or undertaking failed, to comply with the 'Excavation work code of practice 2021' a minister approved code; or to manage the hazards and risks arising from the work carried out as part of the conduct of the business or undertaking in a way that is different to the code but provides a standard of health and safety that is equivalent to or higher than the standard required under the code.
I observed and photographed a Komatsu PC600 - 60t excavator using a rock-breaker positioned in the 'zone of influence' of a battered edge where the angle of repose exceeded 45 degrees. The work was not conducted in accordance with the 'Excavation work code of practice 2021 and there was no paperwork available at the time of inspection or risk assessment to manage the hazards and risks arising from the work.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

05-MAY-2021 | [redacted]

Date issued | Inspector's location

This contravention must be remedied before: 11-MAY-2021

Service method: Delivered directly to the person named by electronic transmission

EUGENE COSTELLO
Notice given to

Management Representative For Person Conducting A Business Or Undertaking
Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2035565

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2035565

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2035711

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: QUEENSLAND PRE-STRESSING PTY. LTD.

ABN: 95063541873 | ACN:

Trading as:

Address: 69 FREDERICK ST, NORTHGATE 4013 QLD

Details of contravention:

Site location

Northern Portal - 450 Gregory terrace ,Springhill.

I, Frank D'Allura reasonably believe on 19-MAY-2021 at 12:00 that you are contravening a provision of the:

Electrical Safety Regulation 2013 - section(s) 104(1)

Brief description of how the provision is being or has been contravened:

Attended to the construction workplace where i observed electrical equipment being grout machine supplied to workers to use. I observed that the appliance has a electrical box that houses switches to turn on and off the plant. I observed the box has a small plastic shroud missing on a light indicator which can allow water to enter the switch box. The box is situated in a area where water entry is possible. This issue is potentially creating a issue where water entry is affecting the ip rating of the switch box and make plant electrically unsafe.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:

It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

umber

19-MAY-2021 — Date issued

[redacted] — Inspector's location

This contravention must be remedied before: 21-MAY-2021

Service method: Delivered directly to the person named by electronic transmission

ROB MCLAREN — Notice given to

Management Representative For Person With Management Or Control Of A Workplace — Relationship to person to whom notice is issued

---

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2035711

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

FORM 12 **RECIPIENT'S COPY**
V1.1.12

Prohibition notice

This notice is issued under the *Work Health and Safety Act 2011* section 195 or the *Safety in Recreational Water Activities Act 2011* applied section 195 *Work Health and Safety Act 2011* (which includes a body corporate, government department or public authority) who has or may be reasonably presumed to have control over the prohibited activity. This notice prohibits an activity which involves or will involve an immediate or imminent risk to the health and safety of any person. **The legislation requires that the person to whom a prohibition notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Queensland Government
ABN 94 496 188 983

Work Health and Safety Act 2011
Safety in Recreational Water Activities Act 2011

Notice No. P1021818

Notice issued to:

Legal name of person/business or undertaking: QUEENSLAND PRE-STRESSING PTY. LTD.

ABN: 95063541873 | ACN:

Trading as:

Address: 69 FREDERICK ST, NORTHGATE 4013 QLD

Details of serious risk:

Site location | Direction given orally: Y

northern portal -450 Gregory Terrace ,Spring Hill

I, Frank D'Allura reasonably believe on 19-MAY-2021 at 11:30 that an activity may occur at the workplace that will involve a serious risk to the health or safety of a person emanating from an immediate or imminent exposure to a hazard and that this activity is likely to be contravening a provision of the:

Work Health and Safety Act 2011 - section(s) 19(3)(B)

I direct the person with control over the following activity to stop the activity of: allowing workers to use and operate the electric powered grout machine until workers are not exposed to situation where they can make contact with moving parts.

until an inspector is satisfied that the matters that will give rise to the risk have been remedied.

Basis for inspector's belief:

I attended the construction workplace where i observed a electric powered grout machine which is used by the workers to mix grout as part of their works. I observed that workers have used the plant before and were going to use the plant today. I observed that the electric motor that runs the plant has a pulley and belt system which is assessable by workers . No guarding is in place to prevent workers coming into contact with pully or belt. There is switches near the pulley and belt and a likelihood that workers could make contact with moving parts exposing them to potential lacerations or amputation of fingers.

Directions (if any) on the measures to be taken to remedy the risk, activities or matters or the contravention or likely contravention: It is mandatory to comply with these directions

Recommendations (if any): Recommendations may be followed or you may adopt and follow another way that gives at least the same level of protection against the risk

Issuing inspector:

[redacted]

19-MAY-2021 | [redacted]
Date issued | Inspector's location

Service method:

Delivered directly to the person named by electronic transmission

ROB MCLAREN | Management Representative For Person With Management Or Control Of A Workplace
Notice given to | Relationship to person to whom notice is issued

Information about how to obtain a review of this decision is detailed on the back of this notice.

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice.

You must comply with this notice. Failure to comply may incur a maximum penalty of $100 000 for an individual and $500 000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the Department. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by Office of Industrial Relations to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.
The Office of Industrial Relations privacy information is on our website at www.workfsafe.qld.gov.au/.

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2035574

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: KENNY CONSTRUCTIONS (AUST.) PTY. LIMITED

ABN: 74096169416 | ACN: 096169416

Trading as:

Address: 365 WONDALL RD, TINGALPA 4173 QLD

Details of contravention:

Site location

Cross River Rail - Boggo Road Station site

I, Christopher O'Donnell reasonably believe on 24-MAY-2021 at 11:00 that you are contravening a provision of the:
Work Health and Safety Act 2011 - section(s) 19(2)

Brief description of how the provision is being or has been contravened:

The person conducting a business or undertaking failed to ensure, so far as is reasonably practicable, that the health and safety of other persons is not put at risk from work carried out as part of the conduct of the business or undertaking.
I observed and photographed prescribed lining fixed to the outside of the mesh used to prevent objects from falling onto workers below giving rise to the risk of serious injury if the prescribed lining failed to prevent the object from falling and made contact with a worker.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

24-MAY-2021 | [redacted]

Date issued | Inspector's location

This contravention must be remedied before: 31-MAY-2021

Service method: Delivered directly to the person named by electronic transmission

SEAN YOUNG — Notice given to

Management Representative For Person Conducting A Business Or Undertaking — Relationship to person to whom notice is issued

---

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2035574

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Internal review of decision

An eligible person whose interests are affected by an original decision may apply for the decision to be reviewed. Refer to the Internal review of decision ? guide for applicants, at www.worksafe.qld.gov.au

An eligible person is:

1. The person to whom the notice was issued.
2. A person conducting a business or undertaking whose interests are affected by the decision.
3. A worker whose interests are affected by the decision.
4. A health and safety representative who represents a worker whose interests are affected by the decision.

How does a person apply for a review of a decision?

The application for internal review must:

a) be made in the approved form to the reviewer

b) supported by enough information to enable the reviewer to decide the application

An application for internal review relating to an improvement notice issued under the *Work Health and Safety Act 2011* and the *Safety in Recreational Water Activities Act 2011* must be lodged before the date stated in the notice for compliance or within 14 calendar days of the decision coming to the notice of the eligible person, whichever is the lesser.

For an improvement notice issued under the *Electrical Safety Act 2002*, the application for internal review must be made within 14 days after the day the applicant receives the notice.

Lodgement of the form can be made via email whsrod@oir.qld.gov.au. Information about how to apply for an internal review of decision, including the application form, is available at www.worksafe.qld.gov.au or by calling 1300 362 128. There is no application fee.

The operation of the improvement notice is stayed (suspended) once the application for review of decision is lodged. The stay remains in effect until a decision is made by the internal reviewer and whichever of the following is earlier ? an external review is applied for or, 28 days have elapsed since the person became aware of the decision.

What happens next?

The internal reviewer must make a decision within 14 calendar days of receiving the application for internal review. The internal reviewer can confirm or vary the reviewable decision, or set aside the reviewable decision and substitute the original decision for another decision. Once the internal reviewer makes the decision, they must notify the applicant of the decision and the reasons for the decision in writing.

External review

An eligible person may apply to an external review body for a review of the internal decision of the internal decision reviewer, or the original decision of the regulator. From the day the applicant received or became aware of the decision, an application for external review must be made within:

- 30 calendar days to the Queensland Industrial Relations Commission (QIRC) relating to the *Work Health and Safety Act 2011*;
- 28 calendar days to the Queensland Civil Administration Tribunal (QCAT) relating to the *Electrical Safety Act 2002* or the *Safety in Recreational Waters Act 2011*.

QCAT and QIRC may confirm or vary the original decision, set aside the original decision and substitute another decision or set aside the original decision and return the matter to the decision maker with appropriate directions.

Please refer to www.worksafe.qld.gov.au or phone 1300 362 128 for more information on how to apply for an external review.

Privacy collection statement

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

The OIR's privacy information is on our website at www.worksafe.qld.gov.au.

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice.

You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2015639

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: HEINRICH CONSTRUCTIONS PTY. LTD.

ABN: 57080897605 | ACN:

Trading as:

Address: 168 SANDY CAMP RD RD, YATALA 4207 QLD

Details of contravention:

Site location

Jump form- 867 MAIN ST , WOOLLOONGABBA 4102 QLD

I, Lewis Cash reasonably believe on 25-MAY-2021 at 10:50 that you are contravening a provision of the:
Work Health and Safety Regulation 2011 - regulation 306D(4)

Brief description of how the provision is being or has been contravened:

Edge protection is being used on a working platform consisting of two planks supported by a hang on system which is secured to shutters on the jump form. The edge protection compromises of a top rail and mid rail and is missing either a bottom rail, toe board or sturdy mesh infill as required, giving rise to the risk of falls over 2 meters.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Refer 306E

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

25-MAY-2021
Date issued

[redacted]
Inspector's location

This contravention must be remedied before: 26-MAY-2021

Service method: Delivered directly to the person named by electronic transmission

SCOTT PEARSON
Notice given to

Management Representative For Person Conducting A Business Or Undertaking
Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

FORM 12
V1.1.12

RECIPIENT'S COPY

Queensland Government
ABN 94 496 188 983

Work Health and Safety Act 2011
Safety in Recreational Water Activities Act 2011

Prohibition notice

This notice is issued under the *Work Health and Safety Act 2011* section 195 or the *Safety in Recreational Water Activities Act 2011* applied section 195 *Work Health and Safety Act 2011* (which includes a body corporate, government department or public authority) who has or may be reasonably presumed to have control over the prohibited activity. This notice prohibits an activity which involves or will involve an immediate or imminent risk to the health and safety of any person. **The legislation requires that the person to whom a prohibition notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice No. P1020610

Notice issued to:

Legal name of person/business or undertaking: JOE WAGNER GROUP PTY LTD

ABN: 13163372790 | ACN: 163372790

Trading as:

Address: NORMANBY QR TRAIN SHEDS, GREGORY TCE, SPRING HILL 4000 QLD

Details of serious risk:

Site location: CRR Stations - Mayne Depot

Direction given orally: Y

I, Christopher O'Donnell reasonably believe on 26-MAY-2021 at 11:00 that an activity may occur at the workplace that will involve a serious risk to the health or safety of a person emanating from an immediate or imminent exposure to a hazard and that this activity is likely to be contravening a provision of the:

Work Health and Safety Act 2011 - section(s) 19(1)

I direct the person with control over the following activity to stop the activity of: Performing construction work at a height over 2,000 mm without appropriate control measures in place to prevent a person falling any distance; or if prevention is not practicable, controls are in place to arrest a person¿s fall to prevent or minimise the risk of death or injury to a person when the fall is arrested.

until an inspector is satisfied that the matters that will give rise to the risk have been remedied.

Basis for inspector's belief:

I observed and photographed tools positioned on top of a pipe with an external diameter of 2,500 mm, the only access to the top of the pipe at the time of inspection was to walk out from ground level onto the top of the pipe exposing the worker to the risk of a fall in over two meters.
During consultation between WHSQ Inspector and the supervisor for the Joe Wagner Group revealed a worker for the Joe Wagner Group admitted to performing construction work while positioned on top of the pipe giving rise to the risk of serious injury if the worker was to fall.

Directions (if any) on the measures to be taken to remedy the risk, activities or matters or the contravention or likely contravention: It is mandatory to comply with these directions

Recommendations (if any): Recommendations may be followed or you may adopt and follow another way that gives at least the same level of protection against the risk

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

28-MAY-2021
Date issued

[redacted]
Inspector's location

Service method:

Delivered directly to the person named by electronic transmission

SEAN WILSON
Notice given to

Management Representative For Person Conducting A Business Or Undertaking
Relationship to person to whom notice is issued

Information about how to obtain a review of this decision is detailed on the back of this notice.

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice.

You must comply with this notice. Failure to comply may incur a maximum penalty of $100 000 for an individual and $500 000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the Department. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by Office of Industrial Relations to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.
The Office of Industrial Relations privacy information is on our website at www.worksafe.qld.gov.au/.

FORM 12
V1.1.12

RECIPIENT'S COPY

Queensland Government
ABN 94 496 188 983

Work Health and Safety Act 2011
Safety in Recreational Water Activities Act 2011

Prohibition notice

This notice is issued under the *Work Health and Safety Act 2011* section 195 or the *Safety in Recreational Water Activities Act 2011* applied section 195 *Work Health and Safety Act 2011* (which includes a body corporate, government department or public authority) who has or may be reasonably presumed to have control over the prohibited activity. This notice prohibits an activity which involves or will involve an immediate or imminent risk to the health and safety of any person. **The legislation requires that the person to whom a prohibition notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice No. P1020610

Notice issued to:

Legal name of person/business or undertaking: JOE WAGNER GROUP PTY LTD

ABN: 13163372790 | ACN: 163372790

Trading as:

Address: NORMANBY QR TRAIN SHEDS, GREGORY TCE, SPRING HILL 4000 QLD

Details of serious risk:

Site location | Direction given orally: Y

CRR Stations - Mayne Depot

I, Christopher O'Donnell reasonably believe on 26-MAY-2021 at 11:00 that an activity may occur at the workplace that will involve a serious risk to the health or safety of a person emanating from an immediate or imminent exposure to a hazard and that this activity is likely to be contravening a provision of the:

Work Health and Safety Act 2011 - section(s) 19(1)

I direct the person with control over the following activity to stop the activity of: Performing construction work at a height over 2,000 mm without appropriate control measures in place to prevent a person falling any distance; or if prevention is not practicable, controls are in place to arrest a person¿s fall to prevent or minimise the risk of death or injury to a person when the fall is arrested.

until an inspector is satisfied that the matters that will give rise to the risk have been remedied.

Basis for inspector's belief:

I observed and photographed tools positioned on top of a pipe with an external diameter of 2,500 mm, the only access to the top of the pipe at the time of inspection was to walk out from ground level onto the top of the pipe exposing the worker to the risk of a fall in over two meters.
During consultation between WHSQ Inspector and the supervisor for the Joe Wagner Group revealed a worker for the Joe Wagner Group admitted to performing construction work while positioned on top of the pipe giving rise to the risk of serious injury if the worker was to fall.

Directions (if any) on the measures to be taken to remedy the risk, activities or matters or the contravention or likely contravention: It is mandatory to comply with these directions

Recommendations (if any): Recommendations may be followed or you may adopt and follow another way that gives at least the same level of protection against the risk

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

28-MAY-2021
Date issued

[redacted]
Inspector's location

Service method:

Delivered directly to the person named by electronic transmission

SEAN WILSON
Notice given to

Management Representative For Person Conducting A Business Or Undertaking
Relationship to person to whom notice is issued

Information about how to obtain a review of this decision is detailed on the back of this notice.

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice.

You must comply with this notice. Failure to comply may incur a maximum penalty of $100 000 for an individual and $500 000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the Department. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by Office of Industrial Relations to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.
The Office of Industrial Relations privacy information is on our website at www.worksafe.qld.gov.au/.

FORM 12
V1.1.12

RECIPIENT'S COPY

Queensland Government
ABN 94 496 188 983

Work Health and Safety Act 2011
Safety in Recreational Water Activities Act 2011

Prohibition notice

This notice is issued under the *Work Health and Safety Act 2011* section 195 or the *Safety in Recreational Water Activities Act 2011* applied section 195 *Work Health and Safety Act 2011* (which includes a body corporate, government department or public authority) who has or may be reasonably presumed to have control over the prohibited activity. This notice prohibits an activity which involves or will involve an immediate or imminent risk to the health and safety of any person. **The legislation requires that the person to whom a prohibition notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice No. P1026254

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CBGU D&C JV

Address: LVL 3 SOUTH TOWER, 339 CORONATION DR, MILTON 4064 QLD

Details of serious risk:

Site location | Direction given orally: N

Wielding area

I, John Azcune reasonably believe on 28-MAY-2021 at 12:10 that an activity is occurring at the workplace that involves a serious risk to the health or safety of a person emanating from an immediate or imminent exposure to a hazard and that this activity is likely to be contravening a provision of the:

Work Health and Safety Act 2011 - section(s) 19(3)(A)

I direct the person with control over the following activity to stop the activity of: performing Hot Works actives until procedures are followed to ensure a safe environment.

until an inspector is satisfied that the matters that give rise to the risk have been remedied.

Basis for inspector's belief:

Worker was performing wielding [Hot works] approximately 2 metres away from gas bottles. The risk assessment in the form of Hot Works Permit require a area of 6 metres clearance bottles and 15metre from flammables.

Directions (if any) on the measures to be taken to remedy the risk, activities or matters or the contravention or likely contravention: It is mandatory to comply with these directions

Recommendations (if any): Recommendations may be followed or you may adopt and follow another way that gives at least the same level of protection against the risk

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

28-MAY-2021
Date issued

[redacted]
Inspector's location

Service method:

Delivered directly to the person named by electronic transmission

SCOTT HOLMBERY
Notice given to

Management Representative For Person Conducting A Business Or Undertaking
Relationship to person to whom notice is issued

Information about how to obtain a review of this decision is detailed on the back of this notice.

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice.

You must comply with this notice. Failure to comply may incur a maximum penalty of $100 000 for an individual and $500 000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the Department. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by Office of Industrial Relations to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.
The Office of Industrial Relations privacy information is on our website at www.worksafe.qld.gov.au/.

Form 13 RECIPIENT'S COPY

Improvement notice

Notice No. I2009162

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED	
ABN: 98000893667	ACN: 000893667
Trading as: CBGU D&C JV	
Address: LVL 3 SOUTH TOWER, 339 CORONATION DR, MILTON 4064 QLD	

Details of contravention:

Site location

Cavern entrance, Boggo Road

I, Paul Kitchener reasonably believe on 08-JUN-2021 at 09:59 that you are contravening a provision of the:

Work Health and Safety Regulation 2011 - regulation 300(1)

Brief description of how the provision is being or has been contravened:

I observed and photographed a worker exiting the cavern operating a DIECI Telehandler. The worker was wearing a disposable dust mask and was not clean shaven. The worker advised he had been fit tested for the RPE, usually wears a full-face helmet and was unable to do so while operating the unit. You have not ensured that the Safe Work method Statement for control of silica dust has been followed by the worker.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:

It is mandatory to comply with these directions

DOCUMENTATION
Legal Component Work Health and Safety Regulation 2011 - regulation 300(1)
A person conducting a business or undertaking that includes the carrying out of high risk construction work must put in place arrangements for ensuring that high risk construction work is carried out in accordance with the safe work method statement for the work.

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

08-JUN-2021
Date issued

[redacted]
Inspector's location

This contravention must be remedied before: 11-JUN-2021

Service method: Delivered directly to the person named by electronic transmission

PETER MELLOY
Notice given to

Management Representative For Person Conducting A Business Or Undertaking
Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.

I certify that the requirements of this notice have been complied with:

Name in block letters: [redacted] Position: Project Manager

Signature [redacted] Date complied: 10/06/21

ABN 94 49[redacted]

Notice No. I2009162

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2009162

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CBGU D&C JV

Address: LVL 3 SOUTH TOWER, 339 CORONATION DR, MILTON 4064 QLD

Details of contravention:

Site location

Cavern entrance, Boggo Road

I, Paul Kitchener reasonably believe on 08-JUN-2021 at 09:59 that you are contravening a provision of the:
Work Health and Safety Regulation 2011 - regulation 300(1)

Brief description of how the provision is being or has been contravened:

I observed and photographed a worker exiting the cavern operating a DIECI Telehandler. The worker was wearing a disposable dust mask and was not clean shaven. The worker advised he had been fit tested for the RPE, usually wears a full-face helmet and was unable to do so while operating the unit. You have not ensured that the Safe Work method Statement for control of silica dust has been followed by the worker.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

DOCUMENTATION
Legal Component Work Health and Safety Regulation 2011 - regulation 300(1)
A person conducting a business or undertaking that includes the carrying out of high risk construction work must put in place arrangements for ensuring that high risk construction work is carried out in accordance with the safe work method statement for the work.

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

08-JUN-2021 | [redacted]

Date issued | Inspector's location

This contravention must be remedied before: 11-JUN-2021

Service method: Delivered directly to the person named by electronic transmission

PETER MELLOY — Notice given to

Management Representative For Person Conducting A Business Or Undertaking — Relationship to person to whom notice is issued

---

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2009162

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

FORM 12 **RECIPIENT'S COPY**
V1.1.12

Prohibition notice

This notice is issued under the *Work Health and Safety Act 2011* section 195 or the *Safety in Recreational Water Activities Act 2011* applied section 195 *Work Health and Safety Act 2011* (which includes a body corporate, government department or public authority) who has or may be reasonably presumed to have control over the prohibited activity. This notice prohibits an activity which involves or will involve an immediate or imminent risk to the health and safety of any person. **The legislation requires that the person to whom a prohibition notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Queensland Government
ABN 94 496 188 983

Work Health and Safety Act 2011
Safety in Recreational Water Activities Act 2011

Notice No. P1026256

Notice issued to:

Legal name of person/business or undertaking: DUNDRUM CIVIL PTY LTD

ABN: 75169498300 | ACN: 169498300

Trading as:

Address: JOE BAKER STREET , DUTTON PARK 4102 QLD

Details of serious risk:

Site location | Direction given orally: Y

excavation area - Northern box

I, John Azcune reasonably believe on 08-JUN-2021 at 09:30 that an activity may occur at the workplace that involves a serious risk to the health or safety of a person emanating from an immediate or imminent exposure to a hazard and that this activity is likely to be contravening a provision of the:

Work Health and Safety Regulation 2011 - regulation 78(1)

I direct the person with control over the following activity to stop the activity of: Entering / existing the excavator marked 523 Unit until controls are in place to prevent a worker from one level to another.

until an inspector is satisfied that the matters that give rise to the risk have been remedied.

Basis for inspector's belief:

Excavator was parked on a embankment with the entry to the machine in close proximity to a fall greater than 2 metres with no controls in place to prevent a fall. The operator had commenced a break and the machine was unattended . Photographs and discussions with the operator were had when return from break.

Directions (if any) on the measures to be taken to remedy the risk, activities or matters or the contravention or likely contravention: It is mandatory to comply with these directions

Recommendations (if any): Recommendations may be followed or you may adopt and follow another way that gives at least the same level of protection against the risk

Issuing inspector:

[redacted] | Signature of inspector | Inspector's ID | Inspector's contact number

08-JUN-2021 | Date issued

[redacted] | Inspector's location

Service method:

Delivered directly to the person named by electronic transmission

EUGENE COSTELLO | Notice given to

Management Representative For Person Conducting A Business Or Undertaking | Relationship to person to whom notice is issued

Information about how to obtain a review of this decision is detailed on the back of this notice.

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice.

You must comply with this notice. Failure to comply may incur a maximum penalty of $100 000 for an individual and $500 000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the Department. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by Office of Industrial Relations to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.
The Office of Industrial Relations privacy information is on our website at www.workfsafe.qld.gov.au/.

FORM 24 **RECIPIENT'S COPY**

Infringement notice

V15.03.19

This notice is issued under the *State Penalties Enforcement Act 1999* section 13 to a person who is contravening or has contravened a provision that has been designated an offence under the Act or Regulation that may attract an infringement notice. This notice requires the person to whom it is issued to ensure payment by the due date unless other available action is taken (refer to the second page of this notice for relevant information).

Notice No. F2006182

Notice issued to:

Legal name of alleged offender: CPB CONTRACTORS PTY LIMITED		
ABN: 98000893667	ACN: 000893667	
Trading as (if applicable): CBGU D&C JV		
Address: LVL 3 SOUTH TOWER, 339 CORONATION DR, MILTON 4064 QLD		
Date of birth:	Gender:	Contact number:
Identification type:	ID number:	

Details of alleged contravention:

Location of offence

BOGGO ROAD STATION, , DUTTON PARK 4102 QLD

I, Paul Kitchener reasonably believe on 08-JUN-2021 at 09:59 you committed an infringement notice offence by contravening a provision of the:

Work Health and Safety Regulation 2011, regulation 300(1)

Offence code: 9002

Penalty amount $3600 ***Payment must be received within 28 days of the date of this notice unless other available action has been taken (refer to the second page of this notice for relevant information).***

Description of the offence:

Person conducting a business or undertaking failed to put in place arrangements for ensuring that high risk construction work is carried out in accordance with safe work method statement

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

09-JUN-2021

Date issued

[redacted]

Inspector's location

Service Method:	Email

Information about payment options is detailed on the second page of this notice.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

ABN 94 496 188 983

Queensland Government

RECIPIENT'S COPY

Office of Industrial Relations
Electrical Safety Office

Form 2

Electrical safety protection notice

Notice No. EP61952

V1.08.17

This notice is issued under section 147 of the *Electrical Safety Act 2002.* Where this notice is issued that affects a workplace, legislation requires that the person to whom the notice is issued must, as soon as possible, display a copy of the notice in prominent place at or near the workplace, or part of the workplace, at which work is being carried out that is affected by the notice.

Notice issued to: (individual or business/undertaking) who has control over the activity or electrical equipment)

Name: KLENNER MURPHY ELECTRICAL PTY LTD		
ABN: 53082907122	ACN:	Licence Number:
Trading Name (if applicable):		Licence Type:

Address: (Legal address/business address)

Unit/building no.: ROMA STREET STATION Street no.: Street name: ROMA ST

Suburb/town/locality: BRISBANE CITY State: QLD Postcode: 4000

Site location: Date inspector formed belief: 09-JUN-2021 Time: 13:35

I, John Azcune **reasonably believe that:**

circumstances likely to cause an immediate electrical risk to persons or property have arisen

The circumstances involve a contravention/likely contravention of the following provision:

Electrical Safety Act 2002 - section(s) 30(1)

Action taken by inspector: **Direction previously given orally** ☑

☑ **I direct the person in control of the activity or electrical equipment to stop:**

(Briefly describe the directions given to person in control, including any direction to disconnect, lock out or isolate the electrical equipment)

Angus Klenner

And/or

☐ **I disconnected the following electrical equipment:**

The following requirements must be complied with before the electrical equipment can be reconnected (briefly describe the actions taken. If an electrical entity provided assistance, describe the actions taken by the electrical entity.)

Basis for inspector's belief: *(Briefly describe the circumstances that are causing/are likely to cause the immediate electrical risk.)*

Observed lock out system was incomplete and required added information to ensure work is electrically safe

Directions (if any) as to the measures to be taken to remedy the contravention or likely contravention:

It is mandatory to comply with these directions.

Ensure wires are secure and lock out tags are complete.

Recommendations (if any): *Recommendations may be followed or you may adopt and follow another way that gives at least the same level of protection against the risk.*

Privacy Statement. Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the Department. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by Office of Industrial Relations to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions. Office of Industrial Relations privacy information is on our website at www.worksafe.qld.gov.au/privacy. ABN 94 496 188 983

Queensland Government

An inspector may make minor changes to this notice in certain circumstances. This does not change the validity of this notice.

You must comply with this notice. Failure to comply with this notice may incur a maximum penalty of $100,000 for an individual and $500,000 for a body corporate, government department or public authority.

Issuing inspector:

[redacted]

Contact number: [redacted] Date Issued: 11-JUN-2021 Inspector's location: [redacted]

Service method:

Delivered directly to the person named by electronic transmission

Notice given to: ANGUS KLENNER Relationship to person to whom notice is issued: Management Representative For Person Conducting A Business Or Undertaking

Information about how to obtain a review is detailed below.

Privacy Statement. Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the Department. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by Office of Industrial Relations to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions. Office of Industrial Relations privacy information is on our website at www.worksafe.qld.gov.au/privacy. ABN 94 496 188 983

Queensland Government

FORM 12 **RECIPIENT'S COPY**
V1.1.12

Prohibition notice

This notice is issued under the *Work Health and Safety Act 2011* section 195 or the *Safety in Recreational Water Activities Act 2011* applied section 195 *Work Health and Safety Act 2011* (which includes a body corporate, government department or public authority) who has or may be reasonably presumed to have control over the prohibited activity. This notice prohibits an activity which involves or will involve an immediate or imminent risk to the health and safety of any person. **The legislation requires that the person to whom a prohibition notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Queensland Government
ABN 94 496 188 983

Work Health and Safety Act 2011
Safety in Recreational Water Activities Act 2011

Notice No. P1026768

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CBGU D&C JV

Address: LVL 3 SOUTH TOWER, 339 CORONATION DR, MILTON 4064 QLD

Details of serious risk:

Site location | Direction given orally: Y

M&E Shaft CALBAH Stair 1, Roma Street Station, Brisbane City

I, Paul Kitchener reasonably believe on 11-JUN-2021 at 08:30 that an activity is occurring at the workplace that involves a serious risk to the health or safety of a person emanating from an immediate or imminent exposure to a hazard and that this activity is contravening a provision of the:

Work Health and Safety Regulation 2011 - regulation 79(2)

I direct the person with control over the following activity to stop the activity of: Use of CALBAH Stair 1 (M&E Shaft) until adequate fall protection is installed on landing to replace reinforcing mesh and zip ties currently in place.

until an inspector is satisfied that the matters that give rise to the risk have been remedied.

Basis for inspector's belief:

I observed and photographed reinforcing mesh attached to the frame of a CALBAH stair at the workplace. The mesh was attached with plastic zip ties, and was in place to act as fall protection for workers. The CALBAH stairs are a manufactured stair with engineered and designed mesh installed from manufacture to provide fall protection. The reinforcing mesh was not engineered to provide protection against fall protection, and the zip ties were not engineered to protect against the risk of a person falling against the mesh. You have not minimised the risk of a fall by providing adequate protection in relation to section 79 of the regulations.

Directions (if any) on the measures to be taken to remedy the risk, activities or matters or the contravention or likely contravention: It is mandatory to comply with these directions

Work Health and Safety Regulation 2011 - regulation 79(2)
The person conducting the business or undertaking at a workplace must minimise the risk of a fall by providing adequate protection against the risk under this section.

Recommendations (if any): Recommendations may be followed or you may adopt and follow another way that gives at least the same level of protection against the risk

Issuing inspector:

[redacted] | Signature of inspector | Inspector's ID | Inspector's contact number

11-JUN-2021 | [redacted]
Date issued | Inspector's location

Service method:

Delivered directly to the person named by electronic transmission

MARK JONES | Management Representative For Person Conducting A Business Or Undertaking
Notice given to | Relationship to person to whom notice is issued

Information about how to obtain a review of this decision is detailed on the back of this notice.

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice.

You must comply with this notice. Failure to comply may incur a maximum penalty of $100 000 for an individual and $500 000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the Department. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by Office of Industrial Relations to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.
The Office of Industrial Relations privacy information is on our website at www.workfsafe.qld.gov.au/.

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2009163

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: QUEENSLAND PRE-STRESSING PTY. LTD.

ABN: 95063541873 | ACN:

Trading as:

Address: ROMA STREET STATION, ROMA ST, BRISBANE CITY 4000 QLD

Details of contravention:

Site location

M&E Box, Roma Street Station, Brisbane City

I, Paul Kitchener reasonably believe on 11-JUN-2021 at 08:30 that you have contravened a provision in circumstances that make it likely that the contravention will continue or be repeated of the:

Work Health and Safety Regulation 2011 - regulation 44(4)

Brief description of how the provision is being or has been contravened:

I observed and photographed 2 x Respirators which were identified to me by your workers as belonging to QPS. The RPE (respirators) were situated on a plastic water barrier and also on the first aid box in the M&E Box excavation, and were covered with dust and water spray from the excavation work occurring. They were not stored in their storage boxes, nor had they been wet-wiped to ensure cleanliness and hygiene. In a conversation with you this morning, you advised that you have not put a system in place to ensure that the workers have been instructed or trained in the storage and maintenance of the RPE.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:

It is mandatory to comply with these directions

Work Health and Safety Regulation 2011 - regulation 44(4)
The person conducting a business or undertaking who directs the carrying out of work must provide the worker with information, training and instruction in the- (a) proper use and wearing of personal protective equipment; and (b) the storage and maintenance of personal protective equipment.

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

14-JUN-2021
Date issued

[redacted]
Inspector's location

This contravention must be remedied before: 19-JUN-2021

Service method: Delivered directly to the person named by electronic transmission

ROB MCLAREN
Notice given to

Management Representative For Person Conducting A Business Or Undertaking
Relationship to person to whom notice is issued

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2009163

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2009163

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2035720

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED	
ABN: 98000893667	ACN: 000893667
Trading as: CBGU D&C JV	
Address: LVL 3 SOUTH TOWER, 339 CORONATION DR, MILTON 4064 QLD	

Details of contravention:

Site location

albert street station ,albert street . Lot 2 .

I, Frank D'Allura reasonably believe on 23-JUN-2021 at 12:00 that you are contravening a provision of the:
Work Health and Safety Act 2011 - section(s) 19(3)(B)

Brief description of how the provision is being or has been contravened:

CPB CONTRACTORS PTY LIMITED who is conducting a business or undertaking have failed to ensure, so far as is reasonably practicable the provision and maintenance of safe plant namely MEYCO POTENZA TE1220 shotcrete machine . I attended the construction workplace and conducted a site audit in tunnel area ATAI and identified some safety issues with the MEYCO POTENZA TE1220 shotcrete machine with a serial number -4140950452/M460415 .The issues identified are gaps between grate on hopper are over 75mm and grate has been deformed. The grate is concreted in and can't be opened if required . The decal stickers for safety signs are hard to read in places and some on hopper are able to see what they say. The plant pre-start safety inspection book has not been filled in correctly so safety issues or faults can be identified so maintenance team are aware of issues.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector	Inspector's ID	Inspector's contact number
23-JUN-2021	[redacted]	
Date issued	Inspector's location	

This contravention must be remedied before:	**Service method:**
01-JUL-2021	Delivered directly to the person named by electronic transmission
MELANIE KETCHEN	Management Representative For Person With Management Or Control Of A Workplace
Notice given to	Relationship to person to whom notice is issued

---

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2035720

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2035721

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CBGU D&C JV

Address: LVL 3 SOUTH TOWER, 339 CORONATION DR, MILTON 4064 QLD

Details of contravention:

Site location

ROMA STREET STATION, ROMA ST, BRISBANE CITY .
CAVERN in Tunnel

I, Frank D'Allura reasonably believe on 28-JUN-2021 at 14:29 that you are contravening a provision of the:

Work Health and Safety Act 2011 - section(s) 19(3)(B)

Brief description of how the provision is being or has been contravened:

CPB CONTRACTORS PTY LIMITED who is conducting a business or undertaking have failed to ensure, so far as is reasonably practicable the provision and maintenance of safe plant namely ATLAS COPCO - MEYCO POTENZA TE1216 Shotcrete machine and a JACON MIDJET UNIT 77 Shotcrete machine. I attended the construction workplace and conducted a site audit in tunnel Cavern area and identified some safety issues with the shotcrete machines mentioned above. I identified that both units have been used recently on the 25/6/21 and 27/6/21 and prestart completed on both prestart doesn't highlight a issue with safety decal stickers being missing or hard to read . I observed that some safety sticker decals were missing on both shotcrete units and some were covered in concrete and not legible .The Jacon remote control unit had a issue of concrete covering operational markings on control panel and MEYCO POTENZA had a remote control panel that had faded operational markings. Pc supplies plant to workers.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

28-JUN-2021 | [redacted]

Date issued | Inspector's location

This contravention must be remedied before: 08-JUL-2021

Service method: Delivered directly to the person named by electronic transmission

MICHAEL FINICH

Notice given to

Management Representative For Person With Management Or Control Of A Workplace

Relationship to person to whom notice is issued

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2035721

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983 **Notice No. I2035721**

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2035583

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CBGU D&C JV

Address: LVL 3 SOUTH TOWER, 339 CORONATION DR, MILTON 4064 QLD

Details of contravention:

Site location

867 MAIN ST , WOOLLOONGABBA 4102 QLD

I, Christopher O'Donnell reasonably believe on 07-JUL-2021 at 12:00 that you are contravening a provision of the:

Work Health and Safety Act 2011 - section(s) 19(3)(A)

Brief description of how the provision is being or has been contravened:

The person conducting the business or undertaking failed to ensure, so far as is reasonably practicable the provision and maintenance of a work environment without risks to health and safety.
I observed and photographed a section of modular stairs being lowered using a crane. The module was approximately 6 meters in height and was being performed in close proximity to toilets and hand washing facilities. There was no exclusion zone preventing workers from accessing these areas and workers were observed using the facilities during the lift.
In additional there was scaffold adjacent to these areas. In the event of an uncontrolled decent of the modular stairs, the stairs had the potential to fall directly onto the toilets and into the handwashing area or strike the scaffold causing the scaffold or parts of the scaffold to fall into the area giving rise to the risk of serious injury if a worker in the area was to be hit by a falling object.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

07-JUL-2021 | [redacted]

Date issued | Inspector's location

This contravention must be remedied before: 14-JUL-2021

Service method: Delivered directly to the person named by electronic transmission

WARREN TRESIDER

Notice given to

Management Representative For Person Conducting A Business Or Undertaking

Relationship to person to whom notice is issued

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2035583

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2035583

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2058226

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: MR DAVID REILLY

ABN: | ACN:

Trading as:

Address: LVL 3 SOUTH TOWER, 339 CORONATION DR, MILTON 4064 QLD

Details of contravention:

Site location

Tunnel entry to stair well right side.

I, John Azcune reasonably believe on 30-JUL-2021 at 12:39 that you have contravened a provision in circumstances that make it likely that the contravention will continue or be repeated of the:

Work Health and Safety Regulation 2011 - regulation 40(A)

Brief description of how the provision is being or has been contravened:

During a safety inspection of the entry to the tunnel, it was observed and photographed a delineated area to access the conveyor belt transfer area that had a high amount of timber, rocks and mud that was hindering the access to the stairs which was a risk of falls, slips, trips to workers accessing this area.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:

It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

30-JUL-2021

Date issued | [redacted] Inspector's location

This contravention must be remedied before: 02-AUG-2021

Service method: Delivered directly to the person named by electronic transmission

DAVID REILLY

Notice given to

Management Representative For Person Conducting A Business Or Undertaking

Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2058226

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2058227

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: COASTAL STEELFIXING AUSTRALIA PTY LTD

ABN: 21159846545 | ACN: 159846545

Trading as:

Address: NORTHERN TUNNEL CROSS RIVER RAIL, VICTORIA PARK , HERSTON 4006 QLD

Details of contravention:

Site location

steel fixing area

I, John Azcune reasonably believe on 26-AUG-2021 at 10:08 that you are contravening a provision of the:
Work Health and Safety Act 2011 - section(s) 21(2)

Brief description of how the provision is being or has been contravened:

The person with management or control plant [namely generator marked GD SKV] at a workplace must ensure, so far as is reasonably practicable, that the plant are without risks to the health and safety of any person.
I observed and photographed no means of daily checking of plant was available when asked and observed that some damage to the plug system was present.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Ensure a system is in place to check daily checks are taken place and a means of report damage.

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

26-AUG-2021
Date issued

[redacted]
Inspector's location

This contravention must be remedied before: 27-AUG-2021

Service method: Delivered directly to the person named by electronic transmission

EDDIE PURCELL
Notice given to

Management Representative For Person Conducting A Business Or Undertaking
Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2058227

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

377

Queensland Government

Details of CFMEU Workplace Health and Safety Queensland Incidents

Date of Notice	31/08/2021
Notice Number	I2047285
Location	Boggo Rd Station
Incident Description	Crowd barrier fencing bolted along side an excavation as edge protection. Excavation depth ran from 1m-2.2m in depth. Given this was not 2m from the edge and no engineering documentation could be provided.
Issued By	Travis Dungey

FORM 24 **RECIPIENT'S COPY**

Infringement notice

V15.03.19

This notice is issued under the *State Penalties Enforcement Act 1999* section 13 to a person who is contravening or has contravened a provision that has been designated an offence under the Act or Regulation that may attract an infringement notice. This notice requires the person to whom it is issued to ensure payment by the due date unless other available action is taken (refer to the second page of this notice for relevant information).

Notice No. F2000127

Notice issued to:

Legal name of alleged offender: CPB CONTRACTORS PTY LIMITED		
ABN: 98000893667	ACN: 000893667	
Trading as (if applicable):		
Address: LVL 3 SOUTH TOWER, 339 CORONATION DR, MILTON 4064 QLD		
Date of birth:	Gender:	Contact number:
Identification type:	ID number:	

Details of alleged contravention:

Location of offence

38 KENT ST, DUTTON PARK 4102 QLD

I, Frank D'Allura reasonably believe on 31-AUG-2021 at 16:00 you committed an infringement notice offence by contravening a provision of the:

Work Health and Safety Regulation 2011, regulation 299(1)

Offence code: 9001

Penalty amount $3600 ***Payment must be received within 28 days of the date of this notice unless other available action has been taken (refer to the second page of this notice for relevant information).***

Description of the offence:

Person conducting a business or undertaking failed to ensure that a safe work method statement for high risk construction work was prepared before the work commenced

Issuing inspector:

[redacted]

Signature of inspector	Inspector's ID	Inspector's contact number
31-AUG-2021	[redacted]	
Date issued	Inspector's location	

Service Method:	Email

Information about payment options is detailed on the second page of this notice.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

ABN 94 496 188 983

Queensland Government

What to do next

You have 28 days from the date of the notice to take one of the actions listed below. A reminder notice will not be issued. If you don't act by the due date, your fine will be enforced by the State Penalties Enforcement Registry (SPER). This means you'll have to pay additional fees and face enforcement action.

1. Pay the fine

Pay by referencing the infringement notice number and using one of the payment options on this notice. The easiest way to pay is by calling 1300 362 128 and using a credit card (American Express, Visa, Mastercard only); OR

Return a copy of this notice with full payment (cheque or money order only) payable to the Office of Industrial Relations, Accounts receivable, PO Box 820, Lutwyche QLD 4030. **Do not mail cash.**

2. Can't pay the full amount?

If you can't pay the full amount by the due date, and the fine is $200 or more, you may qualify for a payment plan with SPER.

To apply, you must make an upfront payment of $60 by the due date, using one of the payment options on this notice and referencing the infringement notice number. We'll refer your outstanding debt to SPER, who will tell you what to do next.

3. Take this matter to court

You may elect to have the matter heard in court. If you're unsuccessful in court, you will be found guilty and be liable for further costs.

If you wish to have this matter heard in court, complete this section and send to the Office of Industrial Relations within 28 days from the date of service of this Infringement notice.

You are responsible for obtaining your own legal advice before the court hearing. If found guilty of the offence you may be required to pay costs. If you do not appear on the date set for the hearing the offence may be heard in your absence.

To be completed by the alleged offender or authorised representative of the alleged offender

I, _____ _____

Given name/s Family name

elect to have the matter dealt with by a Court of Law and understand a summons will be issued to me.

Signature: _____ Date: _____

Current Address: _____

Email Address: _____

Contact Phone Number: _____ Infringement Notice Number: F2000127

Complete and return this section to:

Office of Industrial Relations, Attn SPER Liaison Officer, GPO Box 69, BRISBANE QLD 4001.

Withdrawal of the infringement notice

This notice may be withdrawn at any time before the penalty is paid in full. In the event that the notice is withdrawn, the Office of Industrial Relations may determine that further prosecution is warranted.

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2035740

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as:

Address: LVL 3 SOUTH TOWER, 339 CORONATION DR, MILTON 4064 QLD

Details of contravention:

Site location

38 KENT ST, DUTTON PARK 4102 QLD
sediment ponds

I, Frank D'Allura reasonably believe on 31-AUG-2021 at 13:40 that you are contravening a provision of the:
Work Health and Safety Regulation 2011 - regulation 299(1)

Brief description of how the provision is being or has been contravened:

CPB CONTRACTORS PTY LIMITED who is conducting a business or undertaking that includes the carrying out of high risk construction work namely work carried out near water that involves a risk of drowning have failed to ensure , before high risk construction work commences, ensure that a safe work method statement for the proposed work- (a) is prepared. I attended to the construction workplace and observed a area where 2 water treatment ponds are setup to treat site water before removing it via stormwater or vacuum truck. The setup around the ponds was crowd barrier sitting on crest of ponds in areas as well as other areas where the the fencing is not fixed together to ensure area is secured. I spoke to a worker of the pcbu who explained the process .I established that workers have been working near water and no swms has been created before works started to manage the risks effectively. Only a emergency plan discussing a drowning. The work setup has issues where workers can access water.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

31-AUG-2021
Date issued

[redacted]
Inspector's location

This contravention must be remedied before: 08-SEP-2021

Service method: Delivered directly to the person named by electronic transmission

ROWAN DOUGHERTY
Notice given to

Management Representative For Person With Management Or Control Of A Workplace
Relationship to person to whom notice is issued

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2035740

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2035740

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Internal review of decision

An eligible person whose interests are affected by an original decision may apply for the decision to be reviewed. Refer to the Internal review of decision ? guide for applicants, at www.worksafe.qld.gov.au

An eligible person is:

1. The person to whom the notice was issued.
2. A person conducting a business or undertaking whose interests are affected by the decision.
3. A worker whose interests are affected by the decision.
4. A health and safety representative who represents a worker whose interests are affected by the decision.

How does a person apply for a review of a decision?

The application for internal review must:

a) be made in the approved form to the reviewer

b) supported by enough information to enable the reviewer to decide the application

An application for internal review relating to an improvement notice issued under the *Work Health and Safety Act 2011* and the *Safety in Recreational Water Activities Act 2011* must be lodged before the date stated in the notice for compliance or within 14 calendar days of the decision coming to the notice of the eligible person, whichever is the lesser.

For an improvement notice issued under the *Electrical Safety Act 2002*, the application for internal review must be made within 14 days after the day the applicant receives the notice.

Lodgement of the form can be made via email whsrod@oir.qld.gov.au. Information about how to apply for an internal review of decision, including the application form, is available at www.worksafe.qld.gov.au or by calling 1300 362 128. There is no application fee.

The operation of the improvement notice is stayed (suspended) once the application for review of decision is lodged. The stay remains in effect until a decision is made by the internal reviewer and whichever of the following is earlier ? an external review is applied for or, 28 days have elapsed since the person became aware of the decision.

What happens next?

The internal reviewer must make a decision within 14 calendar days of receiving the application for internal review. The internal reviewer can confirm or vary the reviewable decision, or set aside the reviewable decision and substitute the original decision for another decision. Once the internal reviewer makes the decision, they must notify the applicant of the decision and the reasons for the decision in writing.

External review

An eligible person may apply to an external review body for a review of the internal decision of the internal decision reviewer, or the original decision of the regulator. From the day the applicant received or became aware of the decision, an application for external review must be made within:

- 30 calendar days to the Queensland Industrial Relations Commission (QIRC) relating to the *Work Health and Safety Act 2011*;
- 28 calendar days to the Queensland Civil Administration Tribunal (QCAT) relating to the *Electrical Safety Act 2002* or the *Safety in Recreational Waters Act 2011*.

QCAT and QIRC may confirm or vary the original decision, set aside the original decision and substitute another decision or set aside the original decision and return the matter to the decision maker with appropriate directions.

Please refer to www.worksafe.qld.gov.au or phone 1300 362 128 for more information on how to apply for an external review.

Privacy collection statement

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

The OIR's privacy information is on our website at www.worksafe.qld.gov.au.

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice.

You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

Form 13 RECIPIENT'S COPY

Improvement notice

Notice No. I2047463

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: MEALES BRISBANE CONCRETE PUMPING PTY LTD

ABN: 43644711311 | ACN:

Trading as:

Address: 38 KENT ST, DUTTON PARK 4102 QLD

Details of contravention:

Site location

38 KENT ST, DUTTON PARK 4102 QLD

I, Simon McLennan reasonably believe on 31-AUG-2021 at 11:46 that you are contravening a provision of the:

Work Health and Safety Act 2011 - section(s) 19(3)(C) ,33

Brief description of how the provision is being or has been contravened:

During the inspection of the workplace, I have observed and photographed documentation relating to the records of servicing and inspection of a trailer mounted concrete pump(serial number 210108891) which was unable to verify the servicing intervals as per the manufacture's maintenance documentation. The PCBU is to ensure that a safe system of work is provided to ensure that plant is maintained as per the manufactures requirements.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Without limiting subsections 19 (1) and 19 (2), a person conducting a business or undertaking must ensure, so far as is reasonably practicable the provision and maintenance of safe systems of work;

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

31-AUG-2021 | [redacted]

Date issued | Inspector's location

This contravention must be remedied before: 06-SEP-2021

Service method: Delivered directly to the person named by electronic transmission

CRAIG BAGLEY
Notice given to

Management Representative For Person With Management Or Control Of A Workplace
Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.

I certify that the requirements of this notice have been complied with:

Name *in block letters*: KATE OPPATT Position: WHS ADVISOR

Signature: [redacted] Date complied: 3/9/21

ABN 94 496 188 983

Notice No. I2047463

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2047464

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as:

Address: LVL 3 SOUTH TOWER, 339 CORONATION DR, MILTON 4064 QLD

Details of contravention:

Site location

38 KENT ST, DUTTON PARK 4102 QLD

I, Simon McLennan reasonably believe on 31-AUG-2021 at 13:30 that you are contravening a provision of the:

Work Health and Safety Act 2011 - section(s) 19(3)(C) ,33

Brief description of how the provision is being or has been contravened:

During an inspection of the workplace, I have observed and photographed that limited delineation from plant had been provided along the pedestrian walkways in front of FORM CON work area and to the MEALS pumping area. I have had a conversation with your site work, health and safety adviser on how changes to site pedestrian walk ways are communicated to workers. The vehicle management plan used was hard to understand and out of date and the prestart board didn't identify changes to pedestrian walkway. The PCBU must maintain a safe system of work to reduce the risk to workers at the workplace.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:

It is mandatory to comply with these directions

Without limiting subsections 19 (1) and 19 (2), a person conducting a business or undertaking must ensure, so far as is reasonably practicable the provision and maintenance of safe systems of work;

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

31-AUG-2021 | [redacted]

Date issued | Inspector's location

This contravention must be remedied before: 06-SEP-2021

Service method: Delivered directly to the person named by electronic transmission

ROWAN DOUGHERTY — Notice given to

Health And Safety Representative — Relationship to person to whom notice is issued

---

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2047464

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Internal review of decision

An eligible person whose interests are affected by an original decision may apply for the decision to be reviewed. Refer to the Internal review of decision ? guide for applicants, at www.worksafe.qld.gov.au

An eligible person is:

1. The person to whom the notice was issued.
2. A person conducting a business or undertaking whose interests are affected by the decision.
3. A worker whose interests are affected by the decision.
4. A health and safety representative who represents a worker whose interests are affected by the decision.

How does a person apply for a review of a decision?

The application for internal review must:

a) be made in the approved form to the reviewer

b) supported by enough information to enable the reviewer to decide the application

An application for internal review relating to an improvement notice issued under the *Work Health and Safety Act 2011* and the *Safety in Recreational Water Activities Act 2011* must be lodged before the date stated in the notice for compliance or within 14 calendar days of the decision coming to the notice of the eligible person, whichever is the lesser.

For an improvement notice issued under the *Electrical Safety Act 2002*, the application for internal review must be made within 14 days after the day the applicant receives the notice.

Lodgement of the form can be made via email whsrod@oir.qld.gov.au. Information about how to apply for an internal review of decision, including the application form, is available at www.worksafe.qld.gov.au or by calling 1300 362 128. There is no application fee.

The operation of the improvement notice is stayed (suspended) once the application for review of decision is lodged. The stay remains in effect until a decision is made by the internal reviewer and whichever of the following is earlier ? an external review is applied for or, 28 days have elapsed since the person became aware of the decision.

What happens next?

The internal reviewer must make a decision within 14 calendar days of receiving the application for internal review. The internal reviewer can confirm or vary the reviewable decision, or set aside the reviewable decision and substitute the original decision for another decision. Once the internal reviewer makes the decision, they must notify the applicant of the decision and the reasons for the decision in writing.

External review

An eligible person may apply to an external review body for a review of the internal decision of the internal decision reviewer, or the original decision of the regulator. From the day the applicant received or became aware of the decision, an application for external review must be made within:

- 30 calendar days to the Queensland Industrial Relations Commission (QIRC) relating to the *Work Health and Safety Act 2011*;
- 28 calendar days to the Queensland Civil Administration Tribunal (QCAT) relating to the *Electrical Safety Act 2002* or the *Safety in Recreational Waters Act 2011*.

QCAT and QIRC may confirm or vary the original decision, set aside the original decision and substitute another decision or set aside the original decision and return the matter to the decision maker with appropriate directions.

Please refer to www.worksafe.qld.gov.au or phone 1300 362 128 for more information on how to apply for an external review.

Privacy collection statement

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

The OIR's privacy information is on our website at www.worksafe.qld.gov.au.

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice.

You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2035741

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED	
ABN: 98000893667	ACN: 000893667
Trading as: CBGU D&C JV	
Address: LVL 3 SOUTH TOWER, 339 CORONATION DR, MILTON 4064 QLD	

Details of contravention:

Site location

ROMA STREET STATION, ROMA ST, BRISBANE CITY 4000 QLD

I, Frank D'Allura reasonably believe on 01-SEP-2021 at 15:17 that you are contravening a provision of the:
Work Health and Safety Act 2011 - section(s) 19(3)(F)

Brief description of how the provision is being or has been contravened:

CPB CONTRACTORS PTY LIMITED who are conducting a business or undertaking have failed to ensure, so far as is reasonably practicable the provision of any information, training, instruction or supervision that is necessary to protect all persons from risks to their health and safety arising from work carried out as part of the conduct of the business or undertaking; I attended to a construction workplace and conducted a inspection of the work process associated with vehicle movements on main access road at entry of site near gate 5 . I asked for a safe system of work which is used to manage the work and was provided with a swms which provided systems of how to manage movements of plant. The document was not detailed to explain how to manage the work so the worker was aware of how the pc wanted the task managed. I questioned a worker who does the work in the area and he explained what he does to management the work but the document doesn't highlight the required requirements to follow.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector	Inspector's ID	Inspector's contact number
01-SEP-2021	[redacted]	
Date issued	Inspector's location	

This contravention must be remedied before:	**Service method:**
09-SEP-2021	Delivered directly to the person named by electronic transmission
PAUL HEAD	Management Representative For Person With Management Or Control Of A Workplace
Notice given to	Relationship to person to whom notice is issued

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2035741

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2035741

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2020438

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED	
ABN: 98000893667	ACN: 000893667
Trading as: CBGU D&C JV	
Address: LVL 3 SOUTH TOWER, 339 CORONATION DR, MILTON 4064 QLD	

Details of contravention:

Site location

BOGGO ROAD STATION, DUTTON PARK 4102 QLD

I, Young Min Lee reasonably believe on 01-SEP-2021 at 13:45 that you have contravened a provision in circumstances that make it likely that the contravention will continue or be repeated of the:

Work Health and Safety Act 2011 - section(s) 19(3)(C)

Brief description of how the provision is being or has been contravened:

I observed areas where chemicals were being stored at the workplace without the appropriate fire fighting equipment in the vicinity. Some areas were immediately rectified, however, this issue was repeated and further areas without fire fighting equipment in the area where chemicals were being stored were identified. After discussion with the Principal Contractor representatives, there was inadequate systems to ensure the provision of fire-fighting equipment in the vicinity of chemical storage.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:

It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

01-SEP-2021

Date issued

[redacted]

Inspector's location

This contravention must be remedied before: 04-SEP-2021

Service method: Delivered directly to the person named by electronic transmission

DAN HARTE

Notice given to

Management Representative For Person With Management Or Control Of A Workplace

Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2020438

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2040062

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CBGU D&C JV

Address: LVL 3 SOUTH TOWER, 339 CORONATION DR, MILTON 4064 QLD

Details of contravention:

Site location

BOGGO ROAD STATION, , DUTTON PARK 4102 QLD

I, Lewis Cash reasonably believe on 01-SEP-2021 at 12:52 that you are contravening a provision of the:

Work Health and Safety Regulation 2011 - regulation 306C(4)

Brief description of how the provision is being or has been contravened:

I observed an 1800 high temp fence panel and crowd control type barrier installed as edge protection in close proximity to the edge of the sediment pond on the project. The fence panel was cable tied to the handrail and secured/ fixed to the concrete barrier on the other side.
There was no information available to ensure the control implemented is capable of withstanding the force of a person reasonably likely to fall against it.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

01-SEP-2021
Date issued

[redacted]
Inspector's location

This contravention must be remedied before: 03-SEP-2021

Service method: Delivered directly to the person named by electronic transmission

DAN HARTE
Notice given to

Management Representative For Person With Management Or Control Of A Workplace
Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2040062

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 RECIPIENT'S COPY

Improvement notice

Notice No. I2040062

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CBGU D&C JV

Address: LVL 3 SOUTH TOWER, 339 CORONATION DR, MILTON 4064 QLD

Details of contravention:

Site location

BOGGO ROAD STATION, , DUTTON PARK 4102 QLD

I, Lewis Cash reasonably believe on 01-SEP-2021 at 12:52 that you are contravening a provision of the:

Work Health and Safety Regulation 2011 - regulation 306C(4)

Brief description of how the provision is being or has been contravened:

I observed an 1800 high temp fence panel and crowd control type barrier installed as edge protection in close proximity to the edge of the sediment pond on the project. The fence panel was cable tied to the handrail and secured/ fixed to the concrete barrier on the other side.
There was no information available to ensure the control implemented is capable of withstanding the force of a person reasonably likely to fall against it.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

01-SEP-2021
Date issued

[redacted]
Inspector's location

This contravention must be remedied before: 03-SEP-2021

Service method: Delivered directly to the person named by electronic transmission

DAN HARTE
Notice given to

Management Representative For Person With Management Or Control Of A Workplace
Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.

I certify that the requirements of this notice have been complied with:

Name *in bl* [redacted] Position: Safety Advisor

Signature: [redacted] Date complied: 02/09/2021

ABN 94 496 188 [redacted]

Notice No. I2040062

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2035595

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: BOTHAR BORING AND TUNNELLING OPERATIONS PTY LTD

ABN: 54097302004 | ACN:

Trading as:

Address: KENT ST, DUTTON PARK 4102 QLD

Details of contravention:

Site location

KENT ST, DUTTON PARK 4102 QLD

I, Christopher O'Donnell reasonably believe on 01-SEP-2021 at 11:00 that you are contravening a provision of the:

Work Health and Safety Regulation 2011 - regulation 43(1)

Brief description of how the provision is being or has been contravened:

The PCBU at a workplace failed to ensure that an emergency plan prepared for the workplace, provides for emergency procedures, including an effective response to an emergency, evacuation procedures, notifying emergency service organisations at the earliest opportunity, medical treatment and assistance; and effective communication between the person authorised by the PCBU to coordinate the emergency response and all persons at the workplace, testing of the emergency procedures, including the frequency of testing, information, training and instruction to relevant workers in relation to implementing the emergency procedures.

I reviewed the emergency response plan provided to me by Botha Boring. The plan did not have sufficient details to ensure an effective response to an emergency including the notifying of emergency service organisations, the provision of first aid and the effective communication between an authorised person by the PCBU to coordinate an emergency response.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

02-SEP-2021
Date issued

[redacted]
Inspector's location

This contravention must be remedied before: 08-SEP-2021

Service method: Delivered directly to the person named by electronic transmission

JOHN PAYNE
Notice given to

Management Representative For Person Conducting A Business Or Undertaking
Relationship to person to whom notice is issued

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2035595

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2035595

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2035596

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: BOTHAR BORING AND TUNNELLING OPERATIONS PTY LTD

ABN: 54097302004 | ACN:

Trading as:

Address: KENT ST, DUTTON PARK 4102 QLD

Details of contravention:

Site location

KENT ST, DUTTON PARK 4102 QLD

I, Christopher O'Donnell reasonably believe on 01-SEP-2021 at 11:00 that you are contravening a provision of the:

Work Health and Safety Act 2011 - section(s) 26A

Brief description of how the provision is being or has been contravened:

The PCBU failed to comply with the minister approved code of practice for Managing the risk of falls at workplaces 2021 - section 9.2. Fixed ladders, or manage hazards and risks arising from the work carried out as part of the conduct of the business or undertaking in a way that is different to the code but provides a standard of health and safety that is equivalent to or higher than the standard required under the code.
I observed and photographed access to the shaft the utilised fixed vertical ladders three meters in height. The angle of the ladder exceeded 75 degrees to the horizontal but was not fitted with a permanent or temporary fall arrest system.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Further guidance can be obtained by referring to the 'Managing the risk of falls at workplaces' Code of Practice 2021.

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

02-SEP-2021
Date issued

[redacted]
Inspector's location

This contravention must be remedied before: 08-SEP-2021

Service method: Delivered directly to the person named by electronic transmission

JOHN PAYNE
Notice given to

Management Representative For Person Conducting A Business Or Undertaking
Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2035596

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 RECIPIENT'S COPY

Improvement notice

Notice No. I2047196

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CBGU D&C JV

Address: LVL 3 SOUTH TOWER, 339 CORONATION DR, MILTON 4064 QLD

Details of contravention:

Site location

ROMA STREET STATION, ROMA ST, BRISBANE CITY 4000 QLD

I, Gary Stanley reasonably believe on 02-SEP-2021 at 12:00 that you are contravening a provision of the:

Work Health and Safety Regulation 2011 - regulation 41(1)

Brief description of how the provision is being or has been contravened:

You have failed to as far as reasonably practicable to provide adequate toilet facilities ,During the site inspection of the Roma street tunnel It was identified that there were forty Four workers working in the tunnel work areas and only two operational toilets and both these toilets did not cater for female workers.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

A person conducting a business or undertaking at a workplace must ensure, so far as is the provision of adequate facilities for workers, including toilets, drinking water, washing facilities and eating facilities

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

02-SEP-2021
Date issued

[redacted]
Inspector's location

This contravention must be remedied before: 07-SEP-2021

Service method: Delivered directly to the person named by electronic transmission

JERRY KARATI
Notice given to

Management Representative For Person Conducting A Business Or Undertaking
Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.

I certify that the requirements of this notice have been complied with:

Name in block letters: Jerimiah Karati Position: Senior Safety Advisor

Signature [redacted] Date complied: 08/09/2021

ABN 94 496 [redacted]

Notice No. I2047196

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2047197

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CBGU D&C JV

Address: LVL 3 SOUTH TOWER, 339 CORONATION DR, MILTON 4064 QLD

Details of contravention:

Site location

ROMA STREET STATION, ROMA ST, BRISBANE CITY 4000 QLD

I, Gary Stanley reasonably believe on 02-SEP-2021 at 11:30 that you are contravening a provision of the:
Work Health and Safety Regulation 2011 - regulation 54

Brief description of how the provision is being or has been contravened:

You have failed to manage risks to health and safety associated with an object falling on a person, I observed and photographed the tunnel boring machine (TBM) waste material conveyor system does not have any means to prevent waste material falling from the conveyor system onto workers below, there are tool sheds, plant an,control panels and access paths underneath the conveyor system that gives rise to risk of a person being injured by falling objects from the conveyor system

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

A person conducting a business or undertaking at a workplace must manage risks to health and safety associated with an object falling on a person if the falling object is reasonably likely to injure the person

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

02-SEP-2021
Date issued

[redacted]
Inspector's location

This contravention must be remedied before: 04-SEP-2021

Service method: Delivered directly to the person named by electronic transmission

JERRY KARATI
Notice given to

Management Representative For Person Conducting A Business Or Undertaking
Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2047197

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2047286

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CBGU D&C JV

Address: LVL 3 SOUTH TOWER, 339 CORONATION DR, MILTON 4064 QLD

Details of contravention:

Site location

ROMA STREET STATION, ROMA ST, BRISBANE CITY 4000 QLD
truck exit route

I, Travis Dungey reasonably believe on 02-SEP-2021 at 15:10 that you are contravening a provision of the:

Work Health and Safety Act 2011 - section(s) 19(2) s e c t i o n 3 3 o f t h e A c t

Brief description of how the provision is being or has been contravened:

While on site I observed and photographed trucks are driving out of your site caring construction dust on the tires, this is building up on the exit ramp from the site also out on to the road, passing traffic is coursing the dust to be pushed into the air also this is a high pedestrian traffic area not maintaining the construction dust could put other persons at risk as a result.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

A person conducting a business or undertaking must ensure, so far as is reasonably practicable, that the health and safety of other persons is not put at risk from work carried out as part of the conduct of the business or undertaking.

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

02-SEP-2021
Date issued

[redacted]
Inspector's location

This contravention must be remedied before: 07-SEP-2021

Service method: Delivered directly to the person named by electronic transmission

PAUL HEAD
Notice given to

Management Representative For Person Conducting A Business Or Undertaking
Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2047286

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 RECIPIENT'S COPY

Improvement notice

Notice No. I2047287

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CBGU D&C JV

Address: LVL 3 SOUTH TOWER, 339 CORONATION DR, MILTON 4064 QLD

Details of contravention:

Site location

ROMA STREET STATION, ROMA ST, BRISBANE CITY 4000 QLD

I, Travis Dungey reasonably believe on 02-SEP-2021 at 10:10 that you are contravening a provision of the:

Work Health and Safety Regulation 2011 - regulation 43(2)

Brief description of how the provision is being or has been contravened:

While on site I observed the site lay out plan, which I was told was used for workers inductions was not up to date with the site lay out in-relation to emergencies, also first aid, and amenities, not having this plan up to date and relevant could put workers at risk as a result.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:

It is mandatory to comply with these directions

Work Health and Safety Regulation 2011 - regulation 43(2)
A person conducting a business or undertaking at a workplace must maintain the emergency plan for the workplace so that it remains effective.

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

02-SEP-2021 | [redacted]

Date issued | Inspector's location

This contravention must be remedied before: 08-SEP-2021

Service method: Delivered directly to the person named by electronic transmission

PAUL HEAD
Notice given to

Management Representative For Person Conducting A Business Or Undertaking
Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: [redacted] Position: PM

Signature [redacted] Date complied: 6/9/21

ABN 94 496 15[redacted]

Notice No. I2047287

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 RECIPIENT'S COPY

Improvement notice

Notice No. I2047288

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CBGU D&C JV

Address: LVL 3 SOUTH TOWER, 339 CORONATION DR, MILTON 4064 QLD

Details of contravention:

Site location

ROMA STREET STATION, ROMA ST, BRISBANE CITY 4000 QLD
VT Shraft

I, Travis Dungey reasonably believe on 02-SEP-2021 at 12:30 that you have contravened a provision in circumstances that make it likely that the contravention will continue or be repeated of the:

Work Health and Safety Act 2011 - section(s) 19(3)(F) section 33 of the act

Brief description of how the provision is being or has been contravened:

While on site, I observed and photographed in the VT Shraft there was excavators operating where there was missing Plant Operating Zone controls workers were in the vicinity, conversation with CPB representatives indicated leading hands are responsible for that area and to keep controls in place, more training instruction and supervision needs to be implemented to make sure the workers responsible maintain the adequate Plant Operating Zones,

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Without limiting subsections 19 (1) and 19 (2), a person conducting a business or undertaking must ensure, so far as is reasonably practicable the provision of any information, training, instruction or supervision that is necessary to protect all persons from risks to their health and safety arising from work carried out as part of the conduct of the business or undertaking;

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

02-SEP-2021
Date Issued

[redacted]
Inspector's location

This contravention must be remedied before: 07-SEP-2021

Service method: Delivered directly to the person named by electronic transmission

PAUL HEAD
Notice given to

Management Representative For Person Conducting A Business Or Undertaking
Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: Mark Jones Position: PM

Signature: [redacted] Date complied: 6/9/21

ABN 94 406 188 9[redacted]

Notice No. I2047288

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2058068

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED	
ABN: 98000893667	ACN: 000893667
Trading as: CBGU D&C JV	
Address: LVL 3 SOUTH TOWER, 339 CORONATION DR, MILTON 4064 QLD	

Details of contravention:

Site location

Roma Street Station M&E Shaft and VT Shaft

I, Paul Kitchener reasonably believe on 02-SEP-2021 at 15:00 that you have contravened a provision in circumstances that make it likely that the contravention will continue or be repeated of the:

Work Health and Safety Act 2011 - section(s) 19(3)(E)

Brief description of how the provision is being or has been contravened:

I observed and photographed two work areas at the workplace; M&E Shaft and VT Shaft. There was no easy access to toilets for workers in either shaft (closest toilet was out of excavations (over 20 metres at depth) and at ground level, requiring workers to ascend numerous levels of stairs to access toilet facilities. There was also no water for drinking in the M&E Shaft area, and no first aid facilities in either area. You have not ensured, so far as is reasonably practicable the provision of adequate facilities for the welfare at work of workers in carrying out work for the business or undertaking, including ensuring access to those facilities.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:

It is mandatory to comply with these directions

Work Health and Safety Act 2011 - section 19(3)(E)
Without limiting subsections 19 (1) and 19 (2), a person conducting a business or undertaking must ensure, so far as is reasonably practicable the provision of adequate facilities for the welfare at work of workers in carrying out work for the business or undertaking, including ensuring access to those facilities

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector	Inspector's ID	Inspector's contact number
02-SEP-2021	[redacted]	
Date issued	Inspector's location	

This contravention must be remedied before: 04-SEP-2021

Service method: Delivered directly to the person named by electronic transmission

Notice given to	Relationship to person to whom notice is issued
PAUL HEAD	Management Representative For Person Conducting A Business Or Undertaking

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government