Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2058068

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983 **Notice No. I2058068**

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2058069

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED	
ABN: 98000893667	ACN: 000893667
Trading as: CBGU D&C JV	
Address: LVL 3 SOUTH TOWER, 339 CORONATION DR, MILTON 4064 QLD	

Details of contravention:

Site location

Roma Street Station Micro Piling Area

I, Paul Kitchener reasonably believe on 02-SEP-2021 at 15:00 that you have contravened a provision in circumstances that make it likely that the contravention will continue or be repeated of the:

Work Health and Safety Act 2011 - section(s) 19(3)(F)

Brief description of how the provision is being or has been contravened:

I observed and photographed an area where steelfixers were working within an excavation in the micropiling area of the workplace. There was a narrow concrete stairwell and a vertical ladder for access into the area. The stairwell appeared to be less than 450mm wide. I witnessed a Right Of Entry Card Holder asked the three workers within the excavation if they had received any training in relation to emergency access/egress of the work area; all three workers advised myself and the ROE card holder that they had not received any training or instruction in relation to emergency access/egress. A representative of CPB advised me that no emergency drill had been run in the area to assess if the access was suitable. You have not ensured, so far as is reasonably practicable the provision of any information, training or instruction that is necessary to protect all persons from risks to their health and safety arising from work carried out as part of the conduct of the business or undertaking.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Work Health and Safety Act 2011 - section 19(3)(F)
Without limiting subsections 19 (1) and 19 (2), a person conducting a business or undertaking must ensure, so far as is reasonably practicable the provision of any information, training, instruction or supervision that is necessary to protect all persons from risks to their health and safety arising from work carried out as part of the conduct of the business or undertaking.

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector	Inspector's ID	Inspector's contact number
02-SEP-2021	[redacted]	
Date issued	Inspector's location	

This contravention must be remedied before:	**Service method:**
07-SEP-2021	Delivered directly to the person named by electronic transmission
PAUL HEAD	Management Representative For Person Conducting A Business Or Undertaking
Notice given to	Relationship to person to whom notice is issued

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2058069

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2058069

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

FORM 12 **RECIPIENT'S COPY**
V1.1.12

Prohibition notice

This notice is issued under the *Work Health and Safety Act 2011* section 195 or the *Safety in Recreational Water Activities Act 2011* applied section 195 *Work Health and Safety Act 2011* (which includes a body corporate, government department or public authority) who has or may be reasonably presumed to have control over the prohibited activity. This notice prohibits an activity which involves or will involve an immediate or imminent risk to the health and safety of any person. **The legislation requires that the person to whom a prohibition notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Queensland Government
ABN 94 496 188 983

Work Health and Safety Act 2011
Safety in Recreational Water Activities Act 2011

Notice No. P1026779

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CBGU D&C JV

Address: LVL 3 SOUTH TOWER, 339 CORONATION DR, MILTON 4064 QLD

Details of serious risk:

Site location — Direction given orally: Y

Micro Piling Area, Roma Street Station

I, Paul Kitchener reasonably believe on 02-SEP-2021 at 14:45 that an activity is occurring at the workplace that involves a serious risk to the health or safety of a person emanating from an immediate or imminent exposure to a hazard and that this activity is contravening a provision of the:

Work Health and Safety Regulation 2011 - regulation 79(2)

I direct the person with control over the following activity to stop the activity of: Work within the area of the micropiling area adjacent to excavation until adequate protection is provided to prevent the risk of a fall from one level to another or from heights

until an inspector is satisfied that the matters that give rise to the risk have been remedied.

Basis for inspector's belief:

I observed and photographed an excavated area within the micropiling section of the workplace. The excavation was marked "Danger - Deep Excavation'. There was crowd barrier directly on the live edge installed as edge protection to prevent falls from heights into the excavation. The crowd barrier was not secured and was not presenting an adequate control or adequate protection for prevention of a fall from heights. You have not minimised the risk of a fall by providing adequate protection against the risk under this section.

Directions (if any) on the measures to be taken to remedy the risk, activities or matters or the contravention or likely contravention: It is mandatory to comply with these directions

Work Health and Safety Regulation 2011 - regulation 79(2)
The person conducting the business or undertaking at a workplace must minimise the risk of a fall by providing adequate protection against the risk under this section.

Recommendations (if any): Recommendations may be followed or you may adopt and follow another way that gives at least the same level of protection against the risk

Issuing inspector:

[redacted] | Signature of inspector | Inspector's ID | Inspector's contact number

02-SEP-2021 | Date issued

[redacted] | Inspector's location

Service method:

Delivered directly to the person named by electronic transmission

PAUL HEAD | Notice given to

Management Representative For Person Conducting A Business Or Undertaking | Relationship to person to whom notice is issued

Information about how to obtain a review of this decision is detailed on the back of this notice.

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice.

You must comply with this notice. Failure to comply may incur a maximum penalty of $100 000 for an individual and $500 000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the Department. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by Office of Industrial Relations to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.
The Office of Industrial Relations privacy information is on our website at www.workfsafe.qld.gov.au/.

FORM 12
V1.1.12

RECIPIENT'S COPY

Prohibition notice

This notice is issued under the *Work Health and Safety Act 2011* section 195 or the *Safety in Recreational Water Activities Act 2011* applied section 195 *Work Health and Safety Act 2011* (which includes a body corporate, government department or public authority) who has or may be reasonably presumed to have control over the prohibited activity. This notice prohibits an activity which involves or will involve an immediate or imminent risk to the health and safety of any person. **The legislation requires that the person to whom a prohibition notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Queensland Government
ABN 94 496 188 983

Work Health and Safety Act 2011
Safety in Recreational Water Activities Act 2011

Notice No. P1026266

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CBGU D&C JV

Address: LVL 3 SOUTH TOWER, 339 CORONATION DR, MILTON 4064 QLD

Details of serious risk:

Site location | Direction given orally: Y

Tunnel boring machines 1 & 2 [TBM]

I, John Azcune reasonably believe on 14-OCT-2021 at 11:15 that an activity is occurring at the workplace that involves a serious risk to the health or safety of a person emanating from an immediate or imminent exposure to a hazard and that this activity is contravening a provision of the:

Work Health and Safety Act 2011 - section(s) 19(3)(C)

I direct the person with control over the following activity to stop the activity of: Allowing workers to work in thermal conditions that are below the calculated requirements for Thermal Work Limit in the Occupational Health and Hygiene Plan.

until an inspector is satisfied that the matters that give rise to the risk have been remedied.

Basis for inspector's belief:

I observed on site atmospheric condition records from 11/10/21- 14/10/21 which displayed thermal work limits (TWL) exceeding the safe work readings of 116. The Occupational Health and Hygiene Plan states that work is to cease until an assessment has occurred in line with the requirements of Appendix 5 'Actions Based on TWL Measurements' and approval is given for works to continue/commence or the measured TWL is above 116. Works had not ceased in accordance with the requirements around TWL within the Occupational Health and Hygiene Plan.

Directions (if any) on the measures to be taken to remedy the risk, activities or matters or the contravention or likely contravention: It is mandatory to comply with these directions

Recommendations (if any): Recommendations may be followed or you may adopt and follow another way that gives at least the same level of protection against the risk

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

14-OCT-2021
Date issued

[redacted]
Inspector's location

Service method:

Delivered directly to the person named by electronic transmission

DAVID REILLY
Notice given to

Management Representative For Person Conducting A Business Or Undertaking
Relationship to person to whom notice is issued

Information about how to obtain a review of this decision is detailed on the back of this notice.

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice.

You must comply with this notice. Failure to comply may incur a maximum penalty of $100 000 for an individual and $500 000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the Department. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by Office of Industrial Relations to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.
The Office of Industrial Relations privacy information is on our website at www.worksafe.qld.gov.au/.

FORM 12 **RECIPIENT'S COPY**
V1.1.12

Prohibition notice

This notice is issued under the *Work Health and Safety Act 2011* section 195 or the *Safety in Recreational Water Activities Act 2011* applied section 195 *Work Health and Safety Act 2011* (which includes a body corporate, government department or public authority) who has or may be reasonably presumed to have control over the prohibited activity. This notice prohibits an activity which involves or will involve an immediate or imminent risk to the health and safety of any person. **The legislation requires that the person to whom a prohibition notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Queensland Government
ABN 94 496 188 983

Work Health and Safety Act 2011
Safety in Recreational Water Activities Act 2011

Notice No. P1026794

Notice issued to:

Legal name of person/business or undertaking: THE TRUSTEE FOR THE R MCFADYEN PIPELINE CONSTRUCTION TRUST

ABN: 58788493204 | ACN:

Trading as:

Address: CLAPHAM YARD, CHALE ST, YEERONGPILLY 4105 QLD

Details of serious risk:

Site location | Direction given orally: Y

CLAPHAM YARD, CHALE ST, YEERONGPILLY 4105 QLD

I, Paul Kitchener reasonably believe on 22-NOV-2021 at 14:00 that an activity may occur at the workplace that will involve a serious risk to the health or safety of a person emanating from an immediate or imminent exposure to a hazard and that this activity is likely to be contravening a provision of the:

Work Health and Safety Act 2011 - section(s) 19(3)(B)

I direct the person with control over the following activity to stop the activity of: Use of Doosan Excavator DX420LC Serial Number DWGCECAECJ1010172 fitted with Turners Engineering hitch QH-4919 until inspected by a competent person and is shown to be without risks to health and safety of workers.

until an inspector is satisfied that the matters that will give rise to the risk have been remedied.

Basis for inspector's belief:

I observed and photographed a Doosan Excavator fitted with a Turners Engineering Quick Hitch. On Saturday 20th, the unit had dropped a GP bucket into a trench, with the bucket making contact with a worker who was standing in the trench. The worker was taken to hospital for medical attention, and was shown to have bruising and scratches only. The unit was stood down and the site preserved. The unit needs to be inspected by a competent person and shown to be without risks to the health and safety of persons

Directions (if any) on the measures to be taken to remedy the risk, activities or matters or the contravention or likely contravention: It is mandatory to comply with these directions

Work Health and Safety Act 2011 - section 19(3)(B)
Without limiting subsections 19 (1) and 19 (2), a person conducting a business or undertaking must ensure, so far as is reasonably practicable the provision and maintenance of safe plant and structures

Recommendations (if any): Recommendations may be followed or you may adopt and follow another way that gives at least the same level of protection against the risk

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

22-NOV-2021
Date issued

[redacted]
Inspector's location

Service method:

Delivered directly to the person named by electronic transmission

NATHAN HUNT
Notice given to

Management Representative For Person Conducting A Business Or Undertaking
Relationship to person to whom notice is issued

Information about how to obtain a review of this decision is detailed on the back of this notice.

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice.

You must comply with this notice. Failure to comply may incur a maximum penalty of $100 000 for an individual and $500 000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the Department. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by Office of Industrial Relations to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.
The Office of Industrial Relations privacy information is on our website at www.workfsafe.qld.gov.au/.

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2040610

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CBGU D&C JV

Address: LVL 3 SOUTH TOWER, 339 CORONATION DR, MILTON 4064 QLD

Details of contravention:

Site location

TBM 2

I, Young Min Lee reasonably believe on 29-NOV-2021 at 14:00 that you have contravened a provision in circumstances that make it likely that the contravention will continue or be repeated of the:

Work Health and Safety Act 2011 - section(s) 19(3)(C)

Brief description of how the provision is being or has been contravened:

CPB Contractors have implemented a heat stress management system using thermal work limits (TWL). Based on recent atmospheric condition records within the last week, values have returned in the Buffer or Withdrawal zones. After reviewing the `Occupational Health and Hygiene Plan - Actions Based on TWL Measurements', certain controls are not being implemented or achieved. This includes controls regarding the implementation of scheduled hydration breaks, hydration testing must be undertaken (withdrawal zone) and TWL measurements must be taken and recorded every 3 hours (buffer zone) or continuously (withdrawal zone). During conversations I was advised that there is not a documented scheduled hydration break and relies on the supervisor remind the workers; and only 2 TWL measurements have been recorded.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

29-NOV-2021
Date issued

[redacted]
Inspector's location

This contravention must be remedied before: 04-DEC-2021

Service method: Delivered directly to the person named by electronic transmission

DAVID REILLY
Notice given to

Management Representative For Person With Management Or Control Of A Workplace
Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2040610

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2040658

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: ZOOMWAVE CONSTRUCTIONS (QLD) PTY LTD

ABN: 39648807176 | ACN:

Trading as:

Address: 38 COLEBARD ST WEST, ACACIA RIDGE 4110 QLD

Details of contravention:

Site location

JOE BAKER STREET , DUTTON PARK 4102 QLD
Tunnels

I, Frank D'Allura reasonably believe on 01-DEC-2021 at 12:17 that you are contravening a provision of the:

Work Health and Safety Act 2011 - section(s) 19(3)(F)

Brief description of how the provision is being or has been contravened:

ZOOMWAVE CONSTRUCTIONS (QLD) PTY LTD who is conducting a business or undertaking must ensure, so far as is reasonably practicable the provision of any information, training, instruction or supervision that is necessary to protect all persons from risks to their health and safety arising from work carried out as part of the conduct of the business or undertaking; I attended to the construction workplace and observed a Dieci Icarus 40.17 telehandler s/n XLL1791960 being used by a worker of the company. I observed that the a rear indicator light is damaged to a point where it is not operational. I spoke to operator and enquired if the prestart has been filled in and he advised he did and no issues identified. I looked at prestart document and it has not been recorded as a fault to be rectified. The worker has failed to record fault in prestart so others are aware of the issue so if needed the plant can be tagged out or repaired .

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

01-DEC-2021
Date issued

[redacted]
Inspector's location

This contravention must be remedied before: 08-DEC-2021

Service method: Delivered directly to the person named by electronic transmission

SILKA CHAN
Notice given to

Management Representative For Person With Management Or Control Of A Workplace
Relationship to person to whom notice is issued

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2040658

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2040658

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2047831

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: HEINRICH CONSTRUCTIONS PTY. LTD.

ABN: 57080897605 | ACN:

Trading as:

Address: 168 SANDY CAMP RD RD, YATALA 4207 QLD

Details of contravention:

Site location

90A LEOPARD STREET, WOOLLOONGABBA, 4102

I, Simon McLennan reasonably believe on 07-DEC-2021 at 10:40 that you are contravening a provision of the:

Work Health and Safety Act 2011 - section(s) 19(3)(F)

Brief description of how the provision is being or has been contravened:

I made enquiries into an incident at the workplace, where a worker has sustained an injury whilst operating a battery operated powered circular saw. You have provided information that instruction and training into the safe operation power equipment has been provided to workers today prior to works commencing. The PCBU is to ensure that this information is provided to others, including the injured person, prior to recommencing works at the workplace

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Without limiting subsections 19 (1) and 19 (2), a person conducting a business or undertaking must ensure, so far as is reasonably practicable the provision of any information, training, instruction or supervision that is necessary to protect all persons from risks to their health and safety arising from work carried out as part of the conduct of the business or undertaking;

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

07-DEC-2021
Date issued

[redacted]
Inspector's location

This contravention must be remedied before: 14-DEC-2021

Service method: Delivered directly to the person named by electronic transmission

SCOTT PEARSON
Notice given to

Management Representative For Person Conducting A Business Or Undertaking
Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2047831

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

FORM 12 **RECIPIENT'S COPY**
V1.1.12

Prohibition notice

This notice is issued under the *Work Health and Safety Act 2011* section 195 or the *Safety in Recreational Water Activities Act 2011* applied section 195 *Work Health and Safety Act 2011* (which includes a body corporate, government department or public authority) who has or may be reasonably presumed to have control over the prohibited activity. This notice prohibits an activity which involves or will involve an immediate or imminent risk to the health and safety of any person. **The legislation requires that the person to whom a prohibition notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Queensland Government
ABN 94 496 188 983

Work Health and Safety Act 2011
Safety in Recreational Water Activities Act 2011

Notice No. P1026966

Notice issued to:

Legal name of person/business or undertaking: BAM INTERNATIONAL AUSTRALIA PTY LTD & CPB CONTRACTORS PTY LI

ABN: 80900474484 | ACN:

Trading as:

Address: 867 MAIN ST , WOOLLOONGABBA 4102 QLD

Details of serious risk:

Site location | Direction given orally: N

867 MAIN ST , WOOLLOONGABBA

I, Neale Garaty reasonably believe on 11-DEC-2021 at 09:24 that an activity is occurring at the workplace that involves a serious risk to the health or safety of a person emanating from an immediate or imminent exposure to a hazard and that this activity is contravening a provision of the:

Work Health and Safety Act 2011 - section(s) 19(3)(B)

I direct the person with control over the following activity to stop the activity of: stop using Service Vehicle and Ring Carriers until they have been checked to ensure they are to manufactures specifications

until an inspector is satisfied that the matters that give rise to the risk have been remedied.

Basis for inspector's belief:

a machine has travelled done the ramp to the tunnel at Woolloongabba in an uncontrolled manner, it appears that the engine was not running at the time, ramp is 1 in 7 gradient. the operator was not in the machine as it travelled down the ramp, he got out after to tried to restart the machine without success and he felt the machine start to roll back, it is unclear why the brakes have not been applied, or why the brakes do not actuate while he was not in the cab. The machine came to rest at the base of the ramp against the wall side, no injuries have occurred. no other vehicles have been involved in the incident, however another vehicle was following/ coming up ramp at the time and reversed out of the way safely. persons have been placed at risk of injury from an uncontrolled vehicle coming down the ramp.

Directions (if any) on the measures to be taken to remedy the risk, activities or matters or the contravention or likely contravention: It is mandatory to comply with these directions

ensure all Service vehicles and Ring Carriers have been checked by a competent person to ensure the plant is to manufactures specifications (in particular braking systems are operating to manufactures specification) prior to be placed back into service

Recommendations (if any): Recommendations may be followed or you may adopt and follow another way that gives at least the same level of protection against the risk

Issuing inspector:

[redacted] | Signature of inspector | Inspector's ID | Inspector's contact number

11-DEC-2021 | Date issued

[redacted] | Inspector's location

Service method:

Notice given to | Relationship to person to whom notice is issued

Information about how to obtain a review of this decision is detailed on the back of this notice.

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice.

You must comply with this notice. Failure to comply may incur a maximum penalty of $100 000 for an individual and $500 000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the Department. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by Office of Industrial Relations to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.
The Office of Industrial Relations privacy information is on our website at www.workfsafe.qld.gov.au/.

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2058530

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: ZOOMWAVE CONSTRUCTIONS (QLD) PTY LTD

ABN: 39648807176 | ACN:

Trading as:

Address: 38 COLEBARD ST WEST, ACACIA RIDGE 4110 QLD

Details of contravention:

Site location

35 BOGGA RD, DUTTON PARK

I, Neale Garaty reasonably believe on 14-DEC-2021 at 11:09 that you are contravening a provision of the:
Work Health and Safety Act 2011 - section(s) 19(1)

Brief description of how the provision is being or has been contravened:

an incident has occurred where a worker Andrew Branagan has received an injury to his right ankle, (dislocation or broken ankle) when he stepped out of a cherry picker (EWP) he was operating. i have been advised he may have stepped onto timber or something else on the ground below the EWP, after viewing the scene the EWP has not been moved, the EWP is at ground level on a concrete floor reo is beneath the basket. inspector was advised that Andrew stated he had stepped on some timber, there are timber a short distance away which may have been moved to allow access to the area to provide medical attention for Andrew.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

develop and implement procedures to ensure worker who access and egress EWP's have a clear and safe landing area.

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted] | |

Signature of inspector | Inspector's ID | Inspector's contact number

15-DEC-2021 | [redacted]

Date issued | Inspector's location

This contravention must be remedied before: 16-DEC-2021

Service method:

Notice given to | Relationship to person to whom notice is issued

---

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2058530

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2040668

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: ARCHITECTURAL FACADE CLADDING SOLUTIONS PTY LTD

ABN: 43153968015 | ACN:

Trading as:

Address: U 8 227 FLEMING RD, HEMMANT 4174 QLD

Details of contravention:

Site location

123 ALBERT ST, BRISBANE 4000 QLD

I, Frank D'Allura reasonably believe on 09-FEB-2022 at 12:45 that you are contravening a provision of the:
Work Health and Safety Regulation 2011 - regulation 54

Brief description of how the provision is being or has been contravened:

ARCHITECTURAL FACADE CLADDING SOLUTIONS PTY LTD who is conducting a business or undertaking at a workplace have failed to manage risks to health and safety associated with an object falling on a person if the falling object is reasonably likely to injure the person. I attended the construction workplace in relation to a incident where a piece of aluminium strip has fallen from a mast climber from level10 to the ground when a worker was installing the component . I conducted a investigation into the incident and identified control measure used on climber 2 and 3 to manage falling objects is not compliant as mesh being used is barrier mesh material. The material is sagging in places and the design of the system doesn't allow the mesh material to be firmly pushed up against building. There is areas on mast climber boat where catch platform system can't be installed and no system to lanyard metal strips in these locations has been designed or agreed to yet.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

09-FEB-2022 | [redacted]

Date issued | Inspector's location

This contravention must be remedied before: 16-FEB-2022

Service method: Delivered directly to the person named by electronic transmission

NICK STANDING

Notice given to

Relationship to person to whom notice is issued: Management Representative For Person With Management Or Control Of A Workplace

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2040668

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983 **Notice No. I2040668**

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2036415

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CBGU D&C JV

Address: LVL 3 SOUTH TOWER, 339 CORONATION DR, MILTON 4064 QLD

Details of contravention:

Site location

TUNNELS - ROMA STREET STATION, BRISBANE CITY 4000 QLD

I, Young Min Lee reasonably believe on 25-FEB-2022 at 17:20 that you are contravening a provision of the:
Work Health and Safety Act 2011 - section(s) 19(3)(B)

Brief description of how the provision is being or has been contravened:

CPB Contractors Pty Limited t/a CBGU D&C JV have failed to ensure the provision and maintenance of safe plant, namely the Zitron Fan Model ZVN 1-18-355/4.

Attended site in response to an incident where the ventilation fan had failed resulting in the fan components landing in areas and access way in the vicinity. After reviewing the Operation and Maintenance Manual for the ventilation fan, Section 7 stated that cleaning the fan surface is to be undertaken at a maximum interval of every 6 months. The fan was commissioned for operation on the 12 August 2021. After discussions a maintenance regime has not been prepared in advanced as recommended by the manual or conducted and has exceeded the 6 month required maintenance date.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted] | Inspector's ID | Inspector's contact number

Signature of inspector

25-FEB-2022
Date issued

[redacted]
Inspector's location

This contravention must be remedied before: 02-MAR-2022

Service method: Delivered directly to the person named by electronic transmission

DANIEL SMITH
Notice given to

Management Representative For Person With Management Or Control Of A Workplace
Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2036415

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2048241

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CBGU D&C JV

Address: LVL 3 SOUTH TOWER, 339 CORONATION DR, MILTON 4064 QLD

Details of contravention:

Site location

BOGGO ROAD STATION BOX, , DUTTON PARK 4102 QLD

I, Travis Dungey reasonably believe on 11-MAR-2022 at 11:30 that you have contravened a provision in circumstances that make it likely that the contravention will continue or be repeated of the:

Work Health and Safety Act 2011 - section(s) 19(3)(C)

Brief description of how the provision is being or has been contravened:

While on site, I observed and photographed two generators used on site, they were a 20kva master hire plant number 2825035 and also a 15kva Coates hire plant number 1261057, both generators had not had there daily prestart checks done as per manufactures specifications, one hasn't been checked for over a month. This is not maintaining a safe system of work and as a result could expose workers to risks if not managed appropriately.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:

It is mandatory to comply with these directions

Work Health and Safety Act 2011 - section 19(3)(C)
Without limiting subsections 19 (1) and 19 (2), a person conducting a business or undertaking must ensure, so far as is reasonably practicable the provision and maintenance of safe systems of work;

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted] | [redacted] | [redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

11-MAR-2022 | [redacted]

Date issued | Inspector's location

This contravention must be remedied before: 18-MAR-2022

Service method: Delivered directly to the person named by electronic transmission

DANIEL HARTE

Notice given to

Management Representative For Person Conducting A Business Or Undertaking

Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2048241

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2036418

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: ROCKTOWN PTY LTD

ABN: 18122450711 | ACN:

Trading as:

Address: 6A , 919-925 NUDGEE RD, BANYO 4014 QLD

Details of contravention:

Site location

MAYNE YARD, BRISBANE 4000 QLD

I, Young Min Lee reasonably believe on 14-MAR-2022 at 10:15 that you are contravening a provision of the:

Work Health and Safety Act 2011 - section(s) 19(3)(B)

Brief description of how the provision is being or has been contravened:

Rocktown Pty Ltd have failed to ensure, so far as is reasonably practicable the provision and maintenance of safe plant. I observed a blue scissor lift (RT4001) being used for steel fixing with damaged top rail.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:

It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted] | [redacted] | [redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

14-MAR-2022 | [redacted]

Date issued | Inspector's location

This contravention must be remedied before: 19-MAR-2022

Service method: Delivered directly to the person named by electronic transmission

DAVE WOODS — Notice given to

Management Representative For Person Conducting A Business Or Undertaking — Relationship to person to whom notice is issued

---

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2048242

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: UNITY ALLIANCE

Address: LVL 3 SOUTH TOWER, 339 CORONATION DR, MILTON 4064 QLD

Details of contravention:

Site location

Yerronga Train station

I, Travis Dungey reasonably believe on 14-MAR-2022 at 12:30 that you are contravening a provision of the:
Work Health and Safety Act 2011 - section(s) 19(3)(A)

Brief description of how the provision is being or has been contravened:

While on site, I observed and photographed at the end of the platform 2 there is a electrical cable running along the top of the slap, I observed persons walking up and down that slab, there is nothing to prevent persons stepping on the power and damaging it which could expose them to an electrical risk as a result.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Work Health and Safety Act 2011 - section 19(3)(A)
Without limiting subsections 19 (1) and 19 (2), a person conducting a business or undertaking must ensure, so far as is reasonably practicable the provision and maintenance of a work environment without risks to health and safety;

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted] | [redacted] | [redacted]
Signature of inspector | Inspector's ID | Inspector's contact number

14-MAR-2022 | [redacted]
Date issued | Inspector's location

This contravention must be remedied before: 16-MAR-2022

Service method: Delivered directly to the person named by electronic transmission

ADRIAN OCKFORD
Notice given to

Management Representative For Person Conducting A Business Or Undertaking
Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2048242

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2048243

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: UNITY ALLIANCE

Address: LVL 3 SOUTH TOWER, 339 CORONATION DR, MILTON 4064 QLD

Details of contravention:

Site location

Yeronga Train station.

I, Travis Dungey reasonably believe on 14-MAR-2022 at 12:30 that you are contravening a provision of the:
Work Health and Safety Regulation 2011 - regulation 40(A)

Brief description of how the provision is being or has been contravened:

While on site, I observed and photographed, there is an access walk way adjacent to the temp ticket office that workers are using, I observed that the access is impeded by lumps of concrete and the dirt is very uneven, as a result this is creating a trip hazard in general working conditions and in an emergency situation.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Work Health and Safety Regulation 2011 - regulation 40(A)
A person conducting a business or undertaking at a workplace must ensure, so far as is reasonably practicable, the following- (a) the layout of the workplace allows, and the workplace is maintained so as to allow, for persons to enter and exit and to move about without risk to health and safety, both under normal working conditions and in an emergency;

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted] | [redacted] | [redacted]
Signature of inspector | Inspector's ID | Inspector's contact number

14-MAR-2022 | [redacted]
Date issued | Inspector's location

This contravention must be remedied before: 17-MAR-2022

Service method: Delivered directly to the person named by electronic transmission

ADRIAN OCKFORD
Notice given to

Management Representative For Person Conducting A Business Or Undertaking
Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2048243

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2048246

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: UNITY ALLIANCE

Address: LVL 3 SOUTH TOWER, 339 CORONATION DR, MILTON 4064 QLD

Details of contravention:

Site location

Yeronga Train Station.

I, Travis Dungey reasonably believe on 14-MAR-2022 at 11:40 that you have contravened a provision in circumstances that make it likely that the contravention will continue or be repeated of the:

Work Health and Safety Act 2011 - section(s) 19(3)(E)

Brief description of how the provision is being or has been contravened:

While on site, I observed and photographed that the stair system on the van lunch room has been impacted by some plant of vehicle creating significate damage to that entry to those facilities. The facilitates has no protection in place to protect persons from plant in the area and is next to a drive through drive way for the site , this needs to be managed to make sure the access for workers remains safe.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:

It is mandatory to comply with these directions

Work Health and Safety Act 2011 - section 19(3)(E)
Without limiting subsections 19 (1) and 19 (2), a person conducting a business or undertaking must ensure, so far as is reasonably practicable the provision of adequate facilities for the welfare at work of workers in carrying out work for the business or undertaking, including ensuring access to those facilities;

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted] | [redacted] | [redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

14-MAR-2022 | [redacted]

Date issued | Inspector's location

This contravention must be remedied before: 17-MAR-2022

Service method: Delivered directly to the person named by electronic transmission

ADRIAN OCKFORD — Notice given to

Management Representative For Person Conducting A Business Or Undertaking — Relationship to person to whom notice is issued

---

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2048246

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2048247

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: UNITY ALLIANCE

Address: LVL 3 SOUTH TOWER, 339 CORONATION DR, MILTON 4064 QLD

Details of contravention:

Site location

Yeronga Train Station

I, Travis Dungey reasonably believe on 14-MAR-2022 at 12:00 that you have contravened a provision in circumstances that make it likely that the contravention will continue or be repeated of the:

Work Health and Safety Regulation 2011 - regulation 40(D)

Brief description of how the provision is being or has been contravened:

While on site, I observed and photographed missing emergency lighting to give workers adequate lighting when evacuating the site safely in the emergency evacuation routs, this needs to be operational when working at night as night works have taken place and are to continue on site, not having adequate lighting or controls to manage the risks could expose workers to risks as a result.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:

It is mandatory to comply with these directions

Work Health and Safety Regulation 2011 - regulation 40(D)
A person conducting a business or undertaking at a workplace must ensure, so far as is reasonably practicable, the following- (d) lighting enables- (i) each worker to carry out work without risk to health and safety; and (ii) persons to move within the workplace without risk to health and safety; and (iii) safe evacuation in an emergency;

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted] | [redacted] | [redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

14-MAR-2022 | [redacted]

Date issued | Inspector's location

This contravention must be remedied before: 17-MAR-2022

Service method: Delivered directly to the person named by electronic transmission

ADRIAN OCKFORD
Notice given to

Management Representative For Person Conducting A Business Or Undertaking
Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2048247

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2061667

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: RAPID METAL DEVELOPMENTS (AUSTRALIA) PROPRIETARY LIMITED

ABN: 87004304447 | ACN:

Trading as:

Address: 163 CROCKFORD ST, NORTHGATE 4013 QLD

Details of contravention:

Site location

M&E shaft ROMA STREET STATION, ROMA ST, BRISBANE 4000 QLD

I, Peter Stevens reasonably believe on 22-MAR-2022 at 14:00 that you are contravening a provision of the:

Work Health and Safety Act 2011 - section(s) 25(4)

Brief description of how the provision is being or has been contravened:

Inspection of the push pull props on site at the ROMA STREET STATION SITE, ROMA ST, BRISBANE 4000 QLD, identified that split pins have been supplied as retaining pins for the main prop pins. The split pins have not been installed consistently or in most cases correctly that would require a tool to be used for removal of the pins. Discussions on site indicate that if used correctly, the use of the split pins as retainers appears to be compliant with the requirements of relevant Australian Standards and Codes of Practice. Specific information and instruction on how the split pins are to be installed used and maintained has not been provided to the persons to whom the plant has been supplied to by RMD Australia. Incorrect installation of the split pins as retainers may result in the retaining pins being dislodged and subsequent accidental loss or removal of the main connecting pins on the props resulting in failure and collapse of the prop and panel placing persons at risk of injury

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

As the supplier, you must give adequate information to each person to whom you supply the plant, concerning any conditions necessary to ensure that the plant is without risks to health and safety when used for a purpose for which it was designed or manufactured

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Provide details and information and instruction to persons to whom the plant is supplied to, regarding how the split pins used for retaining pins on the push pull props are to be used installed and maintained

Issuing inspector:

[redacted]

Signature of inspector

[redacted]

Inspector's ID

Inspector's contact number

23-MAR-2022

Date issued

[redacted]

Inspector's location

This contravention must be remedied before: 30-MAR-2022

Service method: Delivered directly to the person named by electronic transmission

SEAN MCINTOSH

Notice given to

Management Representative For Person Conducting A Business Or Undertaking

Relationship to person to whom notice is issued

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2061667

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2061667

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2061668

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: UPLIFT CRANES QLD PTY LTD	
ABN: 63625839787	ACN:
Trading as:	
Address: UNIT 2A , 52 AQUARIUM AVE, HEMMANT 4174 QLD	

Details of contravention:

Site location

ROMA STREET STATION, ROMA ST, BRISBANE CITY 4000 QLD

I, Peter Stevens reasonably believe on 22-MAR-2022 at 10:30 that you are contravening a provision of the:
Work Health and Safety Act 2011 - section(s) 21(2)

Brief description of how the provision is being or has been contravened:

Inspection of the Uplift Cranes mobile crane on site at the Cross River Rail Roma st Site has identified that daily pre start inspections have been done for the crane and are recorded however due to the crane being on site long term, the pre start records sheets that also contain identified faults and maintenance issues have not been adequately communicated to the mechanical maintenance crew for repairing. A fault regarding an oil leak within the counter weight ram was identified in the prestart inspections in late January 2022 and is visibly still leaking on the crane. The triplicate sheets in the pre start inspection book are all still attached to the book and have not been adequately communicated to the maintenance crew to facilitate repair of the identified issues. Ongoing unrepaired issues may eventually lead to a failure of a part or function of the crane and result in an incident that places persons at risk of injury.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

As the person with management or control or plant at a workplace, you must ensure, so far as is reasonably practicable, that the plant is without risks to the health and safety of any person.

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Develop, implement and maintain a system or process so as to ensure that any identified faults of maintenance issue with the crane are clearly and adequately communicated to service personnel to repair

Issuing inspector:

[redacted]	[redacted]	
Signature of inspector	Inspector's ID	Inspector's contact number
23-MAR-2022	[redacted]	
Date issued	Inspector's location	

This contravention must be remedied before:	**Service method:**
31-MAR-2022	Delivered directly to the person named by electronic transmission
JOHN LEWIS	Management Representative For Person Conducting A Business Or Undertaking
Notice given to	Relationship to person to whom notice is issued

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2061668

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2061668

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13

RECIPIENT'S COPY

Improvement notice

V1.3.18

Notice No. I2061669

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CBGU D&C JV

Address: LEVEL 6 SOUTH TOWER, 520 WICKHAM ST, FORTITUDE VALLEY 4006 QLD

Details of contravention:

Site location

ROMA STREET STATION, ROMA ST, BRISBANE CITY 4000 QLD

I, Peter Stevens reasonably believe on 22-MAR-2022 at 14:30 that you are contravening a provision of the:

Work Health and Safety Act 2011 - section(s) 26A(a)

Brief description of how the provision is being or has been contravened:

Enquiries by WHSQ regarding pre cast panel installation on site at the ROMA STREET STATION site have identified that, a previously implemented system for recording the verification of compliance of installed panels had recently been overlooked and not maintained. The "Tilt up and Pre-cast Construction Code of Practice 2003" requires that compliance of the panels to the design is verified and documented. The code also indicates that verification can be done as the panels are being erected and should be completed prior to the panel erector leaving the site on that particular day. A new process for recording installation compliance for individual panels is currently being developed by CPB but has not yet been finalised or implemented.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

As a person conducting a business or undertaking, you must, if the Minister approves a code of practice for the purposes of this Act (a)comply with the code, or (b) manage the hazards and risks associated with the work in a way that is different to the code but provides a standard of health and safety that is equivalent to or higher than the standard required under the code

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

*Consider use the checklists found in the appendices of the "Tilt up and Pre-cast Construction Code of Practice 2003".
*Consider the development of a handover checklist or system of work to ensure that compliance with the "Tilt up and Pre-cast Construction Code of Practice 2003" is met, in particular when the work is conducted by workers other than the regular crews.
* Refer to the "Tilt up and Pre-cast Construction Code of Practice 2003" for further information on compliance.

Issuing inspector:

[redacted] | [redacted] | Inspector's contact number

Signature of inspector | inspector's ID

23-MAR-2022 | [redacted]

Date issued | Inspector's location

This contravention must be remedied before: 31-MAR-2022

Service method: Delivered directly to the person named by electronic transmission

PAUL HEAD
Notice given to

Management Representative For Person With Management Or Control Of A Workplace
Relationship to person to whom notice is issued

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13

RECIPIENT'S COPY

Improvement notice

Notice No. I2061669

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: PAUL HEAD Position: SAFETY LEAD

Signature: [redacted] Date complied: 30/3/2020

ABN 04 496 188 993

Notice No. I2061669

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2061670

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: UPLIFT CRANES QLD PTY LTD

ABN: 63625839787 | ACN:

Trading as:

Address: UNIT 2A , 52 AQUARIUM AVE, HEMMANT 4174 QLD

Details of contravention:

Site location

ROMA STREET STATION, ROMA ST, BRISBANE CITY 4000 QLD

I, Peter Stevens reasonably believe on 21-MAR-2022 at 11:15 that you are contravening a provision of the:
Work Health and Safety Regulation 2011 - regulation 213

Brief description of how the provision is being or has been contravened:

Inspection of the maintenance records for the Grove GMK 4080-1 crane registration number DJA 800 has identified that the periodic and annual maintenance has not been conducted as per the manufacturers recommendations. There are no records of any maintenance including but not limited to, the outriggers, lubrication of slew ring gears, main boom locking pins. The most recent record of maintenance dated 18/12/2021 appears to also be the annual inspection however it does not indicate that any maintenance or checks have been done in relation to the boom and winch or final checks section which includes a full function test and LMI/SMI calibration. The maintenance record frequency also does not appear to reflect the recommendations set out in the manufacturers manual for specific items. The manufacturers manual requires but is not limited to, all of the aforementioned maintenance items.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

The maintenance, inspection and testing must be carried out (a)in accordance with the manufacturer's recommendations, if any; or (b)if there are no manufacturer's recommendations, in accordance with the recommendations of a competent person; or (c)in relation to inspection, if it is not reasonably practicable to comply with paragraph (a) or (b), annually.

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Refer to the manufacturers manual for information to develop implement and maintain a maintenance and inspection system that reflects all items and frequencies as detailed in the manufacturers manual.

Issuing inspector:

[redacted] | [redacted] |

Signature of inspector | Inspector's ID | Inspector's contact number

24-MAR-2022 | [redacted]

Date issued | Inspector's location

This contravention must be remedied before: 30-APR-2022

Service method: Delivered directly to the person named by electronic transmission

DEAN LOVAT

Notice given to

Management Representative For Person Conducting A Business Or Undertaking

Relationship to person to whom notice is issued

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2061670

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2061670

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2038436

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: HEINRICH CONSTRUCTIONS PTY. LTD.

ABN: 57080897605 | ACN:

Trading as:

Address: 168 SANDY CAMP RD RD, YATALA 4207 QLD

Details of contravention:

Site location

90A Leopard Street, Woolloongabba 4102 QLD

I, Lewis Cash reasonably believe on 30-MAR-2022 at 15:00 that you have contravened a provision in circumstances that make it likely that the contravention will continue or be repeated of the:

Work Health and Safety Act 2011 - section(s) 39(1)

Brief description of how the provision is being or has been contravened:

Work Health and Safety Act 2011 - section 39(1)
Heinrich Constructions PTY LTD have failed to ensure so far as is reasonably practicable, that the site where the incident occurred is not disturbed until an inspector arrives at the site or any earlier time that an inspector directs.

I attended, observed and photographed the scene of an incident which has been notified to WHSQ. The incident occurred when a sheet of ply has fallen from a shutter during high winds and landed in close proximity to workers and impacted a scissor lift. Upon inspection of the incident site the sheet of ply had been moved and reattached to the shutter and the scissor lift had also been moved to another location. Therefore, Heinrich has failed to ensure the site of the notifiable incident was preserved prior to Inspector arrival.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted] | [redacted] | [redacted]
Signature of inspector | Inspector's ID | Inspector's contact number

30-MAR-2022 | [redacted]
Date issued | Inspector's location

This contravention must be remedied before: 01-APR-2022

Service method: Delivered directly to the person named by electronic transmission

BEN FLINTOFF
Notice given to

Management Representative For Person With Management Or Control Of A Workplace
Relationship to person to whom notice is issued

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2038436

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983 **Notice No. I2038436**

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2036505

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: X-CEL CONSTRUCTION SERVICES PTY LTD

ABN: 82168493105 | ACN: 168493105

Trading as: X-CEL CONSTRUCTION SERVICES PTY LTD

Address: 111 RAILWAY AVE, STRATHPINE 4500 QLD

Details of contravention:

Site location

111 RAILWAY AVE, STRATHPINE

I, Ashlum Tan reasonably believe on 06-APR-2022 at 10:45 that you are contravening a provision of the:

Work Health and Safety Regulation 2011 - regulation 408(1)

Brief description of how the provision is being or has been contravened:

You have failed in the provision of health monitoring by or under the supervision of a registered medical practitioner with experience in relation to lead in the body. You advised that workers only attend a medical practitioner after their blood lead levels have reached a level where you remove them from the job that is resulting in their exposure. Health monitoring for inorganic lead includes the collection of demographic, medical and occupational history, a physical examination and biological monitoring with health monitoring commencing before the worker first commences lead risk work and at the frequency directed in the regulations.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted] | [redacted] | [redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

06-APR-2022 | [redacted]

Date issued | Inspector's location

This contravention must be remedied before: 06-MAY-2022

Service method: Delivered directly to the person named by electronic transmission

KARL TITHER — Notice given to

Management Representative For Person Conducting A Business Or Undertaking — Relationship to person to whom notice is issued

---

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2036505

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2061903

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: ARCHITECTURAL FACADE CLADDING SOLUTIONS PTY LTD

ABN: 43153968015 | ACN:

Trading as:

Address: 123 ALBERT ST, BRISBANE 4000 QLD

Details of contravention:

Site location

123 Albert Street, Brisbane

I, Daniel Ala-Outinen reasonably believe on 07-APR-2022 at 11:30 that you are contravening a provision of the:

Work Health and Safety Regulation 2011 - regulation 54

Brief description of how the provision is being or has been contravened:

An Incident had occurred on site where a worker was cutting a piece of aluminium C channel with a circular saw when the offcut was ejected off the side of the building down to Albert Street below.

I observed and photographed walkways erected around the Mast Climbers to provide access for workers. Scaffold tubing had been erected as guard rails around the perimeter of the access ways.

Workers were observed moving to and from the work platforms along the access ways with bags and buckets full of hand tools and battery powered tools.

On the western side of the access ways the distance from the Scaffold Guard rail to edge of building is approx. 2m Horizontally and is approx. 1.5m higher than the building edge.

The scaffold guard rail had no evidence of any controls in place to manage falling objects should objects fall or be ejected.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector | [redacted] Inspector's ID | Inspector's contact number

07-APR-2022
Date issued

[redacted]
Inspector's location

This contravention must be remedied before: 09-APR-2022

Service method: Delivered directly to the person named by electronic transmission

CHEYNE HUTCHINSON
Notice given to

Management Representative For Person Conducting A Business Or Undertaking
Relationship to person to whom notice is issued

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2061903

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2061903

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

FORM 24 **RECIPIENT'S COPY**

Infringement notice

V15.03.19

This notice is issued under the *State Penalties Enforcement Act 1999* section 13 to a person who is contravening or has contravened a provision that has been designated an offence under the Act or Regulation that may attract an infringement notice. This notice requires the person to whom it is issued to ensure payment by the due date unless other available action is taken (refer to the second page of this notice for relevant information).

Notice No. F2001564

Notice issued to:

Legal name of alleged offender: CPB CONTRACTORS PTY LIMITED		
ABN: 98000893667	ACN: 000893667	
Trading as (if applicable):		
Address: LEVEL 6 HQ SOUTH TOWER, 520 WICKHAM ST , FORTITUDE VALLEY 4006 QLD		
Date of birth:	Gender:	Contact number:
Identification type:	ID number:	

Details of alleged contravention:

Location of offence

96 Albert Street
Brisbane 4000

I, Kevin Sparkes reasonably believe on 12-FEB-2022 at 17:45 you committed an infringement notice offence by contravening a provision of the:

Electrical Safety Regulation 2013, section 71(1)

Offence code: 6314

Penalty amount $800 ***Payment must be received within 28 days of the date of this notice unless other available action has been taken (refer to the second page of this notice for relevant information).***

Description of the offence:

The person conducting a business or undertaking that performed electrical work on an electrical installation failed to ensure that the electrical work was in accordance with wiring rules

Issuing inspector:

[redacted]

Signature of inspector

[redacted]

Inspector's ID

[redacted]

Inspector's contact number

27-APR-2022

Date issued

[redacted]

Inspector's location

Service Method:	Email

Information about payment options is detailed on the second page of this notice.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

ABN 94 496 188 983

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2038359

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CROSS RIVER RAIL;
UNITY ALLIANCE

Address: 339 CORONATION DR, MILTON 4064 QLD

Details of contravention:

Site location

96 Albert Street
Brisbane 4000

I, Kevin Sparkes reasonably believe on 27-APR-2022 at 08:52 that you have contravened a provision in circumstances that make it likely that the contravention will continue or be repeated of the:

Electrical Safety Regulation 2013 - section(s) 71(1)

Brief description of how the provision is being or has been contravened:

CPB Contractors Pty Ltd, who are a licensed electrical contractor (licence no. 67789), conducted an electrical contracting business performing electrical work on an electrical installation located on Calbah stair 2 at the site location has failed to ensure the electrical installation, to the extent it was affected by the electrical work, complied with the requirements of the Wiring Rules. This was evidenced on the 12th February 2022 involving electrical work performed by them of connecting a new section of the stair system to the electrical installation in stair 2. Earthing continuity, which is a mandatory verification test under the wiring rules, was not verified to the electrical equipment they connected. CPB Contractors Pty Ltd have implemented some systems to verify compliance with the wiring rules ... (Brief description continued in Directions section below).

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

(Brief description continued) ... such as hiring licensed electrical workers, directing workers to complete verification inspection and testing, and their `Electrical Test Record' and `Certificate of Electrical Compliance' documents for the performance of electrical work, however CPB Contractors Pty Ltd have no system in place, such as evidence of verification testing competency or auditing of their electrical workers, to ensure that the mandatory verification inspection and testing required by section 1.8 and 8 of the AS/NZS 3000:2018 Wiring Rules are being completed by their licensed electrical workers.
Directions:
CPB Contractors Pty Ltd must ensure that when they install an electrical installation that they test and examine it to ensure it is electrically safe. CPB Contractors Pty Ltd must ensure that their workers who are performing this work are conducting the tests and examination required under the wiring rules.

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted] Signature of inspector

[redacted] Inspector's ID

[redacted] Inspector's contact number

27-APR-2022
Date issued

[redacted] Inspector's location

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2038359

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This contravention must be remedied before:	**Service method:**
23-MAY-2022	Delivered directly to the person named by electronic transmission
FARREN WYPER Notice given to	Management Representative For Person Conducting A Business Or Undertaking Relationship to person to whom notice is issued

---

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2038359

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

FORM 24 **RECIPIENT'S COPY**

Infringement notice

V15.03.19

This notice is issued under the *State Penalties Enforcement Act 1999* section 13 to a person who is contravening or has contravened a provision that has been designated an offence under the Act or Regulation that may attract an infringement notice. This notice requires the person to whom it is issued to ensure payment by the due date unless other available action is taken (refer to the second page of this notice for relevant information).

Notice No. F1006450

Notice issued to:

Legal name of alleged offender: RETAINING SOLUTIONS DESIGN CONSTRUCT PTY LIMITED		
ABN: 16103223721	ACN: 103223721	
Trading as (if applicable):		
Address: 601 BOUNDARY RD RD, DARRA 4076 QLD		
Date of birth:	Gender:	Contact number:
Identification type:	ID number:	

Details of alleged contravention:

Location of offence

MAYNE YARD, , BRISBANE 4000 QLD Precast installing area

I, John Azcune reasonably believe on 18-MAY-2022 at 10:45 you committed an infringement notice offence by contravening a provision of the:

Work Health and Safety Regulation 2011, regulation 300(1)

Offence code: 9002

Penalty amount $3600 ***Payment must be received within 28 days of the date of this notice unless other available action has been taken (refer to the second page of this notice for relevant information).***

Description of the offence:

Person conducting a business or undertaking failed to put in place arrangements for ensuring that high risk construction work is carried out in accordance with safe work method statement

Issuing inspector:

[redacted] Signature of inspector

[redacted] Inspector's ID

[redacted] Inspector's contact number

18-MAY-2022 Date issued

[redacted] Inspector's location

Service Method:	Email

Information about payment options is detailed on the second page of this notice.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

ABN 94 496 188 983

Queensland Government

FORM 24 **RECIPIENT'S COPY**

Infringement notice

V15.03.19

This notice is issued under the *State Penalties Enforcement Act 1999* section 13 to a person who is contravening or has contravened a provision that has been designated an offence under the Act or Regulation that may attract an infringement notice. This notice requires the person to whom it is issued to ensure payment by the due date unless other available action is taken (refer to the second page of this notice for relevant information).

Notice No. F2011008

Notice issued to:

Legal name of alleged offender: CAPORN FOUNDATIONS PTY LTD		
ABN: 12130900604	ACN: 130900604	
Trading as (if applicable):		
Address: MAYNE YARD, , BRISBANE 4000 QLD		
Date of birth:	Gender:	Contact number:
Identification type:	ID number:	

Details of alleged contravention:

Location of offence

MAYNE YARD, , BRISBANE 4000 QLD

I, John Azcune reasonably believe on 18-MAY-2022 at 10:35 you committed an infringement notice offence by contravening a provision of the:

Work Health and Safety Regulation 2011, regulation 346(1)

Offence code: 9011

Penalty amount $3600 ***Payment must be received within 28 days of the date of this notice unless other available action has been taken (refer to the second page of this notice for relevant information).***

Description of the offence:

Person conducting a business or undertaking failed to ensure that the register of hazardous chemicals is maintained so that the information in the register is up to date

Issuing inspector:

[redacted] Signature of inspector

[redacted] Inspector's ID

[redacted] Inspector's contact number

18-MAY-2022 Date issued

[redacted] Inspector's location

Service Method:	Email

Information about payment options is detailed on the second page of this notice.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

ABN 94 496 188 983

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2038488

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: UPLIFT CRANES QLD PTY LTD

ABN: 63625839787 | ACN:

Trading as:

Address: 38 KENT ST, DUTTON PARK 4102 QLD

Details of contravention:

Site location

38 KENT ST, DUTTON PARK 4102 QLD

I, Christopher O'Donnell reasonably believe on 23-MAY-2022 at 11:30 that you have contravened a provision in circumstances that make it likely that the contravention will continue or be repeated of the:

Work Health and Safety Act 2011 - section(s) 19(3)(C)

Brief description of how the provision is being or has been contravened:

The person conducting a business or undertaking has failed to ensure, so far as is reasonably practicable the provision and maintenance of a safe systems of work.
A worker operating a Franna style crane while at work in the business or undertaking two-blocked the crane resulting in a dangerous incident.
The operator was not aware at the time of the incident if the anti-two block was functioning correctly or that a safe system of work that was in place to prevent the hook block while being raised, making contact with the tip of the boom. Including ensuring the anti-two warning system is functioning correctly prior to the commencement of lifts or other controls to prevent the to warn or prevent the crane operator from two-blocking the crane.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice

Issuing inspector:

[redacted] | [redacted] | [redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

24-MAY-2022 | [redacted]

Date issued | Inspector's location

This contravention must be remedied before: 30-MAY-2022

Service method: Delivered directly to the person named by electronic transmission

DEAN LOVAT | Management Representative For Person Conducting A Business Or Undertaking

Notice given to | Relationship to person to whom notice is issued

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13

RECIPIENT'S COPY

Improvement notice

Notice No. I2038488

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: DEAN_LOVAT_____ Position: ____OPERATIONS_MANAGER_____

Signature: _____ Date complied: 24 / 06 / 2022

ABN 94 496 188 983

Notice No. I2038488

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2060906

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: ARROW ACCESS SERVICES PTY LTD

ABN: 62638849582 | ACN:

Trading as:

Address: 867 MAIN ST , WOOLLOONGABBA 4102 QLD

Details of contravention:

Site location

Area known as B 4 scaffolding

I, John Azcune reasonably believe on 07-JUN-2022 at 10:30 that you are contravening a provision of the:

Work Health and Safety Act 2011 - section(s) 19(3)(B)

Brief description of how the provision is being or has been contravened:

Scaffolding [plant] that was constructed at a workplace had missing bracing and other component and was not following the scaffold plan for the area.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:

It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted] Signature of inspector

[redacted] Inspector's ID

[redacted] Inspector's contact number

07-JUN-2022 Date issued

[redacted] Inspector's location

This contravention must be remedied before: 09-JUN-2022

Service method: Delivered directly to the person named by electronic transmission

JASON KELLY Notice given to

Management Representative For Person Conducting A Business Or Undertaking Relationship to person to whom notice is issued

---

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2060906

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2036557

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CBGU D&C JV

Address: ROMA STREET STATION, ROMA ST, BRISBANE CITY 4000 QLD

Details of contravention:

Site location

Basement 3

I, Christopher O'Donnell reasonably believe on 23-JUN-2022 at 11:20 that you are contravening a provision of the:

Work Health and Safety Regulation 2011 - regulation 40(A)

Brief description of how the provision is being or has been contravened:

The person conducting a business or undertaking at a workplace has failed to ensure, so far as is reasonably practicable, the layout of the workplace allows, and the workplace is maintained so as to allow, for persons to enter and exit and to move about without risk to health and safety, both under normal working conditions and in an emergency.
I observed and photographed a work area in which workers were performing construction work. The area had one means of access into the area, there were multiple obstructions in the area including form-work, reinforcement bars and stored materials. There was no signage in place to direct workers to the exit point in the event of an emergency.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

To comply with this notice the PCBU must ensure so far as is reasonably practicable, the layout of the workplace allows, and the workplace is maintained so as to allow, for persons to enter and exit and to move about without risk to health and safety, both under normal working conditions and in an emergency.

Issuing inspector:

[redacted] | [redacted] | [redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

23-JUN-2022 | [redacted]

Date issued | Inspector's location

This contravention must be remedied before: 29-JUN-2022

Service method: Delivered directly to the person named by electronic transmission

PAUL HEAD — Notice given to

Management Representative For Person Conducting A Business Or Undertaking — Relationship to person to whom notice is issued

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13

RECIPIENT'S COPY

Improvement notice

Notice No. I2036557

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: PAUL HEAD Position: SENIOR SAFETY ADVISOR

Signature: [redacted] Date complied: 28 / 06 /22

ABN 94 496 188 983

Notice No. I2036557

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2036558

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CBGU D&C JV

Address: ROMA STREET STATION, ROMA ST, BRISBANE CITY 4000 QLD

Details of contravention:

Site location

Basement 3

I, Christopher O'Donnell reasonably believe on 23-JUN-2022 at 11:20 that you are contravening a provision of the:

Work Health and Safety Regulation 2011 - regulation SCHEDULE5A,PART2,2(1)

Brief description of how the provision is being or has been contravened:

The principal contractor for construction work must ensure that toilets complying with part 2 section 2 are reasonably available to each construction person.
I observed and photographed multiple toilets provided for use by workers onsite. The toilets that were available at the time of inspection did not have facilities to dispose of female sanitary items.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

To comply with this notice the PCBU must ensure toilets are provided that comply with Schedule 5A of the WHSR11.

Issuing inspector:

[redacted] | [redacted] | [redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

23-JUN-2022 | [redacted]

Date issued | Inspector's location

This contravention must be remedied before: 29-JUN-2022

Service method: Delivered directly to the person named by electronic transmission

PAUL HEAD

Notice given to

Management Representative For Person Conducting A Business Or Undertaking

Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2036558

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2036559

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CBGU D&C JV

Address: ROMA STREET STATION, ROMA ST, BRISBANE CITY 4000 QLD

Details of contravention:

Site location

ROMA STREET STATION, ROMA ST, BRISBANE CITY 4000 QLD. B3 2.5

I, Christopher O'Donnell reasonably believe on 23-JUN-2022 at 12:00 that you are contravening a provision of the:

Work Health and Safety Act 2011 - section(s) 26A

Brief description of how the provision is being or has been contravened:

The person conducting a business or undertaking has failed to manage hazards and risks arising from the work carried out as part of the conduct of the business or undertaking by complying with a Minister Approved Code of Practice or in a way that is different to the Minister Approved Code of Practice but provides a standard of health and safety that is equivalent to or higher than the standard required under the code.
We observed a working false deck where the means of access to the deck did not comply with the requirements of the Form-work Code of Practice 2016 - Qld. The code section 3.2.1 Entry and Exit a stretcher stair and a single scaffold stair, in combination with the crane. The access to the deck did not have the single scaffold stair at the time of inspection.
Management for the site removed worker from the deck until the issues can be resolved.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

To comply with this notice the PCBU must ensure manage hazards and risks arising from the work carried out as part of the conduct of the business or undertaking by complying with a Minister Approved Code of Practice or in a way that is different to the Minister Approved Code of Practice but provides a standard of health and safety that is equivalent to or higher than the standard required under the code.

Issuing inspector:

[redacted] | [redacted] | [redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

23-JUN-2022 | [redacted]

Date issued | Inspector's location

This contravention must be remedied before: 29-JUN-2022

Service method: Delivered directly to the person named by electronic transmission

PAUL HEAD

Notice given to

Management Representative For Person Conducting A Business Or Undertaking

Relationship to person to whom notice is issued

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2036559

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2036559

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

FORM 61 **RECIPIENT'S COPY**
V30.6.18

Requirement to produce document(s)

Work Health and Safety Act 2011
Electrical Safety Act 2002
Safety in Recreational Water Activities Act 2011

Serial No. RDI1040135

This requirement for a person to produce document(s) for an inspector is issued under the:

Work Health and Safety Act 2011, section(s) 171(1)(b)

I require, MR BRENDAN TAYLOR _____ to produce the following
name of person who has custody of, or access to the documents(s)

document(s) to me

Document(s) required:
1) Closed CIRCUIT TV footage of the incident including 30 seconds prior to the incident until the arrival of Queensland Ambulance Service.

2) Details of the supply and delivery arrangements for the concrete sleepers.

3) Copy of the delivery driver induction and related documentation.

4) SWMS for Working around mobile plant (800-000004)

5) SWMS for Loading and Unloading (800-000002).

6) Witness statements taken from the driver and witnesses to the incident.

7) Any incident report created in relation to the incident.

8) Tool box talks performed i n relation to the incident.

9) Consultation conducted in relation to the incident.

10) Details of the injured workers.

11) Any medical restriction placed on the workers as a result of the incident. i.e. Light Duties.

by 08/07/2022 17:00
date 24 hour time

Warning: A person who has custody of, or access to, a document, must not, without reasonable excuse, refuse or fail to comply with the requirement to produce document(s) to an inspector. A person is not excused from providing the document(s) on the grounds they may tend to incriminate themselves or expose themselves to a penalty. If you are an individual, any document(s) provided, or evidence (direct or indirect) derived therefrom, is not admissible as evidence against you in civil or criminal proceedings other than proceedings arising out of the false or misleading nature of the document(s). You are not required to produce any document(s) subject to legal professional privilege.

Issuing inspector:



Christopher O'Donnell

Name of inspector | Inspector's Signature | Inspector's ID

Date: 05/07/2022 Time: 17:12 24 hours

The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions. Privacy information is on our website at **www.worksafe.qld.gov.au**.

ABN 94 496 188 983

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2036567

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED	
ABN: 98000893667	ACN: 000893667
Trading as: CBGU D&C JV	
Address: 867 MAIN ST , WOOLLOONGABBA 4102 QLD	

Details of contravention:

Site location

867 MAIN ST , WOOLLOONGABBA 4102 QLD

I, Christopher O'Donnell reasonably believe on 07-JUL-2022 at 13:00 that you are contravening a provision of the:
Work Health and Safety Act 2011 - section(s) 19(1)

Brief description of how the provision is being or has been contravened:

The duty holder has failed to review and as necessary, revise the Vehicle and Pedestrian plan for Woolloongabba worksite so as to maintain so far as is reasonably practicable, a work environment that is without risks to health and safety.
I observed and photographed the Vehicle and Pedestrian plan for Woolloongabba worksite. The plan has not been updated or revised since an incident injuring two workers. I read the plan in the company of senior Safety Personnel for the site. Terms used on the plan where confusing and not referred to on the plan. I was made aware of items of plant that were not identified as being able to travel in both directions were doing so, namely the water truck.
Pedestrian gates did not consistently display signage warning pedestrians of potential vehicle movement.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

The Vehicle and Pedestrian plan for Woolloongabba worksite should be reviewed to ensure it remains effective and is set out and expressed in a way that is readily accessible and understandable to persons who use it.

Issuing inspector:

[redacted]		
Signature of inspector	Inspector's ID [redacted]	Inspector's contact number [redacted]
07-JUL-2022	[redacted]	
Date issued	Inspector's location	

This contravention must be remedied before:	**Service method:**
18-JUL-2022	Delivered directly to the person named by electronic transmission
BRENDAN TAYLOR	Management Representative For Person Conducting A Business Or Undertaking
Notice given to	Relationship to person to whom notice is issued

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2036567

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2036567

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2060924

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: UNITY ALLIANCE

Address: 600 GREGORY TERRACE , BOWEN HILLS 4006 QLD

Details of contravention:

Site location

Excavation area were retaining wall is being constructed near pier 3

I, John Azcune reasonably believe on 12-JUL-2022 at 10:10 that you are contravening a provision of the:

Work Health and Safety Regulation 2011 - regulation 78(1)

Brief description of how the provision is being or has been contravened:

I observed an photographed an area above a retaining wall that was being constructed with a fence as a control measure for falls on the top side that was not rated as edge protection.The potential fall was 1.5 and greater that exposed a worker to a fall from one level to another if the fence failed. I was told by CPB persons that workers access the upper level.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Follow
Work Health and Safety Regulation 2011 - regulation 78(1)
A person conducting a business or undertaking at a workplace must, under part 3.1, manage risks to health and safety associated with a fall by a person from one level to another that is reasonably likely to cause injury to the person or any other person.

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted] | [redacted] | [redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

12-JUL-2022 | [redacted]

Date issued | Inspector's location

This contravention must be remedied before: 13-JUL-2022

Service method: Delivered directly to the person named by electronic transmission

BEN PERRY — Notice given to

Management Representative For Person Conducting A Business Or Undertaking — Relationship to person to whom notice is issued

---

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 963

Notice No. I2060924

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2059102

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CBGU D&C JV

Address: ROMA STREET STATION, ROMA ST, BRISBANE CITY 4000 QLD

Details of contravention:

Site location

Roma street M&E tunnel access various levels / areas - B2 B1

I, John Azcune reasonably believe on 18-JUL-2022 at 11:20 that you are contravening a provision of the:
Work Health and Safety Act 2011 - section(s) 19(3)(C)

Brief description of how the provision is being or has been contravened:

Observed photographed and noted, B1-B2 levels emergency access ways a partially blocked due to construction propping and an open void right next to the top of stairs in one area. If an emergency was to occur and an worker needed to be removed from the area there would be a risk of slips, falls due to the access way being partially blocked and not free flowing.

CPB CONTRACTORS PTY LIMITED has failed ensure, so far as is reasonably practicable the provision and maintenance of safe systems of work is managed on site.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted] | [redacted] | [redacted]
Signature of inspector | Inspector's ID | Inspector's contact number

18-JUL-2022 | [redacted]
Date issued | Inspector's location

This contravention must be remedied before: 20-JUL-2022

Service method: Delivered directly to the person named by electronic transmission

PAUL HEAD
Notice given to

Management Representative For Person Conducting A Business Or Undertaking
Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2059102

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2036574

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CBGU D&C JV

Address: 867 MAIN ST , WOOLLOONGABBA 4102 QLD

Details of contravention:

Site location

Southern Tunnel - Cross River Rail - Maine Street

I, Christopher O'Donnell reasonably believe on 18-JUL-2022 at 12:30 that you are contravening a provision of the:

Work Health and Safety Regulation 2011 - regulation 40(A)

Brief description of how the provision is being or has been contravened:

The person conducting a business or undertaking at a workplace has failed to ensure, so far as is reasonably practicable that the layout of the workplace allows, and the workplace is maintained so as to allow, for persons to enter and exit and to move about without risk to health and safety, both under normal working conditions and in an emergency.
During an inspection of the Southern Tunnel the access way for workers was restricted by pallets of materials, powered mobile plant, barriers and other materials creating health and safety risks to workers if a workers was to slip, trip or fall.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted] | [redacted] | [redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

18-JUL-2022 | [redacted]

Date issued | Inspector's location

This contravention must be remedied before:	**Service method:**
25-JUL-2022	Delivered directly to the person named by electronic transmission
BRENDAN TAYLOR	Management Representative For Person Conducting A Business Or Undertaking
Notice given to	Relationship to person to whom notice is issued

---

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2036574

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2036575

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CBGU D&C JV

Address: 867 MAIN ST , WOOLLOONGABBA 4102 QLD

Details of contravention:

Site location

Southern Cavern/Tunnel - Cross River Rail - Maine Street Woolloongabba

I, Christopher O'Donnell reasonably believe on 18-JUL-2022 at 12:30 that you are contravening a provision of the:
Work Health and Safety Regulation 2011 - regulation 215(4)

Brief description of how the provision is being or has been contravened:

The person has failed to ensure ensure that the plant does not collide with pedestrians or other powered mobile plant. Controls required to be in place in the tunnel as part of the plant/pedestrian interaction procedures, including the use of two way radios and head lamps were not being enforced. There was no delineation in place between powered mobile plant and pedestrians, this in combination with the lack of the secondary controls like 2-way radios and headlamps gives rise to the risk of serious injury if plant was to collide with workers in the tunnel.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted] | [redacted] | [redacted]
Signature of inspector | Inspector's ID | Inspector's contact number

18-JUL-2022 | [redacted]
Date issued | Inspector's location

This contravention must be remedied before: 25-JUL-2022

Service method: Delivered directly to the person named by electronic transmission

BRENDAN TAYLOR
Notice given to

Management Representative For Person Conducting A Business Or Undertaking
Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2036575

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2036576

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CBGU D&C JV

Address: 867 MAIN ST , WOOLLOONGABBA 4102 QLD

Details of contravention:

Site location

Northern Back of House

I, Christopher O'Donnell reasonably believe on 18-JUL-2022 at 12:30 that you are contravening a provision of the:
Work Health and Safety Act 2011 - section(s) 26A

Brief description of how the provision is being or has been contravened:

The person conducting a business or undertaking has failed to comply with the form-work code of practice 2016 or manage hazards and risks arising from the work carried out as part of the conduct of the business or undertaking in a way that is different to the code but provides a standard of health and safety that is equivalent to or higher than the standard required under the code.
A crane and suitable stretcher was available for use onsite for emergencies, but the where the code required a stretcher stair and single scaffold stair the form-work observed in the Northern back of house only had the scaffold stair at the time of inspection.

Two forms of emergency access and egress should be maintained at all times.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted] | [redacted] | [redacted]
Signature of inspector | Inspector's ID | Inspector's contact number

18-JUL-2022 | [redacted]
Date issued | Inspector's location

This contravention must be remedied before: 25-JUL-2022

Service method: Delivered directly to the person named by electronic transmission

BRENDAN TAYLOR
Notice given to

Management Representative For Person Conducting A Business Or Undertaking
Relationship to person to whom notice is issued

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2036576

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2036576

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2060925

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: SILVERSTRAND DEVELOPMENTS PTY LTD

ABN: 45165085263 | ACN: 165085263

Trading as:

Address: 396 NEW CLEVELAND RD, TINGALPA 4173 QLD

Details of contravention:

Site location

B1 level stair way entry to level below ROMA STREET STATION, ROMA ST, BRISBANE 4000 QLD

I, John Azcune reasonably believe on 18-JUL-2022 at 11:33 that you have contravened a provision in circumstances that make it likely that the contravention will continue or be repeated of the:

Work Health and Safety Act 2011 - section(s) 19(3)(B)

Brief description of how the provision is being or has been contravened:

Observed photographed and recorded a scaffolding stairway with damaged treads which was the only current entry to tunnel area and other sites. The scaffold tread was cracked. discussion with PC and PCBU identified the stairs was access work areas.
SILVERSTRAND DEVELOPMENTS PTY LTD has failed to follow ;
Work Health and Safety Act 2011 - section 19(3)(B)
Without limiting subsections 19 (1) and 19 (2), a person conducting a business or undertaking must ensure, so far as is reasonably practicable the provision and maintenance of safe plant and structures;

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted] | [redacted] | [redacted]
Signature of inspector | Inspector's ID | Inspector's contact number

18-JUL-2022 | [redacted]
Date issued | Inspector's location

This contravention must be remedied before: 20-JUL-2022

Service method: Delivered directly to the person named by electronic transmission

DANE MCCARTHY
Notice given to

Management Representative For Person Conducting A Business Or Undertaking
Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2060925

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2036577

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CBGU D&C JV

Address: 867 MAIN ST , WOOLLOONGABBA 4102 QLD

Details of contravention:

Site location

South Tunnel

I, Christopher O'Donnell reasonably believe on 19-JUL-2022 at 12:00 that you are contravening a provision of the:
Work Health and Safety Regulation 2011 - regulation SCHEDULE5A,PART3,7(1)

Brief description of how the provision is being or has been contravened:

The principal contractor for construction work has failed to ensure that an adequate supply of potable, clean and cool drinking water is reasonably available to each construction person.
Inspectors conducted an inspection of the southern tunnel. No drinking water was observed from the tunnel entrance through to the end of the tunnel where worker were observed.
Inspectors held discussions with four workers in relation to access to water, one of the workers did not have any water onsite. Two of the remaining workers had purchased water offsite to ensure they had water available. The two water bottles only contained one litre of water.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted] | [redacted] | [redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

19-JUL-2022 | [redacted]

Date issued | Inspector's location

This contravention must be remedied before: 22-JUL-2022

Service method: Delivered directly to the person named by electronic transmission

BRENDAN TAYLOR — Notice given to

Management Representative For Person Conducting A Business Or Undertaking — Relationship to person to whom notice is issued

---

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2036577

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13

RECIPIENT'S COPY

Improvement notice

Notice No. I2036578

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CBGU D&C JV

Address: 867 MAIN ST , WOOLLOONGABBA 4102 QLD

Details of contravention:

Site location

Southern Tunnel

I, Christopher O'Donnell reasonably believe on 19-JUL-2022 at 12:00 that you are contravening a provision of the:

Work Health and Safety Regulation 2011 - regulation SCHEDULE5A,PART2,2(1)

Brief description of how the provision is being or has been contravened:

The principal contractor for construction work has failed to ensure that toilets are reasonably available to each construction person.
Inspectors performed an inspection of the southern tunnel, not toilets were observed inside the tunnel. Conversation with workers indicated that they were required to walk outside the tunnel to use the toilets around 750 metres each way requiring workers to walk 1.50 kilometres to access toilets.
A female workers was at the furthest point in the tunnel, the toilets located outside the tunnel for female workers were locked and females working for the tunnels section had not been provided the combination for the lock.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:

It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted] | [redacted] | [redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

19-JUL-2022 | [redacted]

Date issued | Inspector's location

This contravention must be remedied before: 22-JUL-2022

Service method: Delivered directly to the person named by electronic transmission

BRENDAN TAYLOR

Notice given to

Management Representative For Person Conducting A Business Or Undertaking

Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2036578

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2036579

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED	
ABN: 98000893667	ACN: 000893667
Trading as: CBGU D&C JV	
Address: 867 MAIN ST , WOOLLOONGABBA 4102 QLD	

Details of contravention:

Site location

Southern Tunnel

I, Christopher O'Donnell reasonably believe on 19-JUL-2022 at 12:00 that you are contravening a provision of the:
Work Health and Safety Act 2011 - section(s) 19(3)(F)

Brief description of how the provision is being or has been contravened:

The person conducting a business or undertaking has failed to ensure, so far as is reasonably practicable the provision of training and instruction that is necessary to protect all persons from risks to their health and safety arising from work carried out as part of the conduct of the business or undertaking.
Workers are provided with two-way radios as part of the emergency procedure to ensure workers are able to be informed of when they are potentially exposed to an emergency situation and to alert management if they are exposed to an emergency situation.
Inspectors spoke to workers at the furthest point inside the southern tunnel and were informed that one of the worker had a tow -way radio. when workers requested the worker to communicate using the two-way radio the worker was not able to contact anyone from the site using the radio. Representatives from CPB spoke to the worker and showed him how to use the radio and the worker was then able to contact CPB management.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]		
Signature of inspector	Inspector's ID [redacted]	Inspector's contact number [redacted]
19-JUL-2022	[redacted]	
Date issued	Inspector's location	

This contravention must be remedied before:	**Service method:**
22-JUL-2022	Delivered directly to the person named by electronic transmission
BRENDAN TAYLOR	Management Representative For Person Conducting A Business Or Undertaking
Notice given to	Relationship to person to whom notice is issued

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2036579

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2036579

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2048625

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: SILVERSTRAND DEVELOPMENTS PTY LTD

ABN: 45165085263 | ACN: 165085263

Trading as:

Address: ROMA STREET STATION, ROMA ST, BRISBANE 4000 QLD

Details of contravention:

Site location

ROMA STREET STATION, ROMA ST, BRISBANE 4000 QLD

I, Travis Dungey reasonably believe on 19-JUL-2022 at 10:57 that you are contravening a provision of the:
Work Health and Safety Act 2011 - section(s) 19(3)(D)

Brief description of how the provision is being or has been contravened:

While on site i observed and photographed a handrail system used in VT shaft on B3 slab, this handrail is under your control, i asked for the engineering on the handrail system, the handrail system had been altered from the engineering plan, no evidence could be supplied to show the changers are compliant system or as per engineering specification, as a result workers could be exposed to risks.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Work Health and Safety Act 2011 - section 19(3)(D)
Without limiting subsections 19 (1) and 19 (2), a person conducting a business or undertaking must ensure, so far as is reasonably practicable the safe use, handling and storage of plant, structures and substances; and

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted] | [redacted] | [redacted]
Signature of inspector | Inspector's ID | Inspector's contact number

19-JUL-2022 | [redacted]
Date issued | Inspector's location

This contravention must be remedied before: 22-JUL-2022

Service method: Delivered directly to the person named by electronic transmission

TOM ZAMMIT
Notice given to

Management Representative For Person Conducting A Business Or Undertaking
Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2048625

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2048626

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: SILVERSTRAND DEVELOPMENTS PTY LTD

ABN: 45165085263 | ACN: 165085263

Trading as:

Address: ROMA STREET STATION, ROMA ST, BRISBANE 4000 QLD

Details of contravention:

Site location

ROMA STREET STATION, ROMA ST, BRISBANE 4000 QLD

I, Travis Dungey reasonably believe on 19-JUL-2022 at 11:34 that you have contravened a provision in circumstances that make it likely that the contravention will continue or be repeated of the:

Work Health and Safety Act 2011 - section(s) 19(3)(F)

Brief description of how the provision is being or has been contravened:

While on site, i observed and photographed that your workers had drilled hole into concrete for bracing formwork they had left the dust behind without cleaning it up, concrete contains silica and can expose workers to risks if not managed, not having up to date training supervision and instruction has exposed workers to risks and could continue if not rectified.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Work Health and Safety Act 2011 - section 19(3)(F)
Without limiting subsections 19 (1) and 19 (2), a person conducting a business or undertaking must ensure, so far as is reasonably practicable the provision of any information, training, instruction or supervision that is necessary to protect all persons from risks to their health and safety arising from work carried out as part of the conduct of the business or undertaking;

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted] | [redacted] | [redacted]
Signature of inspector | Inspector's ID | Inspector's contact number

19-JUL-2022 | [redacted]
Date issued | Inspector's location

This contravention must be remedied before: 22-JUL-2022

Service method: Delivered directly to the person named by electronic transmission

TOM ZAMMIT
Notice given to

Management Representative For Person Conducting A Business Or Undertaking
Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2048626

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2048627

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED	
ABN: 98000893667	ACN: 000893667
Trading as: CBGU D&C JV	
Address: ROMA STREET STATION, ROMA ST, BRISBANE CITY 4000 QLD	

Details of contravention:

Site location

ROMA STREET STATION, ROMA ST, BRISBANE CITY 4000 QLD

I, Travis Dungey reasonably believe on 19-JUL-2022 at 13:56 that you are contravening a provision of the:
Work Health and Safety Regulation 2011 - regulation 43(1)

Brief description of how the provision is being or has been contravened:

While on site, i observed workers coming from the tunnelling works, accessing through your work areas, conversation with your selves and the tunnelling crew in charge indicated that nothing is in place to manage emergencies between both working zones as a result workers could be exposed to risks if the procedures are not prepared taking into account all who are affected.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Work Health and Safety Regulation 2011 - regulation 43(1)
A person conducting a business or undertaking at a workplace must ensure that an emergency plan is prepared for the workplace, that provides for the following- (a) emergency procedures, including- (i) an effective response to an emergency; and (ii) evacuation procedures; and (iii) notifying emergency service organisations at the earliest opportunity; and (iv) medical treatment and assistance; and (v) effective communication between the person authorised by the person conducting the business or undertaking to coordinate the emergency response and all persons at the workplace; (b) testing of the emergency procedures, including the frequency of testing; (c) information, training and instruction to relevant workers in relation to implementing the emergency procedures.

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]	[redacted]	[redacted]
Signature of inspector	Inspector's ID	Inspector's contact number
19-JUL-2022	[redacted]	
Date issued	Inspector's location	

This contravention must be remedied before:	Service method:
22-JUL-2022	Delivered directly to the person named by electronic transmission
PAUL HEAD	Management Representative For Person Conducting A Business Or Undertaking
Notice given to	Relationship to person to whom notice is issued

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2048627

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2048627

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2048628

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CBGU D&C JV

Address: ROMA STREET STATION, ROMA ST, BRISBANE CITY 4000 QLD

Details of contravention:

Site location

ROMA STREET STATION, ROMA ST, BRISBANE CITY 4000 QLD M and E Shraft B3

I, Travis Dungey reasonably believe on 19-JUL-2022 at 13:30 that you are contravening a provision of the:
Work Health and Safety Act 2011 - section(s) 26A

Brief description of how the provision is being or has been contravened:

While on site, i observed and it was recorded that only one set of structure stairs has been installed in the from working area, under section 3.2.1 of the form working code of practice, it states if a crane cant be used Two stretcher stairs are to be provided for emergency access, your crane could not access this area at the time therefore the code or better must be followed, not provided adequate emergencies access egress could expose workers to risks as a result.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Work Health and Safety Act 2011 - section 26A
A person conducting a business or undertaking must, if the Minister approves a code of practice for the purposes of this Act-- (a)comply with the code; or (b)manage hazards and risks arising from the work carried out as part of the conduct of the business or undertaking in a way that is different to the code but provides a standard of health and safety that is equivalent to or higher than the standard required under the code.

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted] Signature of inspector | [redacted] Inspector's ID | [redacted] Inspector's contact number

19-JUL-2022 Date issued | [redacted] Inspector's location

This contravention must be remedied before:	**Service method:**
22-JUL-2022	Delivered directly to the person named by electronic transmission
PAUL HEAD (Notice given to)	Management Representative For Person Conducting A Business Or Undertaking (Relationship to person to whom notice is issued)

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2048628

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2048629

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CBGU D&C JV

Address: ROMA STREET STATION, ROMA ST, BRISBANE CITY 4000 QLD

Details of contravention:

Site location

tunnelling cavern works area ROMA STREET STATION, ROMA ST, BRISBANE CITY 4000 QLD

I, Travis Dungey reasonably believe on 19-JUL-2022 at 14:00 that you are contravening a provision of the:

Work Health and Safety Regulation 2011 - regulation 43(2)

Brief description of how the provision is being or has been contravened:

While on site conversations and evidence gathered indicated that the emergency evacuation points had been changed, but plan and procedures had not been updated, as a result workers could be exposed to risks in an emergencies situation.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:

It is mandatory to comply with these directions

Work Health and Safety Regulation 2011 - regulation 43(2)
A person conducting a business or undertaking at a workplace must maintain the emergency plan for the workplace so that it remains effective.

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted] Signature of inspector

[redacted] Inspector's ID

[redacted] Inspector's contact number

19-JUL-2022 Date issued

[redacted] Inspector's location

This contravention must be remedied before: 22-JUL-2022

Service method: Delivered directly to the person named by electronic transmission

SHANE BRADLEY Notice given to

Management Representative For Person Conducting A Business Or Undertaking Relationship to person to whom notice is issued

---

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2048629

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 RECIPIENT'S COPY

Improvement notice

Notice No. I2036973

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED	
ABN: 98000893667	ACN: 000893667
Trading as: CBGU D&C JV	
Address: L5 110 MARY ST, BRISBANE 4000 QLD	

Details of contravention:

Site location

ALBERT ST CABIN

I, John Barber reasonably believe on 20-JUL-2022 at 13:39 that you have contravened a provision in circumstances that make it likely that the contravention will continue or be repeated of the:

Work Health and Safety Act 2011 - section(s) 19(3)(A)

Brief description of how the provision is being or has been contravened:

OBSERVED THE EMERGENCY EVACUATION PLAN TO REMOVE WORKERS FROM THE SCAFFOLD ERECTED FOR THE POURING OF THE SHUTTER WALLS TO BE INADEQUATE IN THE WAY IN WHICH A WORKERS WAS TO BE RESCUED
DISCUSSIONS WITH WORKERS AND OTHERS AND AFTER REVIEWING THE SWMS FOR THE RESCUE PLAN THERE WERE DIFFERENCES IN THE WAY EVERYONE UNDERSTOOD HOW THE PLAN WAS TO WORK
CPB MUST ENSURE THAT WHEN A RESCUE PLAN IS IMPLEMENTED IT IS EXPLAINED TO THE WORKERS AND TRIALLED TO ENSURE THE SYSTEM WORKS AND COMPLIES WITH ALL STANDARDS RELEVANT TO THE PLAN

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Work Health and Safety Act 2011 - section 19(3)(A)
Without limiting subsections 19 (1) and 19 (2), a person conducting a business or undertaking must ensure, so far as is reasonably practicable the provision and maintenance of a work environment without risks to health and safety;

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted] Signature of inspector

[redacted] Inspector's ID

[redacted] Inspector's contact number

20-JUL-2022 Date issued

[redacted] Inspector's location

This contravention must be remedied before:	**Service method:**
26-JUL-2022	Delivered directly to the person named by electronic transmission
DAVID ALT Notice given to	Management Representative For Person With Management Or Control Of A Workplace Relationship to person to whom notice is issued

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 RECIPIENT'S COPY

Improvement notice

Notice No. I2036973

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: DAVID ACT Position: P. M

Signature: [redacted] Date complied: 26/7/22

ABN 94 496 188 983

Notice No. I2036973

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2036974

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED	
ABN: 98000893667	ACN: 000893667
Trading as: CBGU D&C JV	
Address: L5 110 MARY ST, BRISBANE 4000 QLD	

Details of contravention:

Site location

ALBERT STREET CABIN

I, John Barber reasonably believe on 20-JUL-2022 at 12:55 that you have contravened a provision in circumstances that make it likely that the contravention will continue or be repeated of the:

Work Health and Safety Regulation 2011 - regulation SCHEDULE5A,PART3,7(1)

Brief description of how the provision is being or has been contravened:

OBSERVED WATER CONTAINERS BEING USED FOR THE SUPPLY OF WATER IN THE ALBERT STREET CABIN AREAS, AT THE TIME WORKERS HAD REMOVED THE CONTAINERS TO REFILL , WORKERS WERE STILL IN THE CABIN ARES WHERE THE WATER SUPPLY HAD BEEN REMOVED, AFTER DISCUSSIONS WITH WORKERS AND OTHERS NO ONE WAS TAKING CARE OF THE SUPPLY OF DRINKING WATER IN THE AREA.
CPB MUST ENSURE THAT THE SUPPLY OF WATER FOR DRINKING IS MAINTAINED AND A PLAN FOR WHERE THE SUPPLY OF WATER IS WITH, ALL WORKERS TOOL BOX TALKED INTO THE WHERE ABOUTS OF THE WATER STATIONS

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Work Health and Safety Regulation 2011 - regulation SCHEDULE5A,PART3,7(1)
The principal contractor for construction work must ensure that an adequate supply of potable, clean and cool drinking water is reasonably available to each construction person.

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted] | [redacted] | [redacted]
Signature of inspector | Inspector's ID | Inspector's contact number

20-JUL-2022 | [redacted]
Date issued | Inspector's location

This contravention must be remedied before:	Service method:
27-JUL-2022	Delivered directly to the person named by electronic transmission
DAVID ALT Notice given to	Management Representative For Person With Management Or Control Of A Workplace Relationship to person to whom notice is issued

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2036974

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2036974

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2048919

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: KENNY CONSTRUCTIONS (AUST.) PTY. LIMITED

ABN: 74096169416 | ACN: 096169416

Trading as:

Address: 365 WONDALL RD, TINGALPA 4173 QLD

Details of contravention:

Site location

ROMA ST ST, BRISBANE 4000 QLD

I, Gary Stanley reasonably believe on 20-JUL-2022 at 11:30 that you are contravening a provision of the:
Work Health and Safety Act 2011 - section(s) 19(3)(B)

Brief description of how the provision is being or has been contravened:

I observed and photographed the vertical stretcher located in the tunnel did not have a current inspection tag attached

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Without limiting subsections 19 (1) and 19 (2), a person conducting a business or undertaking must ensure, so far as is reasonably practicable the provision and maintenance of safe plant;

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted] | [redacted] | [redacted]
Signature of inspector | Inspector's ID | Inspector's contact number

20-JUL-2022 | [redacted]
Date issued | Inspector's location

This contravention must be remedied before: 23-JUL-2022

Service method: Delivered directly to the person named by electronic transmission

BRENDAN TIERNEY
Notice given to

Management Representative For Person With Management Or Control Of A Workplace
Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2048919

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2059101

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: KENNY CONSTRUCTIONS (AUST.) PTY. LIMITED

ABN: 74096169416 | ACN: 096169416

Trading as:

Address: 365 WONDALL RD, TINGALPA 4173 QLD

Details of contravention:

Site location

Roma street tunnel

I, John Azcune reasonably believe on 20-JUL-2022 at 11:02 that you are contravening a provision of the:
Work Health and Safety Regulation 2011 - regulation 40(A)

Brief description of how the provision is being or has been contravened:

I observed photographed and videoed walk way areas under scaffolding which had poor light for workers to safely access and egress work areas under normal working conditions and in an emergency.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Follow
Work Health and Safety Regulation 2011 - regulation 40(A)
A person conducting a business or undertaking at a workplace must ensure, so far as is reasonably practicable, the following- (a) the layout of the workplace allows, and the workplace is maintained so as to allow, for persons to enter and exit and to move about without risk to health and safety, both under normal working conditions and in an emergency;

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted] | [redacted] | [redacted]
Signature of inspector | Inspector's ID | Inspector's contact number

20-JUL-2022 | [redacted]
Date issued | Inspector's location

This contravention must be remedied before: 22-JUL-2022

Service method: Delivered directly to the person named by electronic transmission

BRANDAN TERNEY
Notice given to

Management Representative For Person Conducting A Business Or Undertaking
Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2059101

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2036580

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: RHOMBERG RAIL AUSTRALIA PTY LTD

ABN: 70082016608 | ACN:

Trading as:

Address: 19 SPLIT ISLAND CL, MAYFIELD WEST 2304 NSW

Details of contravention:

Site location

867 Main Road, Woolloongabba - Qld 4102

I, Christopher O'Donnell reasonably believe on 21-JUL-2022 at 10:30 that you are contravening a provision of the:

Work Health and Safety Act 2011 - section(s) 26A

Brief description of how the provision is being or has been contravened:

The pcbu has failed to manage the hazards and risks arising from the work carried out as part of the of the business or undertaking in accordance with the concrete pumping code of practice 2019. Or to manage the risks in a way that is different to the code but provides a standard of health and safety that is equivalent to or higher than the standard required under the code.
I observed and photographed concrete placing pipe line approximately 400 metres in lengths. The pipeline was supported by tyres and randomly secured using brackets. The brackets were not secured at 3 metre intervals as per the code or at 3-4.5 metre intervals as per the written advice from RPEQ certified engineer. The pipe line was secured on 200 mm base plates with the base plate partially off the concrete slab - information provided states that the bolts must be 200 mm from the nearest edge or greater.
There is no information supplied by a competent person for low pressure pipe line installation.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted] Signature of inspector

[redacted] Inspector's ID

[redacted] Inspector's contact number

21-JUL-2022
Date issued

[redacted] Inspector's location

This contravention must be remedied before: 28-JUL-2022

Service method: Delivered directly to the person named by electronic transmission

DANIEL FESCHE
Notice given to

Management Representative For Person Conducting A Business Or Undertaking
Relationship to person to whom notice is issued

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2036580

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2036580

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2048630

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CBGU D&C JV

Address: 867 MAIN ST, WOOLLOONGABBA 4102 QLD

Details of contravention:

Site location

867 MAIN ST, WOOLLOONGABBA 4102 QLD

I, Travis Dungey reasonably believe on 21-JUL-2022 at 12:24 that you have contravened a provision in circumstances that make it likely that the contravention will continue or be repeated of the:

Work Health and Safety Act 2011 - section(s) 19(3)(C)

Brief description of how the provision is being or has been contravened:

While on site, i observed and photographed workers conducting works in a heavy down pour, i had a meeting and conversations with two of your supervisors also reviewed your document Manage Severe Weather Hazards , it was mentioned by your two supervisors that your system of work in relation to inclement weather needed to be implemented better with the PC taking control and communicated to the workers as mentioned by your two supervisors in the meeting, as a result not having this in place has exposed workers to risks and could continue.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:

It is mandatory to comply with these directions

Work Health and Safety Act 2011 - section 19(3)(C)
Without limiting subsections 19 (1) and 19 (2), a person conducting a business or undertaking must ensure, so far as is reasonably practicable the provision and maintenance of safe systems of work;

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted] | [redacted] | [redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

21-JUL-2022 | [redacted]

Date issued | Inspector's location

This contravention must be remedied before: 27-JUL-2022

Service method: Delivered directly to the person named by electronic transmission

BRENDEN TAYLOR — Notice given to

Management Representative For Person Conducting A Business Or Undertaking — Relationship to person to whom notice is issued

---

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2048630

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2048921

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CBGU D&C JV

Address: SOUTH TOWER, 520 WICKHAM ST, FORTITUDE VALLEY 4006 QLD

Details of contravention:

Site location

ALBERT STREET STATION, ALBERT ST, BRISBANE 4000 QLD

I, Gary Stanley reasonably believe on 26-JUL-2022 at 14:00 that you are contravening a provision of the:
Work Health and Safety Act 2011 - section(s) 19(3)(C)

Brief description of how the provision is being or has been contravened:

After reviewing several CPB plant daily pre start checklist it was identified that the plant checklists require review to ensure they reflect the manufacturers prestart requirements.
it was identified that key elements of the manufactures checklist was missing in the generic CPB plant daily checklists

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Without limiting subsections 19 (1) and 19 (2), a person conducting a business or undertaking must ensure, so far as is reasonably practicable the provision and maintenance of safe systems of work

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted] Signature of inspector

[redacted] Inspector's ID

[redacted] Inspector's contact number

26-JUL-2022 Date issued

[redacted] Inspector's location

This contravention must be remedied before: 09-AUG-2022

Service method: Delivered directly to the person named by electronic transmission

DAVID ALT Notice given to

Management Representative For Person With Management Or Control Of A Workplace Relationship to person to whom notice is issued

---

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2048921

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2059106

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: UNITY ALLIANCE

Address: 600 GREGORY TCE, BOWEN HILLS 4006 QLD

Details of contravention:

Site location

Train station at Yeronga -work areas

I, John Azcune reasonably believe on 03-AUG-2022 at 11:43 that you are contravening a provision of the:
Work Health and Safety Regulation 2011 - regulation 55(2)

Brief description of how the provision is being or has been contravened:

At a construction work area, i observed and photographed a work zone on a elevated stairway which had evidence of work being carried out. This work area had no controls in place to prevent falling objects as a result this may expose public and workers to a falling object.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Follow
Work Health and Safety Regulation 2011 - regulation 55(2)
The person conducting the business or undertaking at a workplace must minimise the risk of an object falling on a person by providing adequate protection against the risk under this section.

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted] | [redacted] | [redacted]
Signature of inspector | Inspector's ID | Inspector's contact number

03-AUG-2022 | [redacted]
Date issued | Inspector's location

This contravention must be remedied before: 08-AUG-2022

Service method: Delivered directly to the person named by electronic transmission

ADRIAN OCKFORD
Notice given to

Management Representative For Person Conducting A Business Or Undertaking
Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2059106

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2036590

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: UPLIFT CRANES QLD PTY LTD

ABN: 63625839787 | ACN:

Trading as:

Address: 867 MAIN ST, WOOLLOONGABBA 4102 QLD

Details of contravention:

Site location

867 MAIN ST, WOOLLOONGABBA 4102 QLD

I, Christopher O'Donnell reasonably believe on 29-AUG-2022 at 10:30 that you are contravening a provision of the:
Work Health and Safety Regulation 2011 - regulation 203

Brief description of how the provision is being or has been contravened:

The person with management or control of plant at a workplace has failed to manage risks to health and safety associated with the Franna Crane registration number XQ57GV. The maintenance and inspections of the Franna Crane carried out failed to identify that the right hand side rear wheels were damaged with very little tread and damage to the side walls of the crane giving rise to the risk of serious injury if the tyre was to failed in the middle of a lift.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted] | [redacted] | [redacted]
Signature of inspector | Inspector's ID | Inspector's contact number

29-AUG-2022 | [redacted]
Date issued | Inspector's location

This contravention must be remedied before: 05-SEP-2022

Service method: Delivered directly to the person named by electronic transmission

DEAN LOVAT
Notice given to

Management Representative For Person Conducting A Business Or Undertaking
Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2036590

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2036591

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: UPLIFT CRANES QLD PTY LTD

ABN: 63625839787 | ACN:

Trading as:

Address: 867 MAIN ST, WOOLLOONGABBA 4102 QLD

Details of contravention:

Site location

867 MAIN ST, WOOLLOONGABBA 4102 QLD

I, Christopher O'Donnell reasonably believe on 29-AUG-2022 at 10:30 that you are contravening a provision of the:

Work Health and Safety Act 2011 - section(s) 19(3)(B)

Brief description of how the provision is being or has been contravened:

The person conducting a business or undertaking has failed to ensure, so far so far as is reasonably practicable the provision and maintenance of safe plant and structures.
I inspected the Trex Franna registration number XG57GV, the RHS rear wheel of the franna was damaged. I observed and photographed damage to the side wall of the Franna Crane.
The Franna was observed on a construction site and we were informed it was there for the purpose of performing lifts as required by the principal contractor for the site, the crane had been inspected as part of the regular maintenance for the crane and during the daily pre-start inspection for the crane. The damaged tyres had not been identified during this process giving rise to the risk of serious injury if the tyre was to fail while performing a lift with the crane.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

The person conducting a business or undertaking must ensure, so far as is reasonably practicable the provision and maintenance of safe plant and structures.

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

To comply with this notice, the PCBU to whom the improvement notice was issued must implement controls/procedures to ensure that prior to the commencement of high risk construction work, he crane so far as is reasonably practicable, is safe for use and fit for the purpose for which it will be used.

Issuing inspector:

[redacted] | [redacted] | [redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

29-AUG-2022 | [redacted]

Date issued | Inspector's location

This contravention must be remedied before: 05-SEP-2022

Service method: Delivered directly to the person named by electronic transmission

DEAN LOVAT | Management Representative For Person Conducting A Business Or Undertaking

Notice given to | Relationship to person to whom notice is issued

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2036591

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2036591

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2036592

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CBGU D&C JV

Address: 867 MAIN ST, WOOLLOONGABBA 4102 QLD

Details of contravention:

Site location

867 MAIN ST, WOOLLOONGABBA 4102 QLD, Tower Crane 1

I, Christopher O'Donnell reasonably believe on 02-SEP-2022 at 12:00 that you are contravening a provision of the:
Work Health and Safety Act 2011 - section(s) 19(3)(C)

Brief description of how the provision is being or has been contravened:

CPB Contractors Pty Limited has failed to ensure, so far as is reasonably practicable that a safe system of work was maintained.
Controls including 'Safety Essential for Working at Heights' and a 'Safe Work Method Statement' for Tower Crane Operations developed to minimise the risk to the health and safety associated with a fall by a person from one level to another were not followed when workers, not associated with work performed by the tower crane climbed the tower to take photos that could have been taken at ground level.
The 'Safety Essentials' document requires the elimination of risks to a worker¿s health and safety to be sought in the first instance, including the requirement to perform the work at ground level where possible.
The SWMS developed required persons accessing the tower crane to read and understand the Risk Assessment and required the dogman to maintain a visual while workers climb the tower, workers accessing the tower crane state this did not occur.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

The person conducting a business or undertaking must ensure, so far as is reasonably practicable the provision and maintenance of safe systems of work

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

The person conducting a business or undertaking must ensure,
so far as is reasonably practicable, that the health and safety of
other persons is not put at risk from work carried out as part of
the conduct of the business or undertaking taking into account the availability and suitability of ways to eliminate or minimise the risk (i.e. taking the photos at ground level) and the degree of harm that might result from the hazard or the risk of falling while climbing the tower.

Issuing inspector:

[redacted] | [redacted] | [redacted]
Signature of inspector | Inspector's ID | Inspector's contact number

05-SEP-2022 | [redacted]
Date issued | Inspector's location

This contravention must be remedied before:	**Service method:**
13-SEP-2022	Delivered directly to the person named by electronic transmission
RODNEY SMALL	Management Representative For Person Conducting A Business Or Undertaking
Notice given to	Relationship to person to whom notice is issued

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2036592

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2036592

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2062044

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: KENNY CONSTRUCTION PTY LTD

ABN: 31065215429 | ACN:

Trading as:

Address: JOE BAKER STREET , DUTTON PARK 4102 QLD

Details of contravention:

Site location

Cross River Rail Project, Boggo Road Station, Dutton Park

I, Daniel Ala-Outinen reasonably believe on 08-SEP-2022 at 15:30 that you are contravening a provision of the:
Work Health and Safety Act 2011 - section(s) 26A(b)

Brief description of how the provision is being or has been contravened:

I Observed and Photographed a construction site with a formwork deck on the western side of site. Workers were on the formwork deck carrying out works.

The formwork deck had one access in and out of the work area. The opposite side of the formwork deck led to a section of scaffold that had no access to anywhere else. I was told the additional control for emergencies was the Tower Crane on site.

The PCBU has failed to comply with the relevant code. (Formwork Code of Practice - 2016)

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted] | [redacted] | Inspector's contact number

Signature of inspector | Inspector's ID

08-SEP-2022 | [redacted]

Date issued | Inspector's location

This contravention must be remedied before: 13-SEP-2022

Service method: Delivered directly to the person named by electronic transmission

PAUL MCCAFFERTY — Notice given to

Management Representative For Person Conducting A Business Or Undertaking — Relationship to person to whom notice is issued

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2062044

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2062044

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2036594

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: MULTHANA PROPERTY SERVICES PTY LTD

ABN: 34620164641 | ACN:

Trading as:

Address: ROMA STREET STATION, ROMA ST, BRISBANE 4000 QLD

Details of contravention:

Site location

ROMA STREET STATION, ROMA ST, BRISBANE 4000 QLD

I, Christopher O'Donnell reasonably believe on 13-SEP-2022 at 13:22 that you are contravening a provision of the:

Work Health and Safety Act 2011 - section(s) 19(3)(F)

Brief description of how the provision is being or has been contravened:

Multhana Property Services Pty Ltd, as a person conducting a business or undertaking, has failed to ensure, so far as is reasonably practicable the provision of any training or instruction that is necessary to protect all persons from risks to their health and safety arising from work where the workers have access to other persons belongings or the worker may have to move the belongings.

I responded to an incident where a young, female cleaner had allegations of theft brought against her after she was seen with her hand in the bag of another worker on a construction site. As the result of this allegation, the cleaner has experienced intimidation and harassment on site.

Discussions with the cleaner's supervisor revealed Multhana Property Services Pty Ltd does not have a formalised process for the handling of personal items which are impeding the cleaners' work.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

The person conducting a business or undertaking, must ensure, so far as is reasonably practicable training and instruction where the workers have access to other persons belongings or the worker may have to move the belongings. The training and instruction should provide sufficient information to minimise the risk of accusations against the worker where items may have been misplaced.

Issuing inspector:

[redacted] | [redacted] | [redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

13-SEP-2022 | [redacted]

Date issued | Inspector's location

This contravention must be remedied before: 20-SEP-2022

Service method: Delivered directly to the person named by electronic transmission

RODNEY KNIGHT | Management Representative For Person Conducting A Business Or Undertaking

Notice given to | Relationship to person to whom notice is issued

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2036594

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2036594

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2062049

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: SILVERSTRAND DEVELOPMENTS PTY LTD

ABN: 45165085263 | ACN: 165085263

Trading as:

Address: ROMA STREET STATION, ROMA ST, BRISBANE 4000 QLD

Details of contravention:

Site location

Roma Street Station, Roma Street, Brisbane, 4000, QLD

I, Daniel Ala-Outinen reasonably believe on 30-SEP-2022 at 14:00 that you are contravening a provision of the:

Work Health and Safety Act 2011 - section(s) 19(3)(C)

Brief description of how the provision is being or has been contravened:

An incident occurred on site where plywood became detached from a PERI formwork shutter while it was being lifted by a tower crane.

Investigations revealed that a tower crane was hooked onto the shutter and was preparing to lift it into position. As the shutter was lifted 2 sheets of plywood became partially detached and swung from the shutter.

I was told that the Dogman had not been trained in inspection of the PERI shutters and that a competent formworker was not available to inspect the PERI shutter at the time it was being lifted.

The PCBU has failed to maintain a safe system of work.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:

It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted] | [redacted] | [redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

30-SEP-2022 | [redacted]

Date issued | Inspector's location

This contravention must be remedied before: 05-OCT-2022

Service method: Delivered directly to the person named by electronic transmission

TIM ZAMMIT | Management Representative For Person Conducting A Business Or Undertaking

Notice given to | Relationship to person to whom notice is issued

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2062049

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2062049

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2059115

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CBGU D&C JV

Address: BOGGO ROAD STATION, , DUTTON PARK 4102 QLD

Details of contravention:

Site location

Dutton Park railway upgrade

I, John Azcune reasonably believe on 06-OCT-2022 at 09:55 that you are contravening a provision of the:
Work Health and Safety Regulation 2011 - regulation 44(4)

Brief description of how the provision is being or has been contravened:

I observed workers in the tunnel [enclosed excavation] where the requirement was to wear fit tested RPE to prevent dust inhalation. I observed that workers were not clear shaven. I inquired of requirements in the area and was told clean shaven faces were required for all personnel wearing preparatory protective equipment.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Follow
Work Health and Safety Regulation 2011 - regulation 44(4)
The person conducting a business or undertaking who directs the carrying out of work must provide the worker with information, training and instruction in the- (a) proper use and wearing of personal protective equipment; and (b) the storage and maintenance of personal protective equipment.

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted] | [redacted] | [redacted]
Signature of inspector | Inspector's ID | Inspector's contact number

06-OCT-2022 | [redacted]
Date issued | Inspector's location

This contravention must be remedied before:	Service method:
10-OCT-2022	Delivered directly to the person named by electronic transmission
ROWAN DOUGHENTY Notice given to	Management Representative For Person Conducting A Business Or Undertaking Relationship to person to whom notice is issued

---

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2059115

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2059116

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CPB CONTRACTORS PTY LIMITED

Address: WOOLLOONGABBA TRAIN STATION, NO STREET ***, WOOLLOONGABBA 4102 QLD

Details of contravention:

Site location

Excavation & retaining wall

I, John Azcune reasonably believe on 07-OCT-2022 at 09:21 that you are contravening a provision of the:
Work Health and Safety Act 2011 - section(s) 19(3)(C)

Brief description of how the provision is being or has been contravened:

I observed vehicles on an inertial road at a construction workplace which had a requirement of traffic barriers to prevent vehicles entering the excavation approximately 3-400 deep with workers directly adjacent to the roadway. A number of water barriers were not filled to reach the stability requirement to protect workers from plant. The barriers were photographed on the edge of the vertical face of the excavation. Giving evidence that the safe system of work was not maintained.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted] | [redacted] | [redacted]
Signature of inspector | Inspector's ID | Inspector's contact number

07-OCT-2022 | [redacted]
Date issued | Inspector's location

This contravention must be remedied before: 10-OCT-2022

Service method: Delivered directly to the person named by electronic transmission

DAMON FLEMING
Notice given to

Management Representative For Person Conducting A Business Or Undertaking
Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2059117

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: MARVELDALE PTY. LTD.

ABN: 20050411366 | ACN:

Trading as:

Address: WOOLLOONGABBA 4102 QLD

Details of contravention:

Site location

Chemical storage container - Cross river project

I, John Azcune reasonably believe on 07-OCT-2022 at 09:29 that you are contravening a provision of the:

Work Health and Safety Regulation 2011 - regulation 351(2)

Brief description of how the provision is being or has been contravened:

PCBU has not ensured so far as reasonably practicable that hazardous chemicals are stored in a safe way.
I observed chemicals stored within a chemical storage container at a workplace. Many of the chemicals were designated as hazardous by way of Hazard Identification pictograms. There were flammable and corrosive substances stored together. Flammables were a number of litres of fuels and RUGASOL stored with acid type renders.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted] Signature of inspector | [redacted] Inspector's ID | [redacted] Inspector's contact number

07-OCT-2022 Date issued | [redacted] Inspector's location

This contravention must be remedied before: 10-OCT-2022

Service method: Delivered directly to the person named by electronic transmission

DAMON FLEMING — Notice given to

Management Representative For Person Conducting A Business Or Undertaking — Relationship to person to whom notice is issued

---

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2059117

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2049852

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: VTS CONTRACTING QLD PTY LTD

ABN: 68604403867 | ACN: 604403867

Trading as: VTS CONTRACTING QLD PTY LTD

Address: U 11 , 49 BELLWOOD ST, DARRA 4076 QLD

Details of contravention:

Site location

148 ALBERT STREET, BRISBANE CITY, QLD 4000

I, Simon McLennan reasonably believe on 11-OCT-2022 at 10:44 that you are contravening a provision of the:

Work Health and Safety Act 2011 - section(s) 19(3)(F)

Brief description of how the provision is being or has been contravened:

During an inspection of the workplace to make enquiries into the circumstances surrounding an incident which has occurred with a member of the public. I have had a conversation with a worker engaged by VTS Contracting to undertake dogman duties to lift materials from the rear of delivery truck at the workplace. A part of this process, a mobile handrail section has been placed against the truck to provide a control measure to prevent fall. This handrail section has become unstable and has fallen over. When questioned the dogman has confirmed he had installed the handrail section and then has informed inspector that he has not received an training or information in relation to the installation of the handrails section to perform his duties. This pose a risk to the health and safety of workers and others.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:

It is mandatory to comply with these directions

Work Health and Safety Act 2011 - section 19(3)(F)
Without limiting subsections 19 (1) and 19 (2), a person conducting a business or undertaking must ensure, so far as is reasonably practicable the provision of any information, training, instruction or supervision that is necessary to protect all persons from risks to their health and safety arising from work carried out as part of the conduct of the business or undertaking:

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted] | [redacted] |

Signature of inspector | Inspector's ID | Inspector's contact number

11-OCT-2022 | [redacted]

Date issued | Inspector's location

This contravention must be remedied before: 14-OCT-2022

Service method: Delivered directly to the person named by electronic transmission

SCOTT SMITH

Notice given to

Management Representative For Person Conducting A Business Or Undertaking

Relationship to person to whom notice is issued

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2049852

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2049852

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2049670

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CBGU D&C JV

Address: 520 WICKHAM ST, FORTITUDE VALLEY 4006 QLD

Details of contravention:

Site location

ROMA STREET STATION, ROMA ST, BRISBANE CITY 4000 QLD

I, Matt Young reasonably believe on 27-OCT-2022 at 09:46 that you are contravening a provision of the:
Work Health and Safety Regulation 2011 - regulation 40(A)

Brief description of how the provision is being or has been contravened:

CPB Contractors Pty Ltd,a person conducting a business or undertaking at a workplace have not ensured, so far as is reasonably practicable, the layout of the workplace allows, and the workplace is maintained so as to allow, for persons to enter and exit and to move about without risk to health and safety, both under normal working conditions and in an emergency.

I observed and photographed stored items and materials throughout the VT Laydown Area with no delineated access routes for workers. This presents risk of injury to workers entering and exiting the VT Laydown Area in both normal conditions and in an emergency.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

27-OCT-2022
Date issued

PO BOX 6508, UPPER MOUNT GRAVATT 4122 QLD
Inspector's location

This contravention must be remedied before: 02-NOV-2022

Service method: Delivered directly to the person named by electronic transmission

ROSS ENGLISH
Notice given to

Management Representative For Person With Management Or Control Of A Workplace
Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2049670

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2049670

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Internal review of decision

An eligible person whose interests are affected by an original decision may apply for the decision to be reviewed. Refer to the Internal review of decision ? guide for applicants, at www.worksafe.qld.gov.au

An eligible person is:

1. The person to whom the notice was issued.
2. A person conducting a business or undertaking whose interests are affected by the decision.
3. A worker whose interests are affected by the decision.
4. A health and safety representative who represents a worker whose interests are affected by the decision.

How does a person apply for a review of a decision?

The application for internal review must:

a) be made in the approved form to the reviewer

b) supported by enough information to enable the reviewer to decide the application

An application for internal review relating to an improvement notice issued under the *Work Health and Safety Act 2011* and the *Safety in Recreational Water Activities Act 2011* must be lodged before the date stated in the notice for compliance or within 14 calendar days of the decision coming to the notice of the eligible person, whichever is the lesser.

For an improvement notice issued under the *Electrical Safety Act 2002*, the application for internal review must be made within 14 days after the day the applicant receives the notice.

Lodgement of the form can be made via email whsrod@oir.qld.gov.au. Information about how to apply for an internal review of decision, including the application form, is available at www.worksafe.qld.gov.au or by calling 1300 362 128. There is no application fee.

The operation of the improvement notice is stayed (suspended) once the application for review of decision is lodged. The stay remains in effect until a decision is made by the internal reviewer and whichever of the following is earlier ? an external review is applied for or, 28 days have elapsed since the person became aware of the decision.

What happens next?

The internal reviewer must make a decision within 14 calendar days of receiving the application for internal review. The internal reviewer can confirm or vary the reviewable decision, or set aside the reviewable decision and substitute the original decision for another decision. Once the internal reviewer makes the decision, they must notify the applicant of the decision and the reasons for the decision in writing.

External review

An eligible person may apply to an external review body for a review of the internal decision of the internal decision reviewer, or the original decision of the regulator. From the day the applicant received or became aware of the decision, an application for external review must be made within:

- 30 calendar days to the Queensland Industrial Relations Commission (QIRC) relating to the *Work Health and Safety Act 2011*;
- 28 calendar days to the Queensland Civil Administration Tribunal (QCAT) relating to the *Electrical Safety Act 2002* or the *Safety in Recreational Waters Act 2011*.

QCAT and QIRC may confirm or vary the original decision, set aside the original decision and substitute another decision or set aside the original decision and return the matter to the decision maker with appropriate directions.

Please refer to www.worksafe.qld.gov.au or phone 1300 362 128 for more information on how to apply for an external review.

Privacy collection statement

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

The OIR's privacy information is on our website at www.worksafe.qld.gov.au.

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice.

You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2049823

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: SILVERSTRAND DEVELOPMENTS PTY LTD

ABN: 45165085263 | ACN: 165085263

Trading as:

Address: 396 NEW CLEVELAND RD, TINGALPA 4173 QLD

Details of contravention:

Site location

ROMA STREET STATION, ROMA ST, BRISBANE 4000 QLD

I, Travis Dungey reasonably believe on 27-OCT-2022 at 10:00 that you have contravened a provision in circumstances that make it likely that the contravention will continue or be repeated of the:

Work Health and Safety Act 2011 - section(s) 19(3)(F)

Brief description of how the provision is being or has been contravened:

While on site, i observed and photographed also conversation on site indicated that a area of from working deck at front of house B2 deck , has had its structural supports removed and was not rated for loading materials over 300kg on it, no information, training or instruction had been done, as a result no controls were implemented and a dogman began to over load that deck, as a result not have appropriate controls has exposed workers and could continue if not rectified.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:

It is mandatory to comply with these directions

Work Health and Safety Act 2011 - section 19(3)(F)
Without limiting subsections 19 (1) and 19 (2), a person conducting a business or undertaking must ensure, so far as is reasonably practicable the provision of any information, training, instruction or supervision that is necessary to protect all persons from risks to their health and safety arising from work carried out as part of the conduct of the business or undertaking;

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

27-OCT-2022
Date issued

[redacted]
Inspector's location

This contravention must be remedied before: 29-OCT-2022

Service method: Delivered directly to the person named by electronic transmission

TOM ZAMMIT
Notice given to

Management Representative For Person Conducting A Business Or Undertaking
Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2049823

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2049823

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Internal review of decision

An eligible person whose interests are affected by an original decision may apply for the decision to be reviewed. Refer to the Internal review of decision ? guide for applicants, at www.worksafe.qld.gov.au

An eligible person is:

1. The person to whom the notice was issued.
2. A person conducting a business or undertaking whose interests are affected by the decision.
3. A worker whose interests are affected by the decision.
4. A health and safety representative who represents a worker whose interests are affected by the decision.

How does a person apply for a review of a decision?

The application for internal review must:

a) be made in the approved form to the reviewer

b) supported by enough information to enable the reviewer to decide the application

An application for internal review relating to an improvement notice issued under the *Work Health and Safety Act 2011* and the *Safety in Recreational Water Activities Act 2011* must be lodged before the date stated in the notice for compliance or within 14 calendar days of the decision coming to the notice of the eligible person, whichever is the lesser.

For an improvement notice issued under the *Electrical Safety Act 2002*, the application for internal review must be made within 14 days after the day the applicant receives the notice.

Lodgement of the form can be made via email whsrod@oir.qld.gov.au. Information about how to apply for an internal review of decision, including the application form, is available at www.worksafe.qld.gov.au or by calling 1300 362 128. There is no application fee.

The operation of the improvement notice is stayed (suspended) once the application for review of decision is lodged. The stay remains in effect until a decision is made by the internal reviewer and whichever of the following is earlier ? an external review is applied for or, 28 days have elapsed since the person became aware of the decision.

What happens next?

The internal reviewer must make a decision within 14 calendar days of receiving the application for internal review. The internal reviewer can confirm or vary the reviewable decision, or set aside the reviewable decision and substitute the original decision for another decision. Once the internal reviewer makes the decision, they must notify the applicant of the decision and the reasons for the decision in writing.

External review

An eligible person may apply to an external review body for a review of the internal decision of the internal decision reviewer, or the original decision of the regulator. From the day the applicant received or became aware of the decision, an application for external review must be made within:

- 30 calendar days to the Queensland Industrial Relations Commission (QIRC) relating to the *Work Health and Safety Act 2011*;
- 28 calendar days to the Queensland Civil Administration Tribunal (QCAT) relating to the *Electrical Safety Act 2002* or the *Safety in Recreational Waters Act 2011*.

QCAT and QIRC may confirm or vary the original decision, set aside the original decision and substitute another decision or set aside the original decision and return the matter to the decision maker with appropriate directions.

Please refer to www.worksafe.qld.gov.au or phone 1300 362 128 for more information on how to apply for an external review.

Privacy collection statement

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

The OIR's privacy information is on our website at www.worksafe.qld.gov.au.

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice.

You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2052351

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: BOOM LOGISTICS LTD

ABN: 28095466961 | ACN: 095 466 961

Trading as:

Address: ROMA STREET STATION, ROMA ST, BRISBANE 4000 QLD

Details of contravention:

Site location

Roma street station

I, John Azcune reasonably believe on 11-NOV-2022 at 09:59 that you are contravening a provision of the:

Work Health and Safety Act 2011 - section(s) 19(3)(C)

Brief description of how the provision is being or has been contravened:

PCBU has failed to manage and ensure a safe system of work.

I observed a photographed work area that had lost a crane load of cylinder peri props. The load fell approximately 4- 5 metres.

Conversations with the crane crew advised that the dogging technique's used were chain choking, this has led to the load of peri cylinder props falling when it got caught on the underside of the penetration.

Further discussions with the crane crew and supervisors considered that a safer method of moving the cylindrical materials or equipment would be via stillage cage.

Implementation of a safe system, for the moving off cylindrical objects will ensure workers are not exposed to risks of falling objects causing severe injury or death during lifting operations.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted] | [redacted] | [redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

11-NOV-2022 | [redacted]

Date issued | Inspector's location

This contravention must be remedied before: 15-NOV-2022

Service method: Delivered directly to the person named by electronic transmission

COLIN RUSH

Notice given to

Management Representative For Person Conducting A Business Or Undertaking

Relationship to person to whom notice is issued

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2052351

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2052351

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2052352

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CBGU D&C JV

Address: ROMA STREET STATION, ROMA ST, BRISBANE CITY 4000 QLD

Details of contravention:

Site location

Roma street

I, John Azcune reasonably believe on 11-NOV-2022 at 12:45 that you are contravening a provision of the:

Work Health and Safety Act 2011 - section(s) 19(3)(F)

Brief description of how the provision is being or has been contravened:

PC has failed to ensure as far as reasonably practicable the provision of training and information for workers entering the site.

I observed and photographed at a construction area where a delivery truck has reversed into a mobile crane (franna). There was impact with the franna chain and rear gate of the truck.

I inquired with the truck driver of the requirements on site for reversing and he stated that he had been coming to site 3-4 times and had not carried out any induction for deliveries for the site.

The Supervisor for CPB stated that it was a requirement for truck driver delivering to perform an induction outlining the site rules and observers are required when reversing on site.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Follow
Work Health and Safety Act 2011 - section 19(3)(F)
Without limiting subsections 19 (1) and 19 (2), a person conducting a business or undertaking must ensure, so far as is reasonably practicable the provision of any information, training, instruction or supervision that is necessary to protect all persons from risks to their health and safety arising from work carried out as part of the conduct of the business or undertaking.

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice

Issuing inspector:

[redacted] | [redacted] | [redacted]
Signature of inspector | Inspector's ID | Inspector's contact number

11-NOV-2022 | [redacted]
Date issued | Inspector's location

This contravention must be remedied before: 15-NOV-2022

Service method: Delivered directly to the person named by electronic transmission

FARREN WYPER
Notice given to

Health And Safety Representative
Relationship to person to whom notice is issued

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2052352

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2052352

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2052353

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: SILVERSTRAND DEVELOPMENTS PTY LTD

ABN: 45165085263 | ACN: 165085263

Trading as:

Address: ROMA STREET STATION, ROMA ST, BRISBANE 4000 QLD

Details of contravention:

Site location

Formwork area B1 Roma Street station City

I, John Azcune reasonably believe on 21-NOV-2022 at 13:00 that you are contravening a provision of the:
Work Health and Safety Act 2011 - section(s) 19(3)(A)

Brief description of how the provision is being or has been contravened:

PCBU has not ensured that Work Health and Safety Act 2011 - section 19(3)(A) ensure, so far as is reasonably impracticable provision and maintenance of a work environment without risks to health and safety.

I observed and photographed a formwork area with workers in the area that were exposed to vertical reo bar at chest hight exposing them to a risk of impalement injury.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted] | [redacted] | [redacted]2

Signature of inspector | Inspector's ID | Inspector's contact number

21-NOV-2022 | [redacted]

Date issued | Inspector's location

This contravention must be remedied before: 22-NOV-2022

Service method: Delivered directly to the person named by electronic transmission

TOM ZAMMIT — Notice given to

Management Representative For Person Conducting A Business Or Undertaking — Relationship to person to whom notice is issued

---

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2052353

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

FORM 12 **RECIPIENT'S COPY**
V1.1.12

Prohibition notice

This notice is issued under the *Work Health and Safety Act 2011* section 195 or the *Safety in Recreational Water Activities Act 2011* applied section 195 *Work Health and Safety Act 2011* (which includes a body corporate, government department or public authority) who has or may be reasonably presumed to have control over the prohibited activity. This notice prohibits an activity which involves or will involve an immediate or imminent risk to the health and safety of any person. **The legislation requires that the person to whom a prohibition notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Queensland Government
ABN 94 496 188 983

Work Health and Safety Act 2011
Safety in Recreational Water Activities Act 2011

Notice No. P1034087

Notice issued to:

Legal name of person/business or undertaking: SILVERSTRAND DEVELOPMENTS PTY LTD

ABN: 45165085263 | ACN: 165085263

Trading as:

Address: 396 NEW CLEVELAND RD, TINGALPA 4173 QLD

Details of serious risk:

Site location | Direction given orally: Y

M & E Vertical Sharf Top deck Roma Street Station

I, John Azcune reasonably believe on 21-NOV-2022 at 12:20 that an activity is occurring at the workplace that involves a serious risk to the health or safety of a person emanating from an immediate or imminent exposure to a hazard and that this activity is likely to be contravening a provision of the:

Work Health and Safety Regulation 2011 - regulation 306E(4)

I direct the person with control over the following activity to stop the activity of: Of gaining access to a formwork area that a handrail system in place that was not compliant with: Work Health and Safety Regulation 2011 - regulation 306E(4) to control a workers fall.

until an inspector is satisfied that the matters that give rise to the risk have been remedied.

Basis for inspector's belief:

I observed photographed a worker in the formwork area with a handrail at 700 high.I was told SILVERSTRAND DEVELOPMENTS PTY LTD was in control of the handrail system.

Directions (if any) on the measures to be taken to remedy the risk, activities or matters or the contravention or likely contravention: It is mandatory to comply with these directions

Recommendations (if any): Recommendations may be followed or you may adopt and follow another way that gives at least the same level of protection against the risk

Issuing inspector:

[redacted] | [redacted] | [redacted]
Signature of inspector | Inspector's ID | Inspector's contact number

21-NOV-2022 | [redacted]
Date issued | Inspector's location

Service method:

Delivered directly to the person named by electronic transmission

TOM ZAMMIT | Management Representative For Person Conducting A Business Or Undertaking
Notice given to | Relationship to person to whom notice is issued

Information about how to obtain a review of this decision is detailed on the back of this notice.

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice.

You must comply with this notice. Failure to comply may incur a maximum penalty of $100 000 for an individual and $500 000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the Department. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by Office of Industrial Relations to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.
The Office of Industrial Relations privacy information is on our website at www.workfsafe.qld.gov.au/.

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2052355

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED	
ABN: 98000893667	ACN: 000893667
Trading as: CBGU D&C JV	
Address: ALBERT STREET STATION, ALBERT ST, BRISBANE 4000 QLD	

Details of contravention:

Site location

Albert street construction area

I, John Azcune reasonably believe on 22-NOV-2022 at 11:13 that you have contravened a provision in circumstances that make it likely that the contravention will continue or be repeated of the:

Work Health and Safety Act 2011 - section(s) 26A

Brief description of how the provision is being or has been contravened:

During and inspection of a restricted construction areas, Inspectors observed and photographed a set of scaffolding stairs that was recorded in the on-site Risk Assessment as the emergency response to be used as a stretcher stair.
The Code of practice for scaffolding at 2.7.1 require stairs to be 1000mm wide. The scaffolding stairs measured on site was measured at approximately 850mm.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Follow code of Practice scaffolding 2021
Work Health and Safety Act 2011 - section 26A
A person conducting a business or undertaking must, if the Minister approves a code of practice for the purposes of this Act-- (a)comply with the code; or (b)manage hazards and risks arising from the work carried out as part of the conduct of the business or undertaking in a way that is different to the code but provides a standard of health and safety that is equivalent to or higher than the standard required under the code.

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]	[redacted]	[redacted]
Signature of inspector	Inspector's ID	Inspector's contact number
22-NOV-2022	[redacted]	
Date issued	Inspector's location	

This contravention must be remedied before:	**Service method:**
29-NOV-2022	Delivered directly to the person named by electronic transmission
MARK TAYLOR Notice given to	Management Representative For Person Conducting A Business Or Undertaking Relationship to person to whom notice is issued

---

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13

RECIPIENT'S COPY

Improvement notice

Notice No. I2049833

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED	
ABN: 98000893667	ACN: 000893667
Trading as: CBGU D&C JV	
Address: 33 HERSCHEL ST, BRISBANE CITY 4000 QLD	

Details of contravention:

Site location

ROMA STREET STATION, ROMA ST, BRISBANE CITY 4000 QLD
M&E Shaft top deck work area.

I, Travis Dungey reasonably believe on 25-NOV-2022 at 14:20 that you are contravening a provision of the:
Work Health and Safety Regulation 2011 - regulation 40(A)

Brief description of how the provision is being or has been contravened:

While on site, I observed and photographed that props have been used to brace the tilt panels on the M&E shaft top deck, the props are now blocking clear access out of the exit route in this area, as a result this is creating a risk to workers in general access egress and in a case of emergency, access ways need to be free from obstruction.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention: It is mandatory to comply with these directions

Work Health and Safety Regulation 2011 - regulation 40(A)
A person conducting a business or undertaking at a workplace must ensure, so far as is reasonably practicable, the following- (a) the layout of the workplace allows, and the workplace is maintained so as to allow, for persons to enter and exit and to move about without risk to health and safety, both under normal working conditions and in an emergency;

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted] | [redacted] | [redacted]
Signature of inspector | Inspector's ID | Inspector's contact number

25-NOV-2022 | [redacted]
Date issued | Inspector's location

This contravention must be remedied before: 30-NOV-2022

Service method: Delivered directly to the person named by electronic transmission

BERNARD BLOM
Notice given to

Management Representative For Person Conducting A Business Or Undertaking
Relationship to person to whom notice is issued

This portion may be [redacted] ntravention has been remedied before the stated date.
I [redacted] this notice [redacted] with:

[redacted] Position [redacted]

[redacted] e complied: / /

ABN 94 496 168 983

Notice No. I2049833

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

FORM 61 **RECIPIENT'S COPY**
V30.6.18

Requirement to produce document(s)

Work Health and Safety Act 2011
Electrical Safety Act 2002
Safety in Recreational Water Activities Act 2011

Serial No. RDI1040141

This requirement for a person to produce document(s) for an inspector is issued under the:

Work Health and Safety Act 2011, section(s) 171(1)(b)

I require, MS FARREN WYPER _____ to produce the following
name of person who has custody of, or access to the documents(s)

document(s) to me

Document(s) required:
* The last two Ventilation Surveys performed for the Northern Tunnel and surrounding area,

*The last two OHEA Rounds performed for the Northern Tunnel and surrounding area,

* The last two Critical Control Audits performed performed for the Northern Tunnel and surrounding area,

* Copies of the Calibration Certificates for relevant Air Sampling Equipment.

* An estimated average Real Time RCS Level.

by 29/11/2022 (date) 12:00 (24 hour time)

Warning: A person who has custody of, or access to, a document, must not, without reasonable excuse, refuse or fail to comply with the requirement to produce document(s) to an inspector. A person is not excused from providing the document(s) on the grounds they may tend to incriminate themselves or expose themselves to a penalty. If you are an individual, any document(s) provided, or evidence (direct or indirect) derived therefrom, is not admissible as evidence against you in civil or criminal proceedings other than proceedings arising out of the false or misleading nature of the document(s). You are not required to produce any document(s) subject to legal professional privilege.

Issuing inspector:

[redacted]

Christopher O'Donnell

Name of inspector | Inspector's Signature | Inspector's ID

Date: 25/11/2022 Time: 09:37 24 hours

The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions. Privacy information is on our website at **www.worksafe.qld.gov.au**.

ABN 94 496 188 983

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2052355

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CBGU D&C JV

Address: ALBERT STREET STATION, ALBERT ST, BRISBANE 4000 QLD

Details of contravention:

Site location

Albert street construction area

I, John Azcune reasonably believe on 22-NOV-2022 at 11:13 that you have contravened a provision in circumstances that make it likely that the contravention will continue or be repeated of the:

Work Health and Safety Act 2011 - section(s) 26A

Brief description of how the provision is being or has been contravened:

During and inspection of a restricted construction areas, Inspectors observed and photographed a set of scaffolding stairs that was recorded in the on-site Risk Assessment as the emergency response to be used as a stretcher stair.
The Code of practice for scaffolding at 2.7.1 require stairs to be 1000mm wide. The scaffolding stairs measured on site was measured at approximately 850mm.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Follow code of Practice scaffolding 2021
Work Health and Safety Act 2011 - section 26A
A person conducting a business or undertaking must, if the Minister approves a code of practice for the purposes of this Act-- (a)comply with the code; or (b)manage hazards and risks arising from the work carried out as part of the conduct of the business or undertaking in a way that is different to the code but provides a standard of health and safety that is equivalent to or higher than the standard required under the code.

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted] | [redacted] | [redacted]
Signature of inspector | Inspector's ID | Inspector's contact number

22-NOV-2022 | [redacted]
Date issued | Inspector's location

This contravention must be remedied before: 29-NOV-2022

Service method: Delivered directly to the person named by electronic transmission

MARK TAYLOR
Notice given to

Management Representative For Person Conducting A Business Or Undertaking
Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2052355

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 RECIPIENT'S COPY

Improvement notice

Notice No. I2038555

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED	
ABN: 98000893667	ACN: 000893667
Trading as: CBGU D&C JV	
Address: SOUTH TOWER, 339 CORONATION DR, MILTON 4064 QLD	

Details of contravention:

Site location

ROMA STREET STATION, ROMA ST, BRISBANE CITY 4000 QLD

I, Frank D'Allura reasonably believe on 13-DEC-2022 at 15:15 that you are contravening a provision of the:

Work Health and Safety Act 2011 - section(s) 19(3)(C)

Brief description of how the provision is being or has been contravened:

CPB CONTRACTORS PTY LIMITED who is conducting a business or undertaking have failed to ensure, so far as is reasonably practicable the provision and maintenance of safe systems of work for the sequencing and methodology of the precast concrete panels of the M&E structure and the staging of the erection of the perimeter scaffold system. I observed the M&E shaft structure and observed it is fabricated from hollow precast panels and braced with props. There is a scaffold system erected and secured to the concrete panels by ties. I have been provided engineered drawings for scaffold design but through conversations with scaffold company established there is no sequencing for when scaffold can be erected or tied to precast panels. I had discussions with precast panel manufactures bracing design engineer who advised he was not aware that the scaffold was being tied to panels or has had conversations with other engineers at design stage. The Pc coordinates and overseas the works.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:

It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing Inspector:

[redacted] | [redacted] | [redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

13-DEC-2022 | [redacted]

Date issued | Inspector's location

This contravention must be remedied before:	**Service method:**
21-DEC-2022	Delivered directly to the person named by electronic transmission
BERNARD BLOM	Management Representative For Person With Management Or Control Of A Workplace
Notice given to	Relationship to person to whom notice is issued

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 RECIPIENT'S COPY

Improvement notice

Notice No. I2038555

V1.3.16 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This portion may be signed and returned where contravention has been remedied before the stated date.

I certify that the requirements of this notice have been complied with:

Name *in block* [redacted] Position: PM

Signature: [redacted] complied: 14/12/22

ABN 94 498 168 983

Notice No. I2038555

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is according its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2049838

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED	
ABN: 98000893667	ACN: 000893667
Trading as: CPB CONTRACTORS PTY LIMITED	
Address: ALBERT ST, BRISBANE 4000 QLD	

Details of contravention:

Site location

ALBERT ST, BRISBANE 4000 QLD Lot 1 stations box.

I, Travis Dungey reasonably believe on 19-JAN-2023 at 14:30 that you have contravened a provision in circumstances that make it likely that the contravention will continue or be repeated of the:

Work Health and Safety Act 2011 - section(s) 19(1)

Brief description of how the provision is being or has been contravened:

While on site, i observed and photographed multiple missing handrails and gaps in the form working decks. conversations with yourself indicated workers are meant to check the form working decks after they have been jumped to make sure they are safe for access of all workers required to work on the jump form; this system has not picked up the falls from height and could continue if not managed.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:

It is mandatory to comply with these directions

Work Health and Safety Act 2011 - section 19(1)
A person conducting a business or undertaking must ensure, so far as is reasonably practicable, the health and safety of (a) workers engaged, or caused to be engaged by the person; and (b)workers whose activities in carrying out work are influenced or directed by the person, while the workers are at work in the business or undertaking.

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]		
Signature of inspector	Inspector's ID [redacted]	Inspector's contact number [redacted]
19-JAN-2023	[redacted]	
Date issued	Inspector's location	

This contravention must be remedied before:	**Service method:**
24-JAN-2023	Delivered directly to the person named by electronic transmission
JAMES MAHER Notice given to	Management Representative For Person Conducting A Business Or Undertaking Relationship to person to whom notice is issued

---

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2049838

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

RECIPIENT'S COPY

Form 13

Improvement notice

V1.3.18

Notice No. I 2005595

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB (Contractors) Pty Ltd

ABN: 98 000 893 667 ACN: 000 893 667

Trading as:

Address:

Postcode:

Details of contravention:

Site location

(Cross River Rail Project, Qld) Albert St

I, Mark Mc [illegible] reasonably believe on 22/1/23 at 13:30

Inspector name — Date — 24 hour time

that you ☑ are contravening a provision or ☐ have contravened a provision in circumstances that make it likely that the contravention will continue or be repeated; of the:

☑ *Work Health and Safety Act 2011*, section/s 19(1)(2), 33 ☐ *Work Health and Safety Regulation 2011*, regulation/s

☐ *Electrical Safety Act 2002*, section/s ☐ *Electrical Safety Regulation 2013*, regulation/s

☐ *Safety in Recreational Water Activities Act 2011*, section/s ☐ *Safety in Recreational Water Activities Regulation 2011*, regulation/s

Brief description of how the provision is being or has been contravened:

Smart Safe alert system installed below the (Albert St) temporary Scaffold [illegible] only [illegible] the lower threshold [illegible]

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

[illegible] greater [illegible] angle of [illegible] over the [illegible] with [illegible] from [illegible]

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector — Inspector's ID — Inspector's contact number

22/1/23 — Qld

Date issued — Inspector's location

This contravention must be remedied before: 30/1/23

Service method:

☑ Delivered personally ☐ Left for a person at the workplace ☐ Post
☐ Fax ☐ Email
☐ Left at the person's last known place of residence or business

James Mahon — Supervisor

Notice given to — Relationship to person to whom notice is issued

This portion may be signed and returned where a contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name (in block letters): MARK TAYLOR Position: Snr Safety Advisor

Signature: [redacted] Date complied: 22/01/2023

ABN 94 696 588 983

Notice No. I 2005595

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

Privacy collection statement

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is reasonably necessary for law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

FORM 61 **RECIPIENT'S COPY**
V30.6.18

Requirement to produce document(s)

Work Health and Safety Act 2011
Electrical Safety Act 2002
Safety in Recreational Water Activities Act 2011

Serial No. RDI10001551

This requirement for a person to produce document(s) for an inspector is issued under the:

Work Health and Safety Act 2011, section(s) 171(1)(b)

I require, MR MARK TAYLOR _____ to produce the following
name of person who has custody of, or access to the documents(s)

document(s) to me

Document(s) required:
All documents relating to communication and consultation relating to the new emergency exit route via the cavern at Lot 1, Albert Street Station

by 03/02/2023 18:00
date 24 hour time

Warning: A person who has custody of, or access to, a document, must not, without reasonable excuse, refuse or fail to comply with the requirement to produce document(s) to an inspector. A person is not excused from providing the document(s) on the grounds they may tend to incriminate themselves or expose themselves to a penalty. If you are an individual, any document(s) provided, or evidence (direct or indirect) derived therefrom, is not admissible as evidence against you in civil or criminal proceedings other than proceedings arising out of the false or misleading nature of the document(s). You are not required to produce any document(s) subject to legal professional privilege.

Issuing inspector:

[redacted]

Majella Pearl

Name of inspector Inspector's Signature Inspector's ID

Date: 31/01/2023 Time: 15:38 24 hours

The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions. Privacy information is on our website at **www.worksafe.qld.gov.au**.

ABN 94 496 188 983

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2038560

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: UPLIFT CRANES QLD PTY LTD

ABN: 63625839787 | ACN:

Trading as:

Address: 32 MACARTHUR AVE, HAMILTON 4007 QLD

Details of contravention:

Site location

867 MAIN ST, WOOLLOONGABBA 4102 QLD

I, Frank D'Allura reasonably believe on 03-FEB-2023 at 14:50 that you have contravened a provision in circumstances that make it likely that the contravention will continue or be repeated of the:

Work Health and Safety Act 2011 - section(s) 19(3)(C)

Brief description of how the provision is being or has been contravened:

UPLIFT CRANES QLD PTY LTD who is conducting a business or undertaking have failed to ensure, so far as is reasonably practicable the provision and maintenance of safe systems of work. I attended the construction workplace to investigate an incident with a 25t articulating crane where its back wheels came off the ground when placing concrete into footing with a kibble. It has come to my attention that the counterweight at front of crane was not placed on back of crane at setup stage and computer for some reason was set to counterweight being on the back of crane. The area where the incident occurred had some inclination going down the ramp as well towards the side near concrete barriers and load was approx 1.2m below the road surface. By not ensuring that the crane is setup as per information put into computer is something that needs to be managed administratively to prevent a reoccurrence.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice

Issuing inspector:

[redacted] | [redacted] | [redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

03-FEB-2023 | [redacted]

Date issued | Inspector's location

This contravention must be remedied before: 10-FEB-2023

Service method: Delivered directly to the person named by electronic transmission

JOSH COOPER

Notice given to

Management Representative For Person With Management Or Control Of A Workplace

Relationship to person to whom notice is issued

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2038560

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2038560

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

FORM 61 **RECIPIENT'S COPY**
V30.6.18

Requirement to produce document(s)

Work Health and Safety Act 2011
Electrical Safety Act 2002
Safety in Recreational Water Activities Act 2011

Serial No. RDI10001553

This requirement for a person to produce document(s) for an inspector is issued under the:

Work Health and Safety Act 2011, section(s) 171(1)(b)

I require, MR MARK TAYLOR _____ to produce the following
name of person who has custody of, or access to the documents(s)

document(s) to me

Document(s) required:
Documentation relating to the emergency evacuation route from B10 through the cavern, including:
- Photos of the exit route dating 07/02/23
- Samples of photographic evidence showing daily checks of the exit route
- Daily comms dating 07/02/23 showing ongoing communication of the emergency exit route to workers
- Daily pre-start dating 07/02/23

by 10/02/2023 18:00
date 24 hour time

Warning: A person who has custody of, or access to, a document, must not, without reasonable excuse, refuse or fail to comply with the requirement to produce document(s) to an inspector. A person is not excused from providing the document(s) on the grounds they may tend to incriminate themselves or expose themselves to a penalty. If you are an individual, any document(s) provided, or evidence (direct or indirect) derived therefrom, is not admissible as evidence against you in civil or criminal proceedings other than proceedings arising out of the false or misleading nature of the document(s). You are not required to produce any document(s) subject to legal professional privilege.

Issuing inspector:

Majella Pearl

Name of inspector | Inspector's Signature | Inspector's ID

Date: 07/02/2023 Time: 15:05 24 hours

The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions. Privacy information is on our website at **www.worksafe.qld.gov.au**.

ABN 94 496 188 983

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2050456

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CALEDONIA QLD PTY LTD

ABN: 11654768224 | ACN: 654768224

Trading as:

Address: 5 FLEGG ST, DECEPTION BAY 4508 QLD

Details of contravention:

Site location

Lot 1 ALBERT STREET STATION, ALBERT ST, BRISBANE CITY 4000 QLD

I, Travis Dungey reasonably believe on 03-MAR-2023 at 14:50 that you have contravened a provision in circumstances that make it likely that the contravention will continue or be repeated of the:

Work Health and Safety Regulation 2011 - regulation 300(1)

Brief description of how the provision is being or has been contravened:

While on site investigating and incident where a scaffold tube has been removed and fallen contacted a worker below cursing injuries. Conversations and evidence gathered at the time indicated that the exclusion zone was not in place at the time. i reviewed you Safe Work Method Statement on site it stated that exclusion zones need to be to be in place to Provent falling objects on a person. as a result, u have not made sure that works are carried out in accordance with that SWMS.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Work Health and Safety Regulation 2011 - regulation 300(1)
A person conducting a business or undertaking that includes the carrying out of high-risk construction work must put in place arrangements for ensuring that high risk construction work is carried out in accordance with the safe work method statement for the work.

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted] | [redacted] | [redacted]
Signature of inspector | Inspector's ID | Inspector's contact number

03-MAR-2023 | [redacted]
Date issued | Inspector's location

This contravention must be remedied before: 09-MAR-2023

Service method: Delivered directly to the person named by electronic transmission

BRENDON WRIGHT
Notice given to

Management Representative For Person Conducting A Business Or Undertaking
Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2050456

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

FORM 24 **RECIPIENT'S COPY**

Infringement notice

V15.03.19

This notice is issued under the *State Penalties Enforcement Act 1999* section 13 to a person who is contravening or has contravened a provision that has been designated an offence under the Act or Regulation that may attract an infringement notice. This notice requires the person to whom it is issued to ensure payment by the due date unless other available action is taken (refer to the second page of this notice for relevant information).

Notice No. F2006088

Notice issued to:

Legal name of alleged offender: CALEDONIA QLD PTY LTD		
ABN: 11654768224	ACN: 654768224	
Trading as (if applicable):		
Address: 5 FLEGG ST, DECEPTION BAY 4508 QLD		
Date of birth:	Gender:	Contact number:
Identification type:	ID number:	

Details of alleged contravention:

Location of offence

ALBERT STREET STATION, ALBERT ST, BRISBANE CITY 4000 QLD

I, Travis Dungey reasonably believe on 03-MAR-2023 at 14:50 you committed an infringement notice offence by contravening a provision of the:

Work Health and Safety Regulation 2011, regulation 300(1)

Offence code: 9002

Penalty amount $3600 ***Payment must be received within 28 days of the date of this notice unless other available action has been taken (refer to the second page of this notice for relevant information).***

Description of the offence:

Person conducting a business or undertaking failed to put in place arrangements for ensuring that high risk construction work is carried out in accordance with safe work method statement

Issuing inspector:

[redacted] Signature of inspector

[redacted] Inspector's ID

[redacted] Inspector's contact number

03-MAR-2023 Date issued

[redacted] Inspector's location

Service Method:	Email

Information about payment options is detailed on the second page of this notice.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

ABN 94 496 188 983

Queensland Government

FORM 12
V1.1.12

RECIPIENT'S COPY

Queensland Government
ABN 94 496 188 983

Work Health and Safety Act 2011
Safety in Recreational Water Activities Act 2011

Prohibition notice

This notice is issued under the *Work Health and Safety Act 2011* section 195 or the *Safety in Recreational Water Activities Act 2011* applied section 195 *Work Health and Safety Act 2011* (which includes a body corporate, government department or public authority) who has or may be reasonably presumed to have control over the prohibited activity. This notice prohibits an activity which involves or will involve an immediate or imminent risk to the health and safety of any person. **The legislation requires that the person to whom a prohibition notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice No. P1033003

Notice issued to:

Legal name of person/business or undertaking: CALEDONIA QLD PTY LTD

ABN: 11654768224 | ACN: 654768224

Trading as:

Address: 5 FLEGG ST, DECEPTION BAY 4508 QLD

Details of serious risk:

Site location | Direction given orally: Y

ALBERT STREET STATION, ALBERT ST, BRISBANE CITY 4000 QLD

I, Travis Dungey reasonably believe on 03-MAR-2023 at 14:00 that an activity may occur at the workplace that will involve a serious risk to the health or safety of a person emanating from an immediate or imminent exposure to a hazard and that this activity is likely to be contravening a provision of the:

Work Health and Safety Regulation 2011 - regulation 55(2)

I direct the person with control over the following activity to stop the activity of: conducting scaffolding works, where there is a risk of a falling object without having adequate controls in place.

until an inspector is satisfied that the matters that will give rise to the risk have been remedied.

Basis for inspector's belief:

While on site conducting investigations into a falling object that had struck a worker, conversations and evidence gathered at the time indicated that adequate controls to prevent workers from being exposed to risks of falling objects were not implemented at the time.

Directions (if any) on the measures to be taken to remedy the risk, activities or matters or the contravention or likely contravention: It is mandatory to comply with these directions

Work Health and Safety Regulation 2011 - regulation 55(2)
The person conducting the business or undertaking at a workplace must minimise the risk of an object falling on a person by providing adequate protection against the risk under this section.

Recommendations (if any): Recommendations may be followed or you may adopt and follow another way that gives at least the same level of protection against the risk

Issuing inspector:

[redacted] | [redacted] | [redacted]
Signature of inspector | Inspector's ID | Inspector's contact number

03-MAR-2023 | [redacted]
Date issued | Inspector's location

Service method:

Delivered directly to the person named by electronic transmission

BRENDON WRIGHT | Management Representative For Person Conducting A Business Or Undertaking
Notice given to | Relationship to person to whom notice is issued

Information about how to obtain a review of this decision is detailed on the back of this notice.

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice.

You must comply with this notice. Failure to comply may incur a maximum penalty of $100 000 for an individual and $500 000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the Department. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by Office of Industrial Relations to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.
The Office of Industrial Relations privacy information is on our website at www.worksafe.qld.gov.au/.

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2065115

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: UNITY ALLIANCE

Address: 520 WICKHAM ST, FORTITUDE VALLEY 4006 QLD

Details of contravention:

Site location

600 GREGORY TCE, BOWEN HILLS 4006 QLD

I, Ryan Usher reasonably believe on 02-MAR-2023 at 08:00 that you have contravened a provision in circumstances that make it likely that the contravention will continue or be repeated of the:

Work Health and Safety Act 2011 - section(s) 171(1)(b)

Brief description of how the provision is being or has been contravened:

I attended site on 02.03.2023 where I was advised contact had been made with a live underground cable. I require all relevant documents and reports of the incident. Relevant documents should include but are not limited to.
- Energex fault report
- Safe work method statement for the work carried out on or near energised electrical installations or services
- Safe work method statement for work carried out in an area at a workplace in which there was movement of powered mobile plant
- Internal investigation reports
- Statements from workers involved
- Images taken of the incident
- Contact details of workers involved

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Work Health and Safety Act 2011 - section 171(1)(b)
Require a person who has custody of, or access to, a document mentioned in paragraph (a) to give the document to the inspector.

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted] | [redacted] | [redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

08-MAR-2023 | [redacted]

Date issued | Inspector's location

This contravention must be remedied before:	Service method:
11-MAR-2023	Delivered directly to the person named by electronic transmission
ADRIAN OCKFORD	Management Representative For Person With Management Or Control Of A Workplace
Notice given to	Relationship to person to whom notice is issued

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2065115

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2065115

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

FORM 24 **RECIPIENT'S COPY**

Infringement notice

V15.03.19

This notice is issued under the *State Penalties Enforcement Act 1999* section 13 to a person who is contravening or has contravened a provision that has been designated an offence under the Act or Regulation that may attract an infringement notice. This notice requires the person to whom it is issued to ensure payment by the due date unless other available action is taken (refer to the second page of this notice for relevant information).

Notice No. F2010057

Notice issued to:

Legal name of alleged offender: CPB CONTRACTORS PTY LIMITED		
ABN: 98000893667	ACN: 000893667	
Trading as (if applicable): UNITY ALLIANCE		
Address: 600 GREGORY TCE, BOWEN HILLS 4006 QLD		
Date of birth:	Gender:	Contact number:
Identification type:	ID number:	

Details of alleged contravention:

Location of offence

Normanby Site, 450 Gregory Terrace Spring Hill Queensland 4000

I, Ryan Usher reasonably believe on 23-FEB-2023 at 22:30 you committed an infringement notice offence by contravening a provision of the:

Electrical Safety Regulation 2013, section 68(1)

Offence code: 6809

Penalty amount $3000 ***Payment must be received within 28 days of the date of this notice unless other available action has been taken (refer to the second page of this notice for relevant information).***

Description of the offence:

The person conducting a business or undertaking failed to ensure, so far as is reasonably practicable, that a person, plant or thing did not come within an unsafe distance of an overhead or underground electric line

Issuing inspector:

[redacted] | [redacted] | [redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

13-MAR-2023 | [redacted]

Date issued | Inspector's location

Service Method:	Email

Information about payment options is detailed on the second page of this notice.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

ABN 94 496 188 983

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2039274

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: ROCKTOWN PTY LTD

ABN: 18122450711 | ACN:

Trading as:

Address: ALBERT STREET STATION, ALBERT ST, BRISBANE CITY 4000 QLD

Details of contravention:

Site location

ALBERT STREET STATION, ALBERT ST, BRISBANE CITY 4000 QLD

I, Christopher O'Donnell reasonably believe on 14-MAR-2023 at 09:00 that you have contravened a provision in circumstances that make it likely that the contravention will continue or be repeated of the:

Work Health and Safety Regulation 2011 - regulation 219(5)

Brief description of how the provision is being or has been contravened:

The person has failed to ensure, so far as is reasonably practicable, that no loads are suspended or travel over a person unless the plant is specifically designed for that purpose.
Photographic evidence was reviewed by WHSQ inspectors showing workers not directly involved in the lifting of the kibble in close proximity to areas below the kibble. Conversations with the Principal Contractor and review of the Safe Work Method Statement provided highlighted the requirement to establish exclusion zones for personnel. There was no clear exclusion zones established with workers observed both below the kibble and working below the kibble on the level below. The platform had a load rating of 250 kilograms.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

The person must ensure, so far as is reasonably practicable, that no loads are suspended or travel over a person unless the plant is specifically designed for that purpose.

Issuing inspector:

[redacted] | [redacted] | [redacted]
Signature of inspector | Inspector's ID | Inspector's contact number

14-MAR-2023 | [redacted]
Date issued | Inspector's location

This contravention must be remedied before:	**Service method:**
20-MAR-2023	Delivered directly to the person named by electronic transmission
ADAM FAIRHEAD Notice given to	Management Representative For Person Conducting A Business Or Undertaking Relationship to person to whom notice is issued

---

This portion may be signed and returned where contravention has been remedied before the stated date.

I certify that the req[redacted]been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2039274

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

FORM 24 **RECIPIENT'S COPY**

Infringement notice

V15.03.19

This notice is issued under the *State Penalties Enforcement Act 1999* section 13 to a person who is contravening or has contravened a provision that has been designated an offence under the Act or Regulation that may attract an infringement notice. This notice requires the person to whom it is issued to ensure payment by the due date unless other available action is taken (refer to the second page of this notice for relevant information).

Notice No. F2006090

Notice issued to:

Legal name of alleged offender: CPB CONTRACTORS PTY LIMITED		
ABN: 98000893667	ACN: 000893667	
Trading as (if applicable): CBGU D&C JV		
Address: SOUTH TOWER, 520 WICKHAM ST, FORTITUDE VALLEY 4006 QLD		
Date of birth:	Gender:	Contact number:
Identification type:	ID number:	

Details of alleged contravention:

Location of offence

867 MAIN ST, WOOLLOONGABBA 4102 QLD

I, Travis Dungey reasonably believe on 04-APR-2023 at 10:00 you committed an infringement notice offence by contravening a provision of the:

Work Health and Safety Regulation 2011, regulation 346(1)

Offence code: 9011

Penalty amount $3600 ***Payment must be received within 28 days of the date of this notice unless other available action has been taken (refer to the second page of this notice for relevant information).***

Description of the offence:

(a) Person conducting a business or undertaking failed to ensure that a register of hazardous chemicals used, handled or stored at the workplace is prepared and kept at the workplace (b) Person conducting a business or undertaking failed to ensure that the register of hazardous chemicals is maintained so that the information in the register is up to date

Issuing inspector:

[redacted] Signature of inspector

[redacted] Inspector's ID

[redacted] Inspector's contact number

04-APR-2023 Date issued

[redacted] Inspector's location

Service Method:	Email

Information about payment options is detailed on the second page of this notice.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

ABN 94 496 188 983

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2050470

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CBGU D&C JV

Address: SOUTH TOWER, 520 WICKHAM ST, FORTITUDE VALLEY 4006 QLD

Details of contravention:

Site location

867 MAIN ST, WOOLLOONGABBA 4102 QLD

I, Travis Dungey reasonably believe on 04-APR-2023 at 10:00 that you have contravened a provision in circumstances that make it likely that the contravention will continue or be repeated of the:

Work Health and Safety Regulation 2011 - regulation 346(1)

Brief description of how the provision is being or has been contravened:

While on site conducting a proactive safety audit, I inspected your hazardous flammable and corrosive storage containers on site, I identified that flammable and corrosive products, stored, used, and handled in those containers were not up to date on you register those products were XYLENE (XYLOL) flammable product, FOSROC Solvent Genral purpose also GUNWASH flammable product not having your register up to date could expose the workers to risks as a result.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Work Health and Safety Regulation 2011 - regulation 346(1)
A person conducting a business or undertaking at a workplace must ensure that- (a) a register of hazardous chemicals used, handled or stored at the workplace is prepared and kept at the workplace; and (b) the register is maintained to ensure the information in the register is up to date.

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted] | [redacted] | [redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

04-APR-2023 | [redacted]

Date issued | Inspector's location

This contravention must be remedied before: 08-APR-2023

Service method: Delivered directly to the person named by electronic transmission

SMALL RODNEY — Notice given to

Management Representative For Person Conducting A Business Or Undertaking — Relationship to person to whom notice is issued

---

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2050470

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2050366

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CBGU D&C JV

Address: SOUTH TOWER, 520 WICKHAM ST, FORTITUDE VALLEY 4006 QLD

Details of contravention:

Site location

BOGGO ROAD STATION, , DUTTON PARK 4102 QLD

I, Brian Pocock reasonably believe on 04-APR-2023 at 14:30 that you are contravening a provision of the:

Work Health and Safety Regulation 2011 - regulation 43(2)

Brief description of how the provision is being or has been contravened:

You have failed to maintain the emergency plan for the workplace so that it remains effective.
I observed and photographed while on site today emergency diagrams installed that did not give effective information to allow safe access and egress in the event of an emergency. I observed items marked on the emergency diagrams to be missing from the locations where they were positioned on the diagram not allowing the diagram to be effective for its purpose.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted] | [redacted] |

Signature of inspector | Inspector's ID | Inspector's contact number

04-APR-2023 | [redacted]

Date issued | Inspector's location

This contravention must be remedied before: 07-APR-2023

Service method: Delivered directly to the person named by electronic transmission

JUSTIN GRIFFITH
Notice given to

Management Representative For Person With Management Or Control Of A Workplace
Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2050366

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2059869

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CBGU D&C JV

Address: HQ SOUTH TOWER, 520 WICKHAM ST, FORTITUDE VALLEY 4006 QLD

Details of contravention:

Site location

GABBA STATION 3, 867 MAIN ST, WOOLLOONGABBA 4102 QLD

I, Matthew Gipp reasonably believe on 04-APR-2023 at 08:50 that you are contravening a provision of the:

Work Health and Safety Regulation 2011 - regulation 351(2)

Brief description of how the provision is being or has been contravened:

I formed the reasonable belief that CPB CONTRACTORS PTY LIMITED had contravened Reg 351(2) of the WHS Regulations 2011

In forming this reasonable belief, I have taken into account the following:
> Hazardous chemicals were being stored onsite in storage shed/containers under the management and control of CPB CONTRACTORS PTY LIMITED
> CPB CONTRACTORS PTY LIMITED had failed to ensure that incompatible chemicals were being stored separately.
> I observed corrosive product HY-CLOR Liquid Chlorine being stored with flammable product RECOCHEM XYLELE inside the chemical storage shed located in the area identified as lay down 2.
> I observed corrosive product HILTI HIT-RE 500 V3 being stored with flammable product FOSROC SOLVENT 10 (20L x 11 Drums) inside the chemical storage shed located in the area identified as MEZ lay down.

A failure to separate incompatible hazardous chemicals gives rise to the risk of chemical incident potentially resulting in injury to person.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

In managing risks the person must have regard to the following (a)the hazardous properties of the hazardous chemical; (b) any potential hazardous chemical or physical reaction between the hazardous chemical and another substance or mixture, including a substance that may be generated by the reaction; (c)the nature of the work to be carried out with the hazardous chemical; (d)any structure, plant or system of work- (i)that is used in the use, handling, generation or storage of the hazardous chemical; or (ii)that could interact with the hazardous chemical at the workplace.

Additional information on hazardous chemical storage can be sourced from the WorkSafe Queensland website located at: https://www.worksafe.qld.gov.au/safety-and-prevention/hazards/hazardous-chemicals

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector | [redacted] Inspector's ID | [redacted] Inspector's contact number

04-APR-2023
Date issued

[redacted] Inspector's location

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2059869

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This contravention must be remedied before:	**Service method:**
08-APR-2023	Delivered directly to the person named by electronic transmission
RODNEY SMALL Notice given to	Management Representative For Person With Management Or Control Of A Workplace Relationship to person to whom notice is issued

---

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2059869

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2059870

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: ROCKTOWN PTY LTD

ABN: 18122450711 | ACN:

Trading as:

Address: 867 MAIN ST, WOOLLOONGABBA 4102 QLD

Details of contravention:

Site location

ROCKTOWN site container, GABBA STATION 3, 867 Main Stree

I, Matthew Gipp reasonably believe on 04-APR-2023 at 09:38 that you are contravening a provision of the:

Electrical Safety Regulation 2013 - section(s) 104(1)

Brief description of how the provision is being or has been contravened:

At the time of this visit I observed that ROCKTOWN PTY LTD had contravened Section 104 (1) of the Electrical Safety Regulation 2013. In forming this reasonable belief, I have taken into account the following:

> Electrical supply is being provided to the ROCKTOWN PTY LTD site container onsite at GABBA STATION 3.
> No evidence was available that testing and tagging of the electrical switchboard had been maintained in accordance with industry requirements.
> The most recent evidence that the Residual Current Device (RCD) had been tested for trip time, trip current compliance was completed 12/07/2022 as displayed on the test sticker on the switchboard.
> Flexible electrical leads were observed onsite, these leads were connected to this switchboard and in use to charge electrical equipment.

A Failure to provide a safe system of work in relation to electrical supply onsite has the potential to place employees using the electrical supply at risk of electric shock.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

A person conducting a business or undertaking must ensure that all electrical equipment for the performance of work complies with the requirements of AS/NZS 3012 (Electrical installations- Construction and demolition sites).

Additional guidance and information can be sourced from Table 6 - Periodic Verification Intervals in AS/NZS 3012.

And:

The WorkSafe Queensland website located at: https://www.worksafe.qld.gov.au/safety-and-prevention/hazards/electricity/electrical-products-and-equipment/testing-and-tagging-electrical-equipment

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted] | [redacted] | [redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

04-APR-2023 | [redacted]

Date issued | Inspector's location

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2059870

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This contravention must be remedied before:	**Service method:**
14-APR-2023	Delivered directly to the person named by electronic transmission
ALAN WRIGHT Notice given to	Management Representative For Person With Management Or Control Of A Workplace Relationship to person to whom notice is issued

---

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2059870

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2062492

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: KENNY CONSTRUCTION PTY LTD

ABN: 31065215429 | ACN:

Trading as:

Address: JOE BAKER ST, DUTTON PARK 4102 QLD

Details of contravention:

Site location

Cross River Rail site, Boggo Road Station, Joe Baker Street, Dutton Park

I, Daniel Ala-Outinen reasonably believe on 04-APR-2023 at 13:30 that you are contravening a provision of the:
Work Health and Safety Act 2011 - section(s) 19(3)(C)

Brief description of how the provision is being or has been contravened:

A site visit was undertaken on the Cross River Rail, Boggo Road Station Construction Site.

During the site visit, I observed and photographed the top of the Jump Form of Wall 3 located on the western side of site. Areas of the perimeter containment screening attached to the scaffold guard rails had gaps exceeding 100mm where the Jump Form platforms join.

I was told by the PCBU that the mesh is removed when the Jump Form is raised and replaced when climbing is finished. All other trades then work on sides of the Jump Form where the gaps had been covered.

I observed and photographed workers from other trades working on the side where the perimeter containment screening had not been replaced and had gaps. There was no evidence of any controls in place to manager other trades accessing those areas.

The PCBU has failed to ensure, so far as is reasonably practicable the provision and maintenance of safe systems of work.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted] | [redacted] | Inspector's contact number

Signature of inspector | Inspector's ID

04-APR-2023 | [redacted]

Date issued | Inspector's location

This contravention must be remedied before: 08-APR-2023

Service method: Delivered directly to the person named by electronic transmission

DAVID LALLY
Notice given to

Management Representative For Person Conducting A Business Or Undertaking
Relationship to person to whom notice is issued

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2062492

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2062492

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

FORM 61 **RECIPIENT'S COPY**
V30.6.18

Requirement to produce document(s)

Work Health and Safety Act 2011
Electrical Safety Act 2002
Safety in Recreational Water Activities Act 2011

Serial No. RDI10008426

This requirement for a person to produce document(s) for an inspector is issued under the:

Work Health and Safety Act 2011, section(s) 171(1)(b)

I require, MR DUNCAN REID _____ to produce the following
name of person who has custody of, or access to the documents(s)

document(s) to me

Document(s) required:
All documents relating to the Welding and Testing procedures for the Bridge Pylons at the Cross River Rail Southern Section.

by 18/04/2023 13:35
date 24 hour time

Warning: A person who has custody of, or access to, a document, must not, without reasonable excuse, refuse or fail to comply with the requirement to produce document(s) to an inspector. A person is not excused from providing the document(s) on the grounds they may tend to incriminate themselves or expose themselves to a penalty. If you are an individual, any document(s) provided, or evidence (direct or indirect) derived therefrom, is not admissible as evidence against you in civil or criminal proceedings other than proceedings arising out of the false or misleading nature of the document(s). You are not required to produce any document(s) subject to legal professional privilege.

Issuing inspector:

[redacted]

Jason Argent

Name of inspector Inspector's Signature Inspector's ID

Date: 14/04/2023 Time: 13:34 24 hours

The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions. Privacy information is on our website at **www.worksafe.qld.gov.au.**

ABN 94 496 188 983

Queensland Government

FORM 61 **RECIPIENT'S COPY**
V30.6.18

Requirement to produce document(s)

Work Health and Safety Act 2011
Electrical Safety Act 2002
Safety in Recreational Water Activities Act 2011

Serial No. RDI10001559

This requirement for a person to produce document(s) for an inspector is issued under the:

Work Health and Safety Act 2011, section(s) 171(1)(b)

I require, MR TOM ZAMMIT _____ to produce the following
name of person who has custody of, or access to the documents(s)

document(s) to me

Document(s) required:
ALL RELEVENT DOCUMENTATION relating to the incident that occurred on the nightshift of 03/08/22 where a worker was videoed while exposed to a fall while they were vibrating recently poured concrete in the M&E shaft at Roma St Station.

Specifically, the documents required could include, but are not limited to:
- Pre-start documentation
- Toolbox talks or communication about work at heigh controls
- Any toolbox talk or communications to workers about the incident
- Temporary works permits
- Safe operating procedures
- Evidence of work at heights training for workers
- Man box permit
- Relevant SWMS in use at time of incident for both crane crew and concreting crew
- Any statements taken from involved persons
- Any other documents relating to safety of workers during concrete pour
- Any evidence of correspondence to the workers about the work activity

by 28/04/2023 (date) 16:00 (24 hour time)

Warning: A person who has custody of, or access to, a document, must not, without reasonable excuse, refuse or fail to comply with the requirement to produce document(s) to an inspector. A person is not excused from providing the document(s) on the grounds they may tend to incriminate themselves or expose themselves to a penalty. If you are an individual, any document(s) provided, or evidence (direct or indirect) derived therefrom, is not admissible as evidence against you in civil or criminal proceedings other than proceedings arising out of the false or misleading nature of the document(s). You are not required to produce any document(s) subject to legal professional privilege.

Issuing inspector:

Majella Pearl [redacted]

Name of inspector | Inspector's Signature | Inspector's ID

Date: 19/04/2023 Time: 12:31 24 hours

The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions. Privacy information is on our website at **www.worksafe.qld.gov.au.**

ABN 94 496 188 983



FORM 61 **RECIPIENT'S COPY**
V30.6.18

Requirement to produce document(s)

Work Health and Safety Act 2011
Electrical Safety Act 2002
Safety in Recreational Water Activities Act 2011

Serial No. RDI10001560

This requirement for a person to produce document(s) for an inspector is issued under the:

Work Health and Safety Act 2011, section(s) 171(1)(b)

I require, MR PAUL HEAD _____ to produce the following
name of person who has custody of, or access to the documents(s)

document(s) to me

Document(s) required:
ALL RELEVENT DOCUMENTATION relating to the incident that occurred on the nightshift of 03/08/22 where a worker was videoed while exposed to a fall while they were vibrating recently poured concrete in the M&E shaft at Roma St Station.

Specifically, the documents required could include, but are not limited to:
- Pre-start documentation
- Toolbox talks or communication about work at heigh controls
- Any toolbox talk or communications to workers about the incident
- Temporary works permits
- Safe operating procedures
- Evidence of work at heights training for workers
- Man box permit
- Relevant SWMS in use at time of incident including crane crew and concrete crew
- Any statements from involved persons
- Any other documents relating to safety of workers during concrete pour
- Any evidence of correspondence to the workers about the work activity

by 28/04/2023 (date) 16:00 (24 hour time)

Warning: A person who has custody of, or access to, a document, must not, without reasonable excuse, refuse or fail to comply with the requirement to produce document(s) to an inspector. A person is not excused from providing the document(s) on the grounds they may tend to incriminate themselves or expose themselves to a penalty. If you are an individual, any document(s) provided, or evidence (direct or indirect) derived therefrom, is not admissible as evidence against you in civil or criminal proceedings other than proceedings arising out of the false or misleading nature of the document(s). You are not required to produce any document(s) subject to legal professional privilege.

Issuing inspector:

Majella Pearl — [redacted] — [redacted]

Name of inspector | Inspector's Signature | Inspector's ID

Date: 19/04/2023 Time: 15:38 24 hours

The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions. Privacy information is on our website at **www.worksafe.qld.gov.au.**

ABN 94 496 188 983



FORM 24 **RECIPIENT'S COPY**

Infringement notice

V15.03.19

This notice is issued under the *State Penalties Enforcement Act 1999* section 13 to a person who is contravening or has contravened a provision that has been designated an offence under the Act or Regulation that may attract an infringement notice. This notice requires the person to whom it is issued to ensure payment by the due date unless other available action is taken (refer to the second page of this notice for relevant information).

Notice No. F2012469

Notice issued to:

Legal name of alleged offender: SILVERSTRAND DEVELOPMENTS PTY LTD		
ABN: 45165085263	ACN: 165085263	
Trading as (if applicable):		
Address: 396 NEW CLEVELAND RD, TINGALPA 4173 QLD		
Date of birth:	Gender:	Contact number:
Identification type:	ID number:	

Details of alleged contravention:

Location of offence

Dutton Park Railway Station Upgrade CPB / Unity Alliance Site.

I, Jason Argent reasonably believe on 20-APR-2023 at 09:48 you committed an infringement notice offence by contravening a provision of the:

Work Health and Safety Regulation 2011, regulation 346(3)

Offence code: 9012

Penalty amount $2160 ***Payment must be received within 28 days of the date of this notice unless other available action has been taken (refer to the second page of this notice for relevant information).***

Description of the offence:

Person conducting a business or undertaking failed to ensure that the hazardous chemical register is readily available to
(a) any worker using, handling or storing a hazardous chemical or
(b) anyone else likely to be affected by a hazardous chemical at the workplace

Issuing inspector:

[redacted]

Signature of inspector

[redacted] Inspector's ID

[redacted] Inspector's contact number

20-APR-2023
Date issued

[redacted] Inspector's location

Service Method:	Email

Information about payment options is detailed on the second page of this notice.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

ABN 94 496 188 983

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2050475

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: UNITY ALLIANCE

Address: 600 GREGORY TCE, BOWEN HILLS 4006 QLD

Details of contravention:

Site location

Dutton Park Station Upgrade

I, Travis Dungey reasonably believe on 20-APR-2023 at 08:00 that you are contravening a provision of the:
Work Health and Safety Regulation 2011 - regulation 41(2)

Brief description of how the provision is being or has been contravened:

While on site, i observed and photographed that your lunchroom amenities and toilets on site were in an unclean condition at the time of my visit, I observed and photographed your cleaning register had not been filled in, for 3 days, before this time the roster was twice a day as a result the amenities have become unclean.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Work Health and Safety Regulation 2011 - regulation 41(2)
The person conducting a business or undertaking at a workplace must ensure, so far as is reasonably practicable, that the facilities provided under subsection 41 (1) are maintained so as to be- (a) in good working order; and (b) clean, safe and accessible.

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted] | [redacted] | [redacted]
Signature of inspector | Inspector's ID | Inspector's contact number

20-APR-2023 | [redacted]
Date issued | Inspector's location

This contravention must be remedied before: 22-APR-2023

Service method: Delivered directly to the person named by electronic transmission

PAUL LUCZKA
Notice given to

Management Representative For Person Conducting A Business Or Undertaking
Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2050475

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2050476

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: UNITY ALLIANCE

Address: 600 GREGORY TCE, BOWEN HILLS 4006 QLD

Details of contravention:

Site location

Dutton Park rail Station upgrade.

I, Travis Dungey reasonably believe on 20-APR-2023 at 09:33 that you are contravening a provision of the:
Work Health and Safety Act 2011 - section(s) 19(1)

Brief description of how the provision is being or has been contravened:

While on site, i observed and it was photographed that Asbestos Containing Material had been stored in a general storage work area. along with general building materials, no isolation or protection was in place when identified. It was photographed that one of the bags has sustained damage and could expose workers to air born asbestos if not managed properly.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Work Health and Safety Act 2011 - section 19(1)
A person conducting a business or undertaking must ensure, so far as is reasonably practicable, the health and safety of (a) workers engaged, or caused to be engaged by the person; and (b)workers whose activities in carrying out work are influenced or directed by the person; while the workers are at work in the business or undertaking.

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted] | [redacted] | [redacted]
Signature of inspector | Inspector's ID | Inspector's contact number

20-APR-2023 | [redacted]
Date issued | Inspector's location

This contravention must be remedied before: 22-APR-2023

Service method: Delivered directly to the person named by electronic transmission

PAUL LUCZKA
Notice given to

Management Representative For Person Conducting A Business Or Undertaking
Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2050476

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2050708

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: SILVERSTRAND DEVELOPMENTS PTY LTD

ABN: 45165085263 | ACN: 165085263

Trading as:

Address: 396 NEW CLEVELAND RD, TINGALPA 4173 QLD

Details of contravention:

Site location

Dutton Park Railway Station Upgrade

I, Jason Argent reasonably believe on 20-APR-2023 at 09:48 that you are contravening a provision of the:

Work Health and Safety Regulation 2011 - regulation 346(3)

Brief description of how the provision is being or has been contravened:

PCBU has failed to ensure the register for hazardous Chemicals is readily available for the workers.

I observed and photographed multiple chemicals on site belonging to Silverstrand. When requested the Supervisor was unable to produce a copy of the hazardous chemical register in a reasonable time. The document was requested at 0915hrs and at 0948hrs was still not available. It was still another 35mins away.

Failure to have readily accessible hazardous chemical register can expose workers to a risk to their health and safety.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:

It is mandatory to comply with these directions

Follow:
Work Health and Safety Regulation 2011 - regulation 346(3)
The person must ensure that the register is readily accessible to- (a) a worker involved in using, handling or storing a hazardous chemical; and (b) anyone else who is likely to be affected by a hazardous chemical at the workplace.

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector | [redacted] Inspector's ID | [redacted] Inspector's contact number

20-APR-2023
Date issued

[redacted] Inspector's location

This contravention must be remedied before: 26-APR-2023

Service method: Delivered directly to the person named by electronic transmission

COLM CORBETT
Notice given to

Management Representative For Person With Management Or Control Of A Workplace
Relationship to person to whom notice is issued

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2050708

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2050708

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2050709

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: SILVERSTRAND DEVELOPMENTS PTY LTD

ABN: 45165085263 | ACN: 165085263

Trading as:

Address: 396 NEW CLEVELAND RD, TINGALPA 4173 QLD

Details of contravention:

Site location

Dutton Park Railway Station Upgrade (CPB Unity Alliance Site)

I, Jason Argent reasonably believe on 20-APR-2023 at 09:48 that you are contravening a provision of the:

Work Health and Safety Act 2011 - section(s) 19(3)(D)

Brief description of how the provision is being or has been contravened:

PCBU has failed to ensure the safe handling and storage of substances at the work site.

I observed and photographed a number of chemicals including flammable and corrosive stored together. The chemicals were contained within the site storage container. There was no bunding or chemical identification signs. The container is used for workers to store tools and equipment and is not specifically designed for chemical storage.

Failure to store chemicals in a safe manor can cause risk to the health and safety of workers.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:

It is mandatory to comply with these directions

Follow:
Work Health and Safety Act 2011 - section 19(3)(D)
Without limiting subsections 19 (1) and 19 (2), a person conducting a business or undertaking must ensure, so far as is reasonably practicable the safe use, handling and storage of plant, structures and substances; and

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector | [redacted] Inspector's ID | [redacted] Inspector's contact number

20-APR-2023
Date issued

[redacted]
Inspector's location

This contravention must be remedied before: 26-APR-2023

Service method: Delivered directly to the person named by electronic transmission

COLM CORBETT
Notice given to

Management Representative For Person With Management Or Control Of A Workplace
Relationship to person to whom notice is issued

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2050709

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2050709

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2039936

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: COASTAL STEELFIXING AUSTRALIA PTY LTD

ABN: 21159846545 | ACN: 159846545

Trading as:

Address: 29 SODIUM ST, NARANGBA 4504 QLD

Details of contravention:

Site location

ALBERT STREET STATION, ALBERT ST, BRISBANE CITY 4000 QLD Slip form working deck wall 7 lot 1 object fell to level B9 slab

I, John Barber reasonably believe on 05-MAY-2023 at 12:50 that you have contravened a provision in circumstances that make it likely that the contravention will continue or be repeated of the:

Work Health and Safety Act 2011 - section(s) 19(3)(C)

Brief description of how the provision is being or has been contravened:

OBSERVED THE SLIP FORM WORKING DECK WHERE A OBJECT HAS FALLEN THROUGH A GAP IN THE SCREENING, THE OBJECT WAS (TYPE C BT COUPLER) WEIGHING 2.4 KILOS.
THE OBJECT HAS LANDED ON LEVEL 9 SLAP APPROX 20M BELOW.
WORKERS WERE IN THE AREA AT THE TIME WHEN THE OBJECT HAS FALLEN JUST MISSING A WORKER BELOW.
DISCUSSIONS WITH SUPERVISOR INDICATED THAT THE AREA MAY HAVE BEEN MISSING THE PLY THAT THE OBJECT FELL THROUGH.
WORKERS BEFORE STARTING WORK IN THE AREA HAD NOT CHECKED THAT THE AREA WAS COMPLIANT AND SAFE TO WORK IN .
COASTAL STEELFIXING HAVE FAILED TO ENSURE THAT BEFORE WORK STARTS THAT THE AREA THEY REQUIRE TO WORK IN IS FIT FOR THE PURPOSE IT IS INTENDED TO BE USED FOR, EG. ALL GAPS ARE FILLED , EDGE PROTECTION IS CORRECT HOUSE KEEPING IS IN ORDER.
COASTAL STEELFIXING MUST ENSURE THAT BEFORE WORK STARTS BY THERE COMPANY THAT THE AREA INTENDED TO BE WORKED IN IS SAFE AND FIT FOR PURPOSE.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Work Health and Safety Act 2011 - section 19(3)(C)
Without limiting subsections 19 (1) and 19 (2), a person conducting a business or undertaking must ensure, so far as is reasonably practicable the provision and maintenance of safe systems of work;

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted] | [redacted] | [redacted]
Signature of inspector | Inspector's ID | Inspector's contact number

06-MAY-2023 | [redacted]
Date issued | Inspector's location

This contravention must be remedied before: 10-MAY-2023

Service method: Delivered directly to the person named by electronic transmission

DAVID KINGSTON
Notice given to

Management Representative For Person With Management Or Control Of A Workplace
Relationship to person to whom notice is issued

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2039936

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2039936

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2039937

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: F T F BRICKLAYING PTY LTD

ABN: 47118462098 | ACN:

Trading as:

Address: 1, 29 EXPORT DR, MOLENDINAR 4214 QLD

Details of contravention:

Site location

ALBERT STREET STATION, ALBERT ST, BRISBANE CITY 4000 QLD
LEVEL 9 SLAB

I, John Barber reasonably believe on 05-MAY-2023 at 12:50 that you have contravened a provision in circumstances that make it likely that the contravention will continue or be repeated of the:

Work Health and Safety Act 2011 - section(s) 19(3)(C)

Brief description of how the provision is being or has been contravened:

OBSERVED THE AREA WHERE A (TYPE C BT COUPLER) WEIGHING 2.4 KILOS HAS LANDED IN AN AREA THOUGHT TO BE AN EXCLUSION ZONE.
WORKERS FROM FTF BRICKLAYING WERE IN THE AREA FIXINGA BLOCKAGE FROM A PUMP LINE THAT WAS BLOCKED WITH BLOCK FILL CONCRETE.
DISCUSSIONS WITHFTF BRICKLAYING MANAGER INDICATED THAT THE AREA ABOVE ALL WORK HAD BEEN STOPPED AND THERE WORKERS WERE OK TO ENTER THE AREA BELOW.
WHILE WORKING TO UNBLOCK THE PIPE LINE AND CLEAN UP THE CONCRETE SPILL A OBJECT HAS FALLEN FROM THE WORK AREA ABOVE.
ON FURTHER INVESTIGATIONS THE WRONG AREA ABOVE HAD BEEN STOPPED, AND NO ONE CHECKED TO ENSURE THE WORKERS ABOVE HAD BEEN STOPPED.
FTF BRICKLAYING HAVE FAILED TO ENSURE THAT THERE WORKERS WERE NOT PLACED AT RISK OF A SERIOUS INJURY FROM THE FALLING OBJECT,.
FTF BRICKLAYING MUST ENSURE WORKERS ARE NOT PUT AT RISK FROM A FALLING OBJECT WHERE WORKERS ARE PERFORMING WORK ABOVE THEM.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Work Health and Safety Act 2011 - section 19(3)(C)
Without limiting subsections 19 (1) and 19 (2), a person conducting a business or undertaking must ensure, so far as is reasonably practicable the provision and maintenance of safe systems of work;

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted] | [redacted] | [redacted]
Signature of inspector | Inspector's ID | Inspector's contact number

06-MAY-2023 | [redacted]
Date issued | Inspector's location

This contravention must be remedied before: 10-MAY-2023

Service method: Delivered directly to the person named by electronic transmission

ANDREW GILLIES
Notice given to

Management Representative For Person With Management Or Control Of A Workplace
Relationship to person to whom notice is issued

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2039937

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2039937

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 RECIPIENT'S COPY

Improvement notice

Notice No. I2039938

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CBGU D&C JV

Address: ALBERT STREET STATION, ALBERT ST, BRISBANE CITY 4000 QLD

Details of contravention:

Site location

ALBERT STREET STATION, ALBERT ST, BRISBANE CITY 4000 QLD
SLIPFORM WORKING DECKWALL 7 LOT 1

I, John Barber reasonably believe on 05-MAY-2023 at 12:50 that you have contravened a provision in circumstances that make it likely that the contravention will continue or be repeated of the:

Work Health and Safety Act 2011 - section(s) 19(3)(C)

Brief description of how the provision is being or has been contravened:

OBSERVED AN AREA WHERE AN OBJECT BEING A (TYPE C BT COUPLER) WEIGHING 2.4 KILOS HAS FALLEN THROUGH A GAP IN THE SCREENING .
THE GAP WAS GREATER THAN 25X 50 MM.
AFTER DISCUSSIONS WITH CPB MANAGEMENT IN REGARDS TO THERE SYSTEMS FOR CHECKING COMPLIANCE ON THE CONDITION OF WORK AREAS BEFORE BEING HANDED OVER, A GAP HAS BEEN MISSED ON THE SLIP FORM DECK AND AN OBJECT HAS FALLEN THROUGH THE GAP JUST MISSING WORKERS BELOW.
CPB HAVE FAILED TO ENSURE THAT WITH ALL THE REVIEWS AND CHECKS ON AREAS TO CHECK THEIR COMPLIANCE BEFORE THE AREA IS HANDED OVER THE SYSTEM THEY HAVE IN PLACE HAS MISSED THE GAP.
CPB MUST ENSURE THAT BEFORE WORK AREAS ARE HANDED OVER OR CHANGES ARE MADE TO THE WORK AREA THAT THE SYSTEM THEY HAVE IN PLACE COVERS OFF ON GAPS WHERE OBJECTS COULD FALL , OR BETTER IMPROVEMNETS ON EXCLUSION ZONES TO KEEP OTHERS OUT OF THHE AREAS WHERE WORKERS COULD BE WORKING ABOVE THE PERSON.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Work Health and Safety Act 2011 - section 19(3)(C)
Without limiting subsections 19 (1) and 19 (2), a person conducting a business or undertaking must ensure, so far as is reasonably practicable the provision and maintenance of safe systems of work;

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted] | [redacted] | [redacted]
Signature of inspector | Inspector's ID | Inspector's contact number

06-MAY-2023 | [redacted]
Date issued | Inspector's location

This contravention must be remedied before:	Service method:
10-MAY-2023	Delivered directly to the person named by electronic transmission
GUY BURNELL Notice given to	Management Representative For Person With Management Or Control Of A Workplace Relationship to person to whom notice is issued

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13

RECIPIENT'S COPY

Improvement notice

V1.3.18

Notice No. I2039938

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: GUY BURNELL Position: CONSTRUCTION MANAGER

Signature: [redacted] Date complied: 10 15 12023

ABN 94 496 188 983

Notice No. I2039938

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply to the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2050479

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: KENNY CONSTRUCTIONS (AUST.) PTY. LIMITED	
ABN: 74096169416	ACN: 096169416
Trading as:	
Address: 23 L2, 1-7 JORDAN ST, GLADESVILLE 2111 NSW	

Details of contravention:

Site location

JOE BAKER ST, DUTTON PARK 4102 QLD Cross River Rail Station at Dutton Park Boggo Rd.

I, Travis Dungey reasonably believe on 11-MAY-2023 at 10:00 that you have contravened a provision in circumstances that make it likely that the contravention will continue or be repeated of the:

Work Health and Safety Act 2011 - section(s) 19(3)(F)

Brief description of how the provision is being or has been contravened:

While on site conducted investigations into a piece of ply that has fallen from height and just missed a worker walking on a walkway, i have looked at controls that are meant to be put in place by your workers (exclusion zones) in relation to controlling falling objects, from the evidence i gathered no appropriate controls have been implemented while conducting formwork. as a result, workers have been exposed to risks, your workers need to be provided with more information, training, instruction or supervision. to prevent this from being repeated.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:

It is mandatory to comply with these directions

Work Health and Safety Act 2011 - section 19(3)(F)
Without limiting subsections 19 (1) and 19 (2), a person conducting a business or undertaking must ensure, so far as is reasonably practicable the provision of any information, training, instruction or supervision that is necessary to protect all persons from risks to their health and safety arising from work carried out as part of the conduct of the business or undertaking.

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]	[redacted]	[redacted]
Signature of inspector	Inspector's ID	Inspector's contact number
11-MAY-2023	[redacted]	
Date issued	Inspector's location	

This contravention must be remedied before:	Service method:
13-MAY-2023	Delivered directly to the person named by electronic transmission
STEPHEN DELANEY	Management Representative For Person Conducting A Business Or Undertaking
Notice given to	Relationship to person to whom notice is issued

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2050479

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2050479

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2062499

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: KENNY CONSTRUCTIONS (AUST.) PTY. LIMITED	
ABN: 74096169416	ACN: 096169416
Trading as:	
Address: JOE BAKER ST, DUTTON PARK 4102 QLD	

Details of contravention:

Site location

Cross River Rail Boggo Road Construction Site, Joe Baker Street, Dutton Park.

I, Daniel Ala-Outinen reasonably believe on 11-MAY-2023 at 11:30 that you have contravened a provision in circumstances that make it likely that the contravention will continue or be repeated of the:

Electrical Safety Regulation 2013 - section(s) 11

Brief description of how the provision is being or has been contravened:

A site inspection was undertaken on Cross River Rail, Boggo Road Construction site.

During the inspection I observed and photographed a water pump set up for dewatering for the plinth areas of level B7. Water affected areas for dewatering in B7 averaged an approx. depth of 25mm.

The water pump was plugged into an orange junction box sitting on top of a small platform stool. The junction box was connected to live power by an extension lead hanging from a work lamp nearby. All the live electrical components were within the immediate area where dewatering had taken place.

Through enquiries WHSQ determined that the PCBU was in control of that work area and was carrying out work on the plinths.

The PCBU has failed to manage risks to health and safety associated with electrical risks at the workplace in accordance with the WHS Regulation, chapter 3, part 3.1. In this instance the electrical risk is inadequate protection of electrical equipment from water used at the workplace.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:

It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector

[redacted]

Inspector's ID

Inspector's contact number

11-MAY-2023

Date issued

[redacted]

Inspector's location

This contravention must be remedied before: 13-MAY-2023

Service method: Delivered directly to the person named by electronic transmission

DANIEL MCCARTIN

Notice given to

Management Representative For Person Conducting A Business Or Undertaking

Relationship to person to whom notice is issued

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2062499

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2062499

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

FORM 61 **RECIPIENT'S COPY**
V30.6.18

Requirement to produce document(s)

Work Health and Safety Act 2011
Electrical Safety Act 2002
Safety in Recreational Water Activities Act 2011

Serial No. RDI10001563

This requirement for a person to produce document(s) for an inspector is issued under the:

Work Health and Safety Act 2011, section(s) 171(1)(b)

I require, MR PAUL HEAD _____ to produce the following
name of person who has custody of, or access to the documents(s)

document(s) to me

Document(s) required:
ALL RELEVENT DOCUMENTATION relating to the incident that occurred on the nightshift of 03/08/22 where a worker was videoed while exposed to a fall while they were vibrating recently poured concrete in the M&E shaft at Roma St Station.

Specifically, the documents required should include, but are not limited to:
- Induction records for Joseph Blackmore
- Damstra records for workers entering site for nightshift on 03/08/22, specifically Joseph Blackmore entering and leaving site

by 16/05/2023 (date) 16:00 (24 hour time)

Warning: A person who has custody of, or access to, a document, must not, without reasonable excuse, refuse or fail to comply with the requirement to produce document(s) to an inspector. A person is not excused from providing the document(s) on the grounds they may tend to incriminate themselves or expose themselves to a penalty. If you are an individual, any document(s) provided, or evidence (direct or indirect) derived therefrom, is not admissible as evidence against you in civil or criminal proceedings other than proceedings arising out of the false or misleading nature of the document(s). You are not required to produce any document(s) subject to legal professional privilege.

Issuing inspector:

Majella Pearl

Name of inspector | Inspector's Signature | Inspector's ID

Date: 12/05/2023 Time: 15:45 24 hours

The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions. Privacy information is on our website at **www.worksafe.qld.gov.au.**

ABN 94 496 188 983

Queensland Government

FORM 61 **RECIPIENT'S COPY**
V30.6.18

Requirement to produce document(s)

Work Health and Safety Act 2011
Electrical Safety Act 2002
Safety in Recreational Water Activities Act 2011

Serial No. RDI10001565

This requirement for a person to produce document(s) for an inspector is issued under the:

Work Health and Safety Act 2011, section(s) 171(1)(b)

I require, MR PAUL HEAD _____ to produce the following
name of person who has custody of, or access to the documents(s)

document(s) to me

Document(s) required:
Information relating to the incident that occurred on the nightshift of 03/08/22 where a worker was videoed while exposed to a fall while they were vibrating recently poured concrete in the M&E shaft at Roma St Station.

Documentation should include:
- If available, the names and all available contact information for the workers who were part of the Uplift Cranes crew on the nightshift for 03/08/23. As signed onto the pre-start, these workers include but are not necessarily limited to Conor Langh, Linden Tyer and Justin Lillie (spelling of names may not be correct).
- The name and all available contact information for the CBGU JV nightshift supervisor on 03/08/22 (believed to be Jeremy Dunn as recorded on the nightshift pre-start for 03/08/22).

by 23/05/2023 (date) 16:00 (24 hour time)

Warning: A person who has custody of, or access to, a document, must not, without reasonable excuse, refuse or fail to comply with the requirement to produce document(s) to an inspector. A person is not excused from providing the document(s) on the grounds they may tend to incriminate themselves or expose themselves to a penalty. If you are an individual, any document(s) provided, or evidence (direct or indirect) derived therefrom, is not admissible as evidence against you in civil or criminal proceedings other than proceedings arising out of the false or misleading nature of the document(s). You are not required to produce any document(s) subject to legal professional privilege.

Issuing inspector:

Majella Pearl

Name of inspector | Inspector's Signature | Inspector's ID

Date: 19/05/2023 Time: 10:01 24 hours

The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions. Privacy information is on our website at **www.worksafe.qld.gov.au.**

ABN 94 496 188 983

Queensland Government

Form 13

RECIPIENT'S COPY

Improvement notice

Notice No. I2050727

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: ROCKTOWN PTY LTD

ABN: 18122450711 | ACN:

Trading as:

Address: 311 EARNSHAW RD, NORTHGATE 4013 QLD

Details of contravention:

Site location

Albert Street Station Lot 3
Falling Object Controls (uni mesh)

I, Jason Argent reasonably believe on 23-MAY-2023 at 13:30 that you are contravening a provision of the:

Work Health and Safety Regulation 2011 - regulation 54

Brief description of how the provision is being or has been contravened:

PCBU has failed to ensure that a control measure that is being used is in good working order and able to full fill the requirement in which it was installed to do.

I observed and photographed Uni mesh installed around the slip form, handrails and edge protection from the Ground level down to B4 that had gaps and holes within the mesh greater than 25mm. There are sheets that have been attempted to be joined together that have large gaps running the entire length. There are also large holes in some of the Uni mesh that has been installed against handrails, these gaps would allow objects to fall through.

Failure to ensure control measures are compliant can cause a risk to a worker's health and safety.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Follow:
Work Health and Safety Regulation 2011 - regulation 54
A person conducting a business or undertaking at a workplace must manage risks to health and safety associated with an object falling on a person if the falling object is reasonably likely to injure the person.

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector

[redacted] Inspector's ID

[redacted] Inspector's contact number

23-MAY-2023
Date issued

[redacted] Inspector's location

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2050727

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This contravention must be remedied before:	**Service method:**
25-MAY-2023	Delivered directly to the person named by electronic transmission
DANNY MCGRATH Notice given to	Management Representative For Person With Management Or Control Of A Workplace Relationship to person to whom notice is issued

---

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2050727

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2050728

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: ROCKTOWN PTY LTD

ABN: 18122450711 | ACN:

Trading as:

Address: 311 EARNSHAW RD, NORTHGATE 4013 QLD

Details of contravention:

Site location

Albert Street Station Lot 3
B4 Level Stairs

I, Jason Argent reasonably believe on 23-MAY-2023 at 13:05 that you are contravening a provision of the:

Work Health and Safety Act 2011 - section(s) 26A

Brief description of how the provision is being or has been contravened:

PCBU has failed to ensure the scaffold stairs that have been installed comply with the relevant code of practice.

I observed, photographed and took measurements of scaffold stairs used as emergency access / stretch stairs that have been installed from B1 to B4 levels that did not have compliant landings. I took two measurements on two different landings and the measured distances of 570mm and 600mm. The Scaffolding Code of practices advised that these landings must be a minimum of 1200mm in the direction that the stairs are travelling.

Failure to ensure scaffolding systems are erected in line with approved code of practice can expose workers to a risk to their health and safety, this could give rise to slips, trips and falls.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Follow:
Work Health and Safety Act 2011 - section 26A
A person conducting a business or undertaking must, if the Minister approves a code of practice for the purposes of this Act-- (a)comply with the code; or (b)manage hazards and risks arising from the work carried out as part of the conduct of the business or undertaking in a way that is different to the code but provides a standard of health and safety that is equivalent to or higher than the standard required under the code.

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector

[redacted]

Inspector's ID

[redacted]

Inspector's contact number

23-MAY-2023

Date issued

[redacted]

Inspector's location

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2050728

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This contravention must be remedied before:	**Service method:**
26-MAY-2023	Delivered directly to the person named by electronic transmission
DANNY MCGRATH Notice given to	Management Representative For Person With Management Or Control Of A Workplace Relationship to person to whom notice is issued

---

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2050728

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

FORM 61 **RECIPIENT'S COPY**
V30.6.18

Requirement to produce document(s)

Work Health and Safety Act 2011
Electrical Safety Act 2002
Safety in Recreational Water Activities Act 2011

Serial No. RDI1040146

This requirement for a person to produce document(s) for an inspector is issued under the:

Work Health and Safety Act 2011, section(s) 171(1)(b)

I require, MR MARK TAYLOR _____ to produce the following
name of person who has custody of, or access to the documents(s)

document(s) to me

Document(s) required:
* Drawings for Lot 1 Stretcher Stair Drawing
* Response Incident Management Manual - Rev 12

by 31/05/2023 17:00
date 24 hour time

Warning: A person who has custody of, or access to, a document, must not, without reasonable excuse, refuse or fail to comply with the requirement to produce document(s) to an inspector. A person is not excused from providing the document(s) on the grounds they may tend to incriminate themselves or expose themselves to a penalty. If you are an individual, any document(s) provided, or evidence (direct or indirect) derived therefrom, is not admissible as evidence against you in civil or criminal proceedings other than proceedings arising out of the false or misleading nature of the document(s). You are not required to produce any document(s) subject to legal professional privilege.

Issuing inspector:

Christopher O'Donnell [redacted]

Name of inspector | Inspector's Signature | Inspector's ID

Date: 26/05/2023 Time: 16:00 24 hours

The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions. Privacy information is on our website at **www.worksafe.qld.gov.au.**

ABN 94 496 188 983

Queensland Government

FORM 61 **RECIPIENT'S COPY**
V30.6.18

Requirement to produce document(s)

Work Health and Safety Act 2011
Electrical Safety Act 2002
Safety in Recreational Water Activities Act 2011

Serial No. RDI10008427

This requirement for a person to produce document(s) for an inspector is issued under the:

Work Health and Safety Act 2011, section(s) 171(1)(b)

I require, MR MARK TAYLOR _____ to produce the following
name of person who has custody of, or access to the documents(s)

document(s) to me

Document(s) required:
System or Process for Housekeeping and dust management
Hygiene report for B10 ¿ Dust Monitoring
Drawings for Jump Form, including design and approval for ladders used.
Induction information for workers in the Jump form
Emergency Plan and Test Report for Jump form
Toolbox Talk or Training for Head Lamp use.

by 02/06/2023 11:50
date 24 hour time

Warning: A person who has custody of, or access to, a document, must not, without reasonable excuse, refuse or fail to comply with the requirement to produce document(s) to an inspector. A person is not excused from providing the document(s) on the grounds they may tend to incriminate themselves or expose themselves to a penalty. If you are an individual, any document(s) provided, or evidence (direct or indirect) derived therefrom, is not admissible as evidence against you in civil or criminal proceedings other than proceedings arising out of the false or misleading nature of the document(s). You are not required to produce any document(s) subject to legal professional privilege.

Issuing inspector:



Jason Argent

Name of inspector Inspector's Signature Inspector's ID

Date: 30/05/2023 Time: 11:50 24 hours

The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions. Privacy information is on our website at **www.worksafe.qld.gov.au.**

ABN 94 496 188 983

Queensland Government

FORM 61 **RECIPIENT'S COPY**
V30.6.18

Requirement to produce document(s)

Work Health and Safety Act 2011
Electrical Safety Act 2002
Safety in Recreational Water Activities Act 2011

Serial No. RDI10008546

This requirement for a person to produce document(s) for an inspector is issued under the:

Work Health and Safety Act 2011, section(s) 171(1)(b)

I require, MR CHRIS CREDARO _____ to produce the following
name of person who has custody of, or access to the documents(s)

document(s) to me

Document(s) required:
FORM 61 RECIPIENTS COPY
V30.6.18

Requirement to produce document(s)
Work Health and Safety Act 2011
Electrical Safety Act 2002
Safety in Recreational Water Activities Act 2011

This requirement for a person to produce document(s) for an inspector is issued under:
Work Health and Safety Act 2011, section(s) 171(1)(b).

I require CPB Contractors Pty Ltd to produce the following documents to me.

Documents required: Documents required:
1. An electronic copy in Portable Document Format file format (PDF) of the most recent document known as the `six weekly look ahead programme.
You are required to produce the documents to me by email to john.azcune@oir.qld.gov.au

by 06/07/2023 07:51
date 24 hour time

Warning: A person who has custody of, or access to, a document, must not, without reasonable excuse, refuse or fail to comply with the requirement to produce document(s) to an inspector. A person is not excused from providing the document(s) on the grounds they may tend to incriminate themselves or expose themselves to a penalty. If you are an individual, any document(s) provided, or evidence (direct or indirect) derived therefrom, is not admissible as evidence against you in civil or criminal proceedings other than proceedings arising out of the false or misleading nature of the document(s). You are not required to produce any document(s) subject to legal professional privilege.

Issuing inspector:

John Azcune [redacted]

Name of inspector Inspector's Signature Inspector's ID

Date: 23/06/2023 Time: 07:46 24 hours

The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions. Privacy information is on our website at **www.worksafe.qld.gov.au.**

ABN 94 496 188 983



Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2078212

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED	
ABN: 98000893667	ACN: 000893667
Trading as: CBGU D&C JV	
Address: LEVEL 6 HQ SOUTH TOWER, 520 WICKHAM ST, FORTITUDE VALLEY 4006 QLD	

Details of contravention:

Site location

ALBERT STREET STATION, ALBERT ST, BRISBANE CITY 4000 QLD lot 2

I, Frank D'Allura reasonably believe on 04-JUL-2023 at 18:54 that you are contravening a provision of the:

Work Health and Safety Act 2011 - section(s) 19(3)(F)

Brief description of how the provision is being or has been contravened:

CPB CONTRACTORS PTY LIMITED has failed to ensure, so far as is reasonably practicable the provision of any information, instruction that is necessary to protect all persons from risks to their health and safety arising from work carried out as part of the conduct of the business or undertaking.
Attended a construction workplace in response to an incident which occurred on site where a worker was injured when a piece of load dislodged from load on flat rack and made contact with the worker. I was advised by a company safety advisor that when the load was safely placed onto the truck by the gantry crane and secured in place, the chains were removed to the centre on each side. At some point when chains were being lifted chains caught on load. I looked at risk assessment and identified it didn't identify the risk. The work procedure also didn't identify or specify how to ensure chains don't get caught in load when hoisting up after load has been landed.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice

Issuing inspector:

[redacted] | [redacted] | [redacted]
Signature of inspector | Inspector's ID | Inspector's contact number

04-JUL-2023 | [redacted]
Date issued | Inspector's location

This contravention must be remedied before:	**Service method:**
12:00 06-JUL-2023	Delivered directly to the person named by electronic transmission
JADE FURNESS Notice given to	Management Representative For Person With Management Or Control Of A Workplace Relationship to person to whom notice is issued

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2078212

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2078212

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

FORM 61 **RECIPIENT'S COPY**
V30.6.18

Requirement to produce document(s)

Work Health and Safety Act 2011
Electrical Safety Act 2002
Safety in Recreational Water Activities Act 2011

Serial No. RDI10001567

This requirement for a person to produce document(s) for an inspector is issued under the:

Work Health and Safety Act 2011, section(s) 171(1)(b)

I require, MR PAUL HEAD _____ to produce the following
name of person who has custody of, or access to the documents(s)

document(s) to me

Document(s) required:
Documentation relating to the incident that occurred on the nightshift of 03/08/22 where a worker was videoed while exposed to a fall while they were vibrating recently poured concrete in the M&E shaft at Roma St Station.

Specifically, the documents required are:
- All available pre-start documentation from nightshift on 04/08/22 (the night after the incident). This should include the CPB pre-start briefing

by 11/07/2023 (date) 23:00 (24 hour time)

Warning: A person who has custody of, or access to, a document, must not, without reasonable excuse, refuse or fail to comply with the requirement to produce document(s) to an inspector. A person is not excused from providing the document(s) on the grounds they may tend to incriminate themselves or expose themselves to a penalty. If you are an individual, any document(s) provided, or evidence (direct or indirect) derived therefrom, is not admissible as evidence against you in civil or criminal proceedings other than proceedings arising out of the false or misleading nature of the document(s). You are not required to produce any document(s) subject to legal professional privilege.

Issuing inspector:

[redacted]

Majella Pearl

Name of inspector | Inspector's Signature | Inspector's ID

Date: 07/07/2023 Time: 11:26 24 hours

The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions. Privacy information is on our website at **www.worksafe.qld.gov.au.**

ABN 94 496 188 983

Queensland Government

FORM 24 **RECIPIENT'S COPY**

Infringement notice

V10.04.23

This notice is issued under the *State Penalties Enforcement Act 1999* section 13 to a person who is contravening or has contravened a provision that has been designated an offence under the Act or Regulation that may attract an infringement notice. This notice requires the person to whom it is issued to ensure payment by the due date unless other available action is taken (refer to the second page of this notice for relevant information).

Notice No. F2012655

Notice issued to:

Legal name of alleged offender: CPB CONTRACTORS PTY LIMITED		
ABN: 98000893667	ACN: 000893667	
Trading as (if applicable):		
Address: SOUTH TOWER, 520 WICKHAM ST, FORTITUDE VALLEY 4006 QLD		
Date of birth:	Gender:	Contact number:
Identification type:	ID number:	

Details of alleged contravention:

Location of offence

RAILWAY TCE, DUTTON PARK (KENT STREET BIKEWAY).

I, Matthew Gipp reasonably believe on 11-JUL-2023 at 11:15 you committed an infringement notice offence by contravening a provision of the:

Work Health and Safety Regulation 2011, regulation 315F(3)

Offence code: 8088

Penalty amount $3600 ***Payment must be received within 28 days of the date of this notice unless other available action has been taken (refer to the second page of this notice for relevant information).***

Description of the offence:

For construction work other than civil/housing construction work) principal contractor failed to ensure correct barricade or hoarding was erected as prescribed.

Issuing inspector:

[redacted]

Signature of inspector

[redacted]

Inspector's ID

[redacted]

Inspector's contact number

11-JUL-2023

Date issued

[redacted]

Inspector's location

Service Method:	Email

Information about payment options is detailed on the second page of this notice.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

ABN 94 496 188 983

Queensland Government

FORM 24 **RECIPIENT'S COPY**

Infringement notice

V10.04.23

This notice is issued under the *State Penalties Enforcement Act 1999* section 13 to a person who is contravening or has contravened a provision that has been designated an offence under the Act or Regulation that may attract an infringement notice. This notice requires the person to whom it is issued to ensure payment by the due date unless other available action is taken (refer to the second page of this notice for relevant information).

Notice No. F2012656

Notice issued to:

Legal name of alleged offender: CPB CONTRACTORS PTY LIMITED		
ABN: 98000893667	ACN: 000893667	
Trading as (if applicable):		
Address: SOUTH TOWER, 520 WICKHAM ST, FORTITUDE VALLEY 4006 QLD		
Date of birth:	Gender:	Contact number:
Identification type:	ID number:	

Details of alleged contravention:

Location of offence

RAILWAY TCE, DUTTON PARK 4102 QLD

I, Matthew Gipp reasonably believe on 11-JUL-2023 at 12:10 you committed an infringement notice offence by contravening a provision of the:

Work Health and Safety Regulation 2011, regulation 346(1)

Offence code: 9011

Penalty amount $3600 ***Payment must be received within 28 days of the date of this notice unless other available action has been taken (refer to the second page of this notice for relevant information).***

Description of the offence:

(a) Person conducting a business or undertaking failed to ensure that a register of hazardous chemicals used, handled or stored at the workplace is prepared and kept at the workplace (b) Person conducting a business or undertaking failed to ensure that the register of hazardous chemicals is maintained so that the information in the register is up to date

Issuing inspector:

[redacted]

Signature of inspector | [redacted] Inspector's ID | [redacted] Inspector's contact number

11-JUL-2023
Date issued

[redacted] Inspector's location

Service Method:	Email

Information about payment options is detailed on the second page of this notice.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

ABN 94 496 188 983

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2060029

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED	
ABN: 98000893667	ACN: 000893667
Trading as:	
Address: RAILWAY TCE, DUTTON PARK 4102 QLD	

Details of contravention:

Site location

RAILWAY TCE, DUTTON PARK (GATE 185).

I, Matthew Gipp reasonably believe on 11-JUL-2023 at 12:05 that you are contravening a provision of the:

Work Health and Safety Regulation 2011 - regulation 346(1)

Brief description of how the provision is being or has been contravened:

CPB CONTRACTORS PTY LIMITED have contravened Regulation 346(1) of the Work Health and Safety Regulations 2011. In forming this reasonable belief, I have taken into account the following:

> Hazardous chemicals were being stored onsite in chemical storage containers at the area identified as gate 185, which is under the management and control of CPB CONTRACTORS PTY LIMITED.
> Chemicals such as Rugasol C (concrete surface retarder), Coloro (bondbreaker), Megapoxy P1 Part A & Megapoxy P1 Part B were being stored in the chemical storage container marked WE7524, CAXU 326460 7 inside the laydown area of gate 185.
> The hardcopy register provided to WHSQ upon request by CPB CONTRACTORS PTY LIMITED contained information that was not up to date.
> This was evidenced by the register not containing reference to Coloro (bondbreaker), and the register referencing out of date safety data sheet information for the Megapoxy Part A & B, and the Rugasl C.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

A person conducting a business or undertaking at a workplace must ensure that- (a) a register of hazardous chemicals used, handled or stored at the workplace is prepared and kept at the workplace; and (b) the register is maintained to ensure the information in the register is up to date.

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Additional information can be sourced from;

> Regulation 346(1) of the Work Health and Safety Regulations 2011.
> The WorkSafe QLD website for Hazardous Chemical Register which can be accessed at: https://www.worksafe.qld.gov.au/safety-and-prevention/hazards/hazardous-chemicals/managing-hazchem-risks/hazardous-chemicals-register

Issuing inspector:

[redacted] | [redacted] | [redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

11-JUL-2023 | [redacted]

Date issued | Inspector's location

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2060029

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This contravention must be remedied before:	**Service method:**
25-JUL-2023	Delivered directly to the person named by electronic transmission
DAVID KAVANAGH Notice given to	Management Representative For Person With Management Or Control Of A Workplace Relationship to person to whom notice is issued

---

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2060029

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2060030

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as:

Address: RAILWAY TCE, DUTTON PARK 4102 QLD

Details of contravention:

Site location

RAILWAY TCE, DUTTON PARK (EAST ABATEMENT)

I, Matthew Gipp reasonably believe on 11-JUL-2023 at 10:47 that you have contravened a provision in circumstances that make it likely that the contravention will continue or be repeated of the:

Work Health and Safety Act 2011 - section(s) 19(3)(F)

Brief description of how the provision is being or has been contravened:

CPB CONTRACTORS PTY LIMITED (CPB) have contravened Section 19(3)(f) of the Work Health and Safety Act 2011. In forming this reasonable belief, I have taken into account the following:

> CPB had implemented an exclusion zone in the area identified as the East Abatement.
> A direct employee of CPB was in the process of operating an 18.3 metre JLG Elevated Work Platform.
> A spotter was engaged to supervise the exclusion zone.
> The exclusion zone had been established with crowd control type barriers and flagging.
> WHSQ Inspectors observed workers from CALEDONIA Scaffolding enter the exclusion zone.
> The exclusion zone barriers were ignored.

Failure to ensure so far as is reasonably practicable the provision of any information, training, instruction or supervision that is necessary to protect all persons from risks to their health and safety arising from work carried out as part of the conduct of the business or undertaking gives rise to the risk to health and safety.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Without limiting subsections 19 (1) and 19 (2), a person conducting a business or undertaking must ensure, so far as is reasonably practicable the provision of any information, training, instruction or supervision that is necessary to protect all persons from risks to their health and safety arising from work carried out as part of the conduct of the business or undertaking.

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Additional information can be sourced from;
> Section 19(3)(f) of the Work Health and Safety Act 2011.
> The WorkSafe QLD website for Training and supervision, which can be accessed at:
https://www.worksafe.qld.gov.au/safety-and-prevention/creating-safe-work/training-and-supervision

Issuing inspector:

[redacted] | [redacted] | [redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

11-JUL-2023 | [redacted]

Date issued | Inspector's location

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2060030

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This contravention must be remedied before:	**Service method:**
25-JUL-2023	Delivered directly to the person named by electronic transmission
DAVID KAVANAGH Notice given to	Management Representative For Person With Management Or Control Of A Workplace Relationship to person to whom notice is issued

---

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2060030

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2060031

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED	
ABN: 98000893667	ACN: 000893667
Trading as:	
Address: RAILWAY TCE, DUTTON PARK 4102 QLD	

Details of contravention:

Site location

RAILWAY TCE, DUTTON PARK (KENT STREET BIKEWAY).

I, Matthew Gipp reasonably believe on 11-JUL-2023 at 11:10 that you are contravening a provision of the:

Work Health and Safety Regulation 2011 - regulation 315F(3)(C)

Brief description of how the provision is being or has been contravened:

CPB CONTRACTORS PTY LIMITED (CPB) have contravened Regulation 315F(3)(C) of the Work Health and Safety Regulations 2011. In forming this reasonable belief, I have taken into account the observations made onsite, photographs taken at the time of the inspection and the following:

> There is perimeter scaffolding erected to PIER 9 on this site.
> The scaffold is a medium duty scaffold erected to an approximate height of 8.5 metres.
> Approximately 3.5 metres of this scaffold extends outside the site's perimeter boundary, encroaching over the KENT STREET BIKEWAY.
> The bikeway provides pedestrian access to the PRINCESS ALEXANDRA HOSPITAL station.

Failure to ensure that falling object controls are put in place can result in a risk to the health and safety of persons utilising the KENT STREET BIKEWAY.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Additional information can be sourced from;
> Regulation 315F(3)(C) of the Work Health and Safety Act 2011.
> The WorkSafe QLD website at https://www.worksafe.qld.gov.au/

Issuing inspector:

[redacted]

Signature of inspector

[redacted]

Inspector's ID

[redacted]

Inspector's contact number

11-JUL-2023

Date issued

[redacted]

Inspector's location

This contravention must be remedied before:	**Service method:**
25-JUL-2023	Delivered directly to the person named by electronic transmission
DAVID KAVANAGH Notice given to	Management Representative For Person With Management Or Control Of A Workplace Relationship to person to whom notice is issued

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2060031

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2060031

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

FORM 61 **RECIPIENT'S COPY**
V30.6.18

Requirement to produce document(s)

Work Health and Safety Act 2011
Electrical Safety Act 2002
Safety in Recreational Water Activities Act 2011

Serial No. RDI10008481

This requirement for a person to produce document(s) for an inspector is issued under the:

Work Health and Safety Act 2011, section(s) 171(1)(b)

I require, DAVID KAVANAGH _____ to produce the following
name of person who has custody of, or access to the documents(s)

document(s) to me

Document(s) required:
> Fit check evidence for ATC employees onsite on Tuesday 11 JULY 2023.
> Safe Work Method Statement for ATC works being performed in MC02, including information on Respirable Crystalline Silica (RCS) control measures.

by 17/07/2023 (date) 12:00 (24 hour time)

Warning: A person who has custody of, or access to, a document, must not, without reasonable excuse, refuse or fail to comply with the requirement to produce document(s) to an inspector. A person is not excused from providing the document(s) on the grounds they may tend to incriminate themselves or expose themselves to a penalty. If you are an individual, any document(s) provided, or evidence (direct or indirect) derived therefrom, is not admissible as evidence against you in civil or criminal proceedings other than proceedings arising out of the false or misleading nature of the document(s). You are not required to produce any document(s) subject to legal professional privilege.

Issuing inspector:



Matthew Gipp

Name of inspector | Inspector's Signature | Inspector's ID

Date: 11/07/2023 Time: 15:06 24 hours

The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions. Privacy information is on our website at **www.worksafe.qld.gov.au.**

ABN 94 496 188 983

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2050482

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: UNITY ALLIANCE

Address: 600 GREGORY TCE, BOWEN HILLS 4006 QLD

Details of contravention:

Site location

Dutton Park Station Cross River Rail, work location Platform 2 Blue zone

I, Travis Dungey reasonably believe on 12-JUL-2023 at 09:58 that you have contravened a provision in circumstances that make it likely that the contravention will continue or be repeated of the:

Work Health and Safety Act 2011 - section(s) 19(3)(D)

Brief description of how the provision is being or has been contravened:

While i was on site, i observed that a piece of Plant, remote controlled roller/ WACKER(RTSC2) had been used, i conducted an audit of the pre-start safety checks list, i observed and photographed that this had not been done, not conducting the safety checks on the plant exposes both the worker operating the plant also others around that plant, if not managed appropriately this will continue to expose workers to risks as a result.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:

It is mandatory to comply with these directions

Work Health and Safety Act 2011 - section 19(3)(D)
Without limiting subsections 19 (1) and 19 (2), a person conducting a business or undertaking must ensure, so far as is reasonably practicable the safe use, handling and storage of plant, structures and substances; and

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted] | [redacted] | [redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

12-JUL-2023 | [redacted]

Date issued | Inspector's location

This contravention must be remedied before: 15-JUL-2023

Service method: Delivered directly to the person named by electronic transmission

SCOTT HOLMBERG — Notice given to

Management Representative For Person Conducting A Business Or Undertaking — Relationship to person to whom notice is issued

---

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2050482

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

FORM 61 **RECIPIENT'S COPY**
V30.6.18

Requirement to produce document(s)

Work Health and Safety Act 2011
Electrical Safety Act 2002
Safety in Recreational Water Activities Act 2011

Serial No. RDI10001726

This requirement for a person to produce document(s) for an inspector is issued under the:

Work Health and Safety Act 2011, section(s) 171(1)(b)

I require, MR MARK TAYLOR _____ to produce the following
name of person who has custody of, or access to the documents(s)

document(s) to me

Document(s) required:
Documentation relating to the incident that occurred on the 12/07/23 where a formwork shutter fell from its roller after the nut lost its connection to the zbar when a worker placed his hand on the shutter.

Specifically, the documents required are:
- The inspection report post the incident outlining the checking of all nut and zbar connections to the rollers.
- Tool box talk regarding the incident
- The control method used to ensure the incident doesn't occur again
- Confirmation of engineering certification of control measure
- Photographs of control measure in place

by 18/07/2023 15:00
date 24 hour time

Warning: A person who has custody of, or access to, a document, must not, without reasonable excuse, refuse or fail to comply with the requirement to produce document(s) to an inspector. A person is not excused from providing the document(s) on the grounds they may tend to incriminate themselves or expose themselves to a penalty. If you are an individual, any document(s) provided, or evidence (direct or indirect) derived therefrom, is not admissible as evidence against you in civil or criminal proceedings other than proceedings arising out of the false or misleading nature of the document(s). You are not required to produce any document(s) subject to legal professional privilege.

Issuing inspector:

Dale Rogers [redacted] [redacted]

Name of inspector Inspector's ID

Date: 13/07/2023 Time: 10:48 24 hours

The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions. Privacy information is on our website at **www.worksafe.qld.gov.au.**

ABN 94 496 188 983

Queensland Government

FORM 12
V1.1.12

RECIPIENT'S COPY

Queensland Government
ABN 94 496 188 983

Work Health and Safety Act 2011
Safety in Recreational Water Activities Act 2011

Prohibition notice

This notice is issued under the *Work Health and Safety Act 2011* section 195 or the *Safety in Recreational Water Activities Act 2011* applied section 195 *Work Health and Safety Act 2011* (which includes a body corporate, government department or public authority) who has or may be reasonably presumed to have control over the prohibited activity. This notice prohibits an activity which involves or will involve an immediate or imminent risk to the health and safety of any person. **The legislation requires that the person to whom a prohibition notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice No. P1035893

Notice issued to:

Legal name of person/business or undertaking: HAWTHORNE CIVIL PTY. LTD.

ABN: 40163856924 | ACN: 163856924

Trading as:

Address: U 6 , 72 RIVERSIDE PL, MORNINGSIDE 4170 QLD

Details of serious risk:

Site location: ALBERT STREET STATION, Lot 2, Acoustic shed, Tower Crane Base Footing

Direction given orally: Y

I, Frank D'Allura reasonably believe on 19-JUL-2023 at 12:55 that an activity may occur at the workplace that will involve a serious risk to the health or safety of a person emanating from an immediate or imminent exposure to a hazard and that this activity is likely to be contravening a provision of the:

Work Health and Safety Act 2011 - section(s) 19(3)(A)

I direct the person with control over the following activity to stop the activity of: allowing workers to access access stairs and perform construction work on top of tower crane base footing where fall risks are not managed.

until an inspector is satisfied that the matters that will give rise to the risk have been remedied.

Basis for inspector's belief:

I attended the commercial construction workplace and conducted a site inspection of works being performed with the Tower crane base footing works. Established that the principal contractor has engaged the contractor to install the structure and to also supply edge protection and access.I established that the edge protection was setup yesterday with access in another location but some of the system was altered and access stair location moved. I conducted a visual inspection of the edge protection system and identified that there were some posts installed without fixing to concrete slab and some panels secured with tie-wire. Also observed a horizontal gap of 390mm at top of stair access to edge protection system where workers could access.The height from the ground to the the top of the tower crane base footing was 2630mm. The company was in the process of stripping the formwork shutters from the edge of concrete footing. I observed workers using the stair access and working on footing.

Directions (if any) on the measures to be taken to remedy the risk, activities or matters or the contravention or likely contravention: It is mandatory to comply with these directions

Recommendations (if any): Recommendations may be followed or you may adopt and follow another way that gives at least the same level of protection against the risk

Issuing inspector:

[redacted] — Signature of inspector

[redacted] — Inspector's ID

[redacted] — Inspector's contact number

19-JUL-2023 — Date issued

[redacted] — Inspector's location

Service method:

Delivered directly to the person named by electronic transmission

TIM DANIELS — Notice given to

Management Representative For Person With Management Or Control Of A Workplace — Relationship to person to whom notice is issued

Information about how to obtain a review of this decision is detailed on the back of this notice.

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice.

You must comply with this notice. Failure to comply may incur a maximum penalty of $100 000 for an individual and $500 000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the Department. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by Office of Industrial Relations to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.
The Office of Industrial Relations privacy information is on our website at www.worksafe.qld.gov.au/.

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2078225

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CBGU D&C JV

Address: LEVEL 6 , 520 WICKHAM ST, FORTITUDE VALLEY 4006 QLD

Details of contravention:

Site location

ROMA STREET STATION, ROMA ST, BRISBANE

I, Frank D'Allura reasonably believe on 25-JUL-2023 at 17:30 that you are contravening a provision of the:

Work Health and Safety Act 2011 - section(s) 19(3)(C)

Brief description of how the provision is being or has been contravened:

CPB CONTRACTORS PTY LIMITED who is conducting a business or undertaking has failed to ensure, so far as is reasonably practicable the provision and maintenance of safe systems of work in relation to managing falling objects. I attended the construction workplace in relation to an incident where a 700mm long x 26mm Dia threaded rod has fallen from approx 4m into an operating telehandler narrowly missing the operator. Through conducting an investigation of the incident and the area and bin used to capture the falling objects being heavy steel components. I have established that there is gaps where the steel falling components can fall over the edge. The process was to use the green bins but after assessing the bin also there would be gaps where object could fall and possibly make contact with operator again as he is required to be operating the plant.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:

It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted] | [redacted] | [redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

25-JUL-2023 | [redacted]

Date issued | Inspector's location

This contravention must be remedied before: 03-AUG-2023

Service method: Delivered directly to the person named by electronic transmission

ADAM BAKER — Notice given to

Management Representative For Person With Management Or Control Of A Workplace — Relationship to person to whom notice is issued

---

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2078225

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

FORM 12 **RECIPIENT'S COPY**
V1.1.12

Prohibition notice

This notice is issued under the *Work Health and Safety Act 2011* section 195 or the *Safety in Recreational Water Activities Act 2011* applied section 195 *Work Health and Safety Act 2011* (which includes a body corporate, government department or public authority) who has or may be reasonably presumed to have control over the prohibited activity. This notice prohibits an activity which involves or will involve an immediate or imminent risk to the health and safety of any person. **The legislation requires that the person to whom a prohibition notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Queensland Government
ABN 94 496 188 983

Work Health and Safety Act 2011
Safety in Recreational Water Activities Act 2011

Notice No. P1033006

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CBGU D&C JV

Address: SOUTH TOWER, 520 WICKHAM ST, FORTITUDE VALLEY 4006 QLD

Details of serious risk:

Site location — Direction given orally: Y

BOGGO ROAD STATION, BOGGO RD, DUTTON PARK 4102 QLD off Joe Baker St,

I, Travis Dungey reasonably believe on 25-JUL-2023 at 16:40 that an activity may occur at the workplace that will involve a serious risk to the health or safety of a person emanating from an immediate or imminent exposure to a hazard and that this activity is likely to be contravening a provision of the:

Work Health and Safety Regulation 2011 - regulation 225(4)

I direct the person with control over the following activity to stop the activity of: allowing workers to access and work on the scaffolding adjacent to wall 71 eastern work zone.

until an inspector is satisfied that the matters that will give rise to the risk have been remedied.

Basis for inspector's belief:

While on site investigating a serious incident where a worker has fallen in excess of 12meters in height and suffered serious injuries, evidence gathered on site indicated the worker has fallen through an ATPAC scaffold edge protection system. As a result, other workers could be at risk if inspections are not conducted, or any necessary alterations and repairs to make sure workers are not exposed to risks of falls while conducting their work.

Directions (if any) on the measures to be taken to remedy the risk, activities or matters or the contravention or likely contravention: It is mandatory to comply with these directions

Work Health and Safety Regulation 2011 - regulation 225(4)
If an inspection indicates that a scaffold at a workplace or its supporting structure creates a risk to health or safety, the person with management or control of the scaffold must ensure that- (a) any necessary repairs, alterations and additions are made or carried out; and (b) the scaffold and its supporting structure are inspected again by a competent person before use of the scaffold is resumed.

Recommendations (if any): Recommendations may be followed or you may adopt and follow another way that gives at at least the same level of protection against the risk

Issuing inspector:

[redacted] — Signature of inspector
[redacted] — Inspector's ID
[redacted] — Inspector's contact number
25-JUL-2023 — Date issued
[redacted] — Inspector's location

Service method:

Delivered directly to the person named by electronic transmission

JUSTIN GRIFFIN — Notice given to
Management Representative For Person Conducting A Business Or Undertaking — Relationship to person to whom notice is issued

Information about how to obtain a review of this decision is detailed on the back of this notice.

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice.

You must comply with this notice. Failure to comply may incur a maximum penalty of $100 000 for an individual and $500 000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the Department. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by Office of Industrial Relations to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.
The Office of Industrial Relations privacy information is on our website at www.workfsafe.qld.gov.au/.

FORM 62
V1.1.12

RECIPIENT'S COPY

ABN 13 846 673 994

Work Health And Safety Act 2011
Electrical Safety Act 2002
Safety in Recreational Water Activities Act 2011

QUEENSLAND GOVERNMENT

Non-disturbance notice

This notice is issued under the *Work Health and Safety Act 2011* section 198, *Safety in Recreational Water Activities Act 2011* applied section 198 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 149. This notice requires the person with management or control of a workplace (which can mean a body corporate, government department or public authority) to preserve the site at which a notifiable incident has occurred or prevent the disturbance of a particular site for a specified period including the operation of plant. **The legislation requires that the person to whom a non-disturbance notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice No. NDI 1027351

Notice issued to:

Legal name of person/business or undertaking:	CPB Contractors Pty Limited
ABN: 98 000 893 667	ACN: 000 893 667
Trading as:	CBGU D+C JV
Address:	Boggo Road Station – Joe Baker Street Dutton Park
	Postcode: 4102

Details of non-disturbance:

Site location / plant location / plant identification:

Boggo Road Station – Joe Baker Street Dutton Park

I, Natalie Harrison (inspector name) on 25/07/23 (date) at 1900 (24 hour time) require the person identified above to:

- ☐ preserve the site at which a notifiable incident has occurred; or
- ☑ prevent the disturbance of a particular site (including any plant, substance, structure or thing associated with the site).

However, the issue of this notice does not prevent the person identified above taking any action:

- to assist an injured person; or
- to remove a deceased person; or
- that is essential to make the site safe or to prevent a further incident; or
- that is associated with a police investigation; or
- for which an inspector has given permission.

Measures to be taken to preserve the site or prevent disturbance of the site:

No person is to touch, disturb or access Wall 71 (Eastern side scaffolding) at the workplace until further advice is received from Workplace Health and Safety

This notice will remain in force until:

Date: 26/07/23 Time 24 hours: 1900

A non-disturbance notice can apply only for a maximum of seven days. If the inspector considers it necessary to do so, he or she may issue one or more subsequent non-disturbance notice, either before or after the expiry of this notice.

Issuing inspector:

[redacted]

Signature of inspector

25/07/23
Date issued

[redacted]
Inspector's location

Inspector's contact number

Service method:

- ☑ Delivered personally
- ☐ Left for a person at the workplace
- ☐ Post
- ☐ Fax
- ☐ Email
- ☐ Left at the person's last known place of residence or business

Justin Griffin
Notice given to

Project Manager
Relationship to person to whom notice is issued

Information about how to obtain a review of this decision is detailed on the back of this notice.

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice.

You must comply with this notice within the period stated. Failure to comply may incur a maximum penalty of $50 000 for an individual, and $250 000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Department of Justice and Attorney-General collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the Department. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by The Department of Justice and Attorney-General to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

The Department of Justice and Attorney-General privacy information is on our website at www.justice.qld.gov.au.

FORM 61
V30.6.18

RECIPIENT'S COPY

Requirement to produce document(s)

Work Health and Safety Act 2011
Electrical Safety Act 2002
Safety in Recreational Water Activities Act 2011

Serial No. RDI 10007351

This requirement for a person to produce document(s) for an inspector is issued under the:

☑ *Work Health and Safety Act 2011*, section 171 (1) (b) ☐ *Electrical Safety Act 2002*, section 141 (1) (b)

☐ *Safety in Recreational Water Activities Act 2011* applied section 171 (1) (b) *Work Health and Safety Act 2011*

I require, Justin Griffin (Project Manager c/o - CBGU Dic JV (PCBU)) to produce the following
name of person who has custody of, or access to the documents(s)

document(s) to me

Document(s) required:

CCTV of the actual incident on 25/07/23
All CCTV from the start of Scaffolding erection at Wall 71
Scaffolding plans } relating to wall 71
Engineering plans }
Sign on sheets / Pre-starts for 25/07/23 (relating to scaffolders work)
Staff lists workings on scaffolding (full names, phone numbers + emails)
Employee / induction documents for Nation Kouka
Training records for Nation Kouka
High Risk Work licence (copy) for Nation Kouka
Atpac manufacturing instructions
SWMS relating to scaffolding

[redacted]

☐ while I am at the workplace; or

☑ by 27/07/23 (date) 5:00pm (1700) (24 hour time).

Warning: A person who has custody of, or access to, a document, must not, without reasonable excuse, refuse or fail to comply with the requirement to produce document(s) to an inspector. A person is not excused from providing the document(s) on the grounds they may tend to incriminate themselves or expose themselves to a penalty. If you are an individual, any document(s) provided, or evidence (direct or indirect) derived therefrom, is not admissible as evidence against you in civil or criminal proceedings other than proceedings arising out of the false or misleading nature of the document(s). You are not required to produce any document(s) subject to legal professional privilege.

Issuing inspector: [redacted] NATALIE HARRISON

Inspector's signature [redacted] Inspector's ID [redacted]

Date: 25/07/23 Time: 1900 24 hours

The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions. Privacy information is on our website at **www.worksafe.qld.gov.au**

Queensland Government

ABN 94 496 188 983

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2050485

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: KENNY CONSTRUCTIONS (AUST.) PTY. LIMITED

ABN: 74096169416 | ACN: 096169416

Trading as:

Address: 23 L2, 1-7 JORDAN ST, GLADESVILLE 2111 NSW

Details of contravention:

Site location

JOE BAKER ST, DUTTON PARK 4102 QLD

I, Travis Dungey reasonably believe on 26-JUL-2023 at 10:15 that you have contravened a provision in circumstances that make it likely that the contravention will continue or be repeated of the:

Work Health and Safety Act 2011 - section(s) 19(3)(C)

Brief description of how the provision is being or has been contravened:

While investigating an incident where a worker has fallen from scaffolding while conducting erecting works, the evidence gathered indicates that a safe system of work needs to be in place. This is to ensure the ATPAC scaffolding used is installed in line with manufacturers guidelines and followed in relation to installing guardrails appropriately, making sure ringlock wedges are secured to prevent dislodgement.
By not ensuring a system of work is in place or maintained for installation, this exposes workers to the potential risk of a fall from height.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Work Health and Safety Act 2011 - section 19(3)(C)
Without limiting subsections 19 (1) and 19 (2), a person conducting a business or undertaking must ensure, so far as is reasonably practicable the provision and maintenance of safe systems of work;

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted] Signature of inspector | [redacted] Inspector's ID | [redacted] Inspector's contact number

26-JUL-2023 Date issued | [redacted] Inspector's location

This contravention must be remedied before: 05-AUG-2023

Service method: Delivered directly to the person named by electronic transmission

SEAN YOUNG — Notice given to

Management Representative For Person Conducting A Business Or Undertaking — Relationship to person to whom notice is issued

---

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2050485

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

FORM 61
V30.6.18

RECIPIENT'S COPY

Requirement to produce document(s)

Work Health and Safety Act 2011
Electrical Safety Act 2002
Safety in Recreational Water Activities Act 2011

Serial No. RDI 10007352

This requirement for a person to produce document(s) for an Inspector is issued under the:

☑ *Work Health and Safety Act 2011*, section 171 (1) (b) ☐ *Electrical Safety Act 2002*, section 141 (1) (b)

☐ *Safety in Recreational Water Activities Act 2011* applied section 171 (1) (b) *Work Health and Safety Act 2011*

I require, Justin Griffin (Project Manager c/o - CBCU JK JV (PL)) to produce the following
name of person who has custody of, or access to the documents(s)
document(s) to me

Document(s) required:

CCTV footage from the same camera as provided under RDI 10007352 which captured the incident on 25/07/23 from the incident time to 1900 (7pm)
and
Still images of every camera (CCTV) at the workplace (Boggo Road Gaol Tour Rail) showing what each camera captures

[redacted]

☐ while I am at the workplace; or

☑ by 31/07/23 (date) 1700 (24 hour time)

Warning: A person who has custody of, or access to, a document, must not, without reasonable excuse, refuse or fail to comply with the requirement to produce document(s) to an inspector. A person is not excused from providing the document(s) on the grounds they may tend to incriminate themselves or expose themselves to a penalty. If you are an individual, any document(s) provided, or evidence (direct or indirect) derived therefrom, is not admissible as evidence against you in civil or criminal proceedings other than proceedings arising out of the false or misleading nature of the document(s). You are not required to produce any document(s) subject to legal professional privilege.

Issuing Inspector:

Natalie Harrison
Name of Inspector

[redacted]

Date: 28/07/23 Time: 1330 24 hours

The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by Inspectors of the OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions. Privacy information is on our website at www.worksafe.qld.gov.au.

Queensland Government

ABN 94 496 188 987

FORM 62
V1.1.12

RECIPIENT'S COPY

ABN 13 846 673 994

Work Health And Safety Act 2011
Electrical Safety Act 2002
Safety in Recreational Water Activities Act 2011

QUEENSLAND GOVERNMENT

Non-disturbance notice

This notice is issued under the *Work Health and Safety Act 2011* section 198, *Safety in Recreational Water Activities Act 2011* applied section 198 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 149. This notice requires the person with management or control of a workplace (which can mean a body corporate, government department or public authority) to preserve the site at which a notifiable incident has occurred or prevent the disturbance of a particular site for a specified period including the operation of plant. **The legislation requires that the person to whom a non-disturbance notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice No. NDI 1027355

Notice issued to:

Legal name of person/business or undertaking: CPS Contractors P/L

ABN: 98000893667 ACN: 000 893 667

Trading as: CPS

Address: Boggo Road Station - Joe Bater St, Dutton Park (the workplace)

Postcode: 4102

Details of non-disturbance:

Site location / plant location / plant identification:

Boggo Road Station - Joe Bater St, Dutton Park (the workplace)

I, Natalie Harrison (inspector name) on 31/07/23 (date) at 1315 (24 hour time) require the person identified above to:

- ☐ preserve the site at which a notifiable incident has occurred; or
- ☑ prevent the disturbance of a particular site (including any plant, substance, structure or thing associated with the site).

However, the issue of this notice does not prevent the person identified above taking any action:

- to assist an injured person; or
- to remove a deceased person; or
- that is essential to make the site safe or to prevent a further incident; or
- that is associated with a police investigation; or
- for which an inspector has given permission.

Measures to be taken to preserve the site or prevent disturbance of the site:

No person is to touch, disturb, access or dismantle 'Wall 71' (eastern side scaffolding) at the workplace until this notice is lifted by the issuing inspector and a representative from Workplace Health and Safety Qld is present.

[redacted]

This notice will remain in force until:

Date: 03/08/23 Time 24 hours: 0900

A non-disturbance notice can apply only for a maximum of seven days. If the inspector considers it necessary to do so, he or she may issue one or more subsequent non-disturbance notice, either before or after the expiry of this notice.

Issuing inspector: [redacted]

Signature of inspector

31/07/23
Date issued

Inspector's ID: Tobias - SNSC
Inspector's location

Inspector's contact number

Service method:

- ☑ Delivered personally
- ☐ Left for a person at the workplace
- ☐ Post
- ☐ Fax
- ☐ Email
- ☐ Left at the person's last known place of residence or business

Victor Coutin
Notice given to

Project Manager
Relationship to person to whom notice is issued

Information about how to obtain a review of this decision is detailed on the back of this notice.

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice.

You must comply with this notice within the period stated. Failure to comply may incur a maximum penalty of $50 000 for an individual, and $250 000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Department of Justice and Attorney-General collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the Department. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by The Department of Justice and Attorney-General to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

The Department of Justice and Attorney-General privacy information is on our website at www.justice.qld.gov.au.

Details of CFMEU Workplace Health and Safety Queensland Incidents

Date of Notice	31/07/2023
Notice Number	RFS10009913
Location	Boggo Rd Station
Incident Description	Receipt for seized things - related to RDI10007351
Issued By	Natalie Harrison

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2059790

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CALEDONIA SA PTY LTD

ABN: 66089689029 | ACN: 089689029

Trading as:

Address: ALBERT STREET TRAIN STATION, ALBERT ST, BRISBANE CITY 4000 QLD

Details of contravention:

Site location

Lot 1 Albert Street Brisbane

I, John Azcune reasonably believe on 10-AUG-2023 at 10:53 that you are contravening a provision of the:
Work Health and Safety Regulation 2011 - regulation 201(2)

Brief description of how the provision is being or has been contravened:

On 7/7/23 the scaffold was swaying when used by inspectors to access the slipform.
The straps are not rigid members, the current configuration does not provide any compressive capacity to ensure stability in all directions, particularly when dynamic loads are applied by workers and in emergency situations.
Inspectors have not received information that the use of the straps is fit for purpose, suitable for the nature and duration of the work, or installed setup and used correctly.
Inspectors observed:
-Stitching on one of the straps near the hooks at the adjustable end is starting to separate. It appears that the outer diameter of the scaffold standard may be too large for the ratchet straps to be safely attached without damaging the stitching.
-The warning label on the straps state, DO NOT use for towing, lifting or personal restraint. These straps are being used as a tie/guy arrangement for the structural stability and restraint for scaffolding which is used to support persons.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted] | [redacted] | [redacted]
Signature of inspector | Inspector's ID | Inspector's contact number

10-AUG-2023 | [redacted]
Date issued | Inspector's location

This contravention must be remedied before: 14-AUG-2023

Service method: Delivered directly to the person named by electronic transmission

BRENDON WRIGHT
Notice given to

Management Representative For Person Conducting A Business Or Undertaking
Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2059790

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Details of CFMEU Workplace Health and Safety Queensland Incidents

Date of Notice	17/08/2023
Notice Number	N/A
Location	Boggo Rd Station
Incident Description	Further S171 and notice from WHSQ to infom of intention to investigate incident from 25/7/23
Issued By	Natalie Harrison

FORM 61 **RECIPIENT'S COPY**
V30.6.18

Requirement to produce document(s)

Work Health and Safety Act 2011
Electrical Safety Act 2002
Safety in Recreational Water Activities Act 2011

Serial No. RDI10000558

This requirement for a person to produce document(s) for an inspector is issued under the:

Work Health and Safety Act 2011, section(s) 171(1)(b)

I require, MR JADE FURNESS _____ to produce the following
name of person who has custody of, or access to the documents(s)

document(s) to me

Document(s) required:
I am requiring documentation as in contractual arrangements between zoomwave constructions [qld] pty ltd and CPB CONTRACTORS PTY LIMITED to verify hourly rate agreement and roles and responsibilities.
Temporary procedures /policies
permit to remove temp works
safety essentials

by 23/08/2023 15:09
date 24 hour time

Warning: A person who has custody of, or access to, a document, must not, without reasonable excuse, refuse or fail to comply with the requirement to produce document(s) to an inspector. A person is not excused from providing the document(s) on the grounds they may tend to incriminate themselves or expose themselves to a penalty. If you are an individual, any document(s) provided, or evidence (direct or indirect) derived therefrom, is not admissible as evidence against you in civil or criminal proceedings other than proceedings arising out of the false or misleading nature of the document(s). You are not required to produce any document(s) subject to legal professional privilege.

Issuing inspector:

Frank D'Allura [redacted]

Name of inspector Inspector's Signature Inspector's ID

Date: 22/08/2023 Time: 18:08 24 hours

The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions. Privacy information is on our website at **www.worksafe.qld.gov.au.**

ABN 94 496 188 983

Queensland Government

FORM 62
V1.1.12

RECIPIENT'S COPY

Non-disturbance notice

This notice is issued under the *Work Health and Safety Act 2011* section 198, the *Safety in Recreational Water Activities Act 2011* applied section 198 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 149. This notice requires the person with management or control of a workplace (which can mean a body corporate, government department or public authority) to preserve the site at which a notifiable incident has occurred or prevent the disturbance of a particular site for a specified period including the operation of plant. **The legislation requires that the person to whom a non-disturbance notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Queensland Government
ABN 94 496 188 983

Work Health and Safety Act 2011
Electrical Safety Act 2002
Safety in Recreational Water Activities Act 2011

Notice No. NDI1026351

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CBGU D&C JV

Address: ROMA STREET STATION, ROMA ST, BRISBANE CITY 4000 QLD

Details of non-disturbance:

Site location / plant location / plant identification

ROMA STREET STATION, ROMA ST, BRISBANE CITY 4000 QLD

I, Jason Argent on 23-AUG-2023 at 16:55 require the person identified above to:

prevent the disturbance of a particular site (including any plant, substance, structure or thing associated with the site)

However, the issue of this notice does not prevent the person identified above taking any action:

- to assist an injured person; or
- to remove a deceased person; or
- that is essential to make the site safe or to prevent a further incident; or
- that is associated with a police investigation; or
- for which an inspector has given permission.

Measures to be taken to preserve the site or prevent disturbance of the site:

Preserve and do not move the Plant KNY1711 Located in B7 for further inspections by Inspectors. The Plant is the Mobile concrete pump owned by Kennys Construction.

This notice will remain in force until:

Date 25-AUG-2023 Time (24 hrs) 07:00

A non-disturbance notice can apply only for a maximum of seven days. If the inspector considers it necessary to do so, he or she may issue one or more subsequent non-disturbance notices, either before or after the expiry of this notice.

Issuing inspector:

[redacted]

Signature of inspector

[redacted] Inspector's ID

[redacted] Inspector's contact number

23-AUG-2023
Date issued

[redacted] Inspector's location

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice.

You must comply with this notice within the period stated. Failure to comply may incur a maximum penalty of $50 000 for an individual, and $250 000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the Department. Note that privacy laws do not apply if other laws prohibit or allow or require the collection of information, and do not apply to the collection of information by The Office of Industrial Relations to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.
The Office of Industrial Relations privacy information is on our website at www.worksafe.qld.gov.au

Service method:

Delivered directly to the person named by electronic transmission	
SHANE BRADLEY	Management Representative For Person With Management Or Control Of A Workplace
Notice given to	Relationship to person to whom notice is issued

Information about how to obtain a review of this decision is detailed on the back this notice.

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice.

You must comply with this notice within the period stated. Failure to comply may incur a maximum penalty of $50 000 for an individual, and $250 000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the Department. Note that privacy laws do not apply if other laws require or allow or require the collection of information, and do not apply to the collection of information by The Office of Industrial Relations to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

The Office of Industrial Relations privacy information is on our website at www.worksafe.qld.gov.au.

FORM 12
V1.1.12

RECIPIENT'S COPY

Prohibition notice

This notice is issued under the *Work Health and Safety Act 2011* section 195 or the *Safety in Recreational Water Activities Act 2011* applied section 195 *Work Health and Safety Act 2011* (which includes a body corporate, government department or public authority) who has or may be reasonably presumed to have control over the prohibited activity. This notice prohibits an activity which involves or will involve an immediate or imminent risk to the health and safety of any person. **The legislation requires that the person to whom a prohibition notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Queensland Government

ABN 94 496 188 983

Work Health and Safety Act 2011
Safety in Recreational Water Activities Act 2011

Notice No. P1055262

Notice issued to:

Legal name of person/business or undertaking: KENNY CONSTRUCTIONS (AUST.) PTY. LIMITED

ABN: 74096169416 | ACN: 096169416

Trading as:

Address: ROMA STREET STATION, ROMA ST, BRISBANE 4000 QLD

Details of serious risk:

Site location | Direction given orally: Y

ROMA STREET STATION, ROMA ST, BRISBANE 4000 QLD

I, Jason Argent reasonably believe on 23-AUG-2023 at 16:30 that an activity is occurring at the workplace that involves a serious risk to the health or safety of a person emanating from an immediate or imminent exposure to a hazard and that this activity is contravening a provision of the:

Work Health and Safety Act 2011 - section(s) 21(2)

I direct the person with control over the following activity to stop the activity of: using the mobile concrete pump KNY711

until an inspector is satisfied that the matters that give rise to the risk have been remedied.

Basis for inspector's belief:

I was made aware of incident that occurred on the 23rd of August 2023 where bu the lines were attached to the concrete pump KNY711 where being cleaned and the lines whipped due to a cleaning / blockage process. The line became uncontrolled when pressure was applied during the cleaning process. The plant was in the direct path of the whipping line. Further observations noted there was bolts missing around the back plate at the bottom of the hopper, gauges that were not clear and the E Stop switch sticker is also missing larges pieces.

Directions (if any) on the measures to be taken to remedy the risk, activities or matters or the contravention or likely contravention: It is mandatory to comply with these directions

Follow:
Work Health and Safety Act 2011 - section 21(2)
The person with management or control of fixtures, fittings or plant at a workplace must ensure, so far as is reasonably practicable, that the fixtures, fittings and plant are without risks to the health and safety of any person.

Recommendations (if any): Recommendations may be followed or you may adopt and follow another way that gives at least the same level of protection against the risk

Issuing inspector:

[redacted] | [redacted] | [redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

23-AUG-2023 | [redacted]

Date issued | Inspector's location

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice.

You must comply with this notice. Failure to comply may incur a maximum penalty of $100 000 for an individual and $500 000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the Department. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by Office of Industrial Relations to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.
The Office of Industrial Relations privacy information is on our website at www.worksafe.qld.gov.au/

Service method:

Delivered directly to the person named by electronic transmission	
KEVIN O'NEILL	Management Representative For Person With Management Or Control Of A Workplace
Notice given to	Relationship to person to whom notice is issued

Information about how to obtain a review of this decision is detailed on the back of this notice.

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice.

You must comply with this notice. Failure to comply may incur a maximum penalty of $100 000 for an individual and $500 000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the Department. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by Office of Industrial Relations to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

The Office of Industrial Relations privacy information is on our website at www.workfsafe.qld.gov.au/.

FORM 12
V1.1.12

RECIPIENT'S COPY

Queensland Government
ABN 94 496 188 983

Work Health and Safety Act 2011
Safety in Recreational Water Activities Act 2011

Prohibition notice

This notice is issued under the *Work Health and Safety Act 2011* section 195 or the *Safety in Recreational Water Activities Act 2011* applied section 195 *Work Health and Safety Act 2011* (which includes a body corporate, government department or public authority) who has or may be reasonably presumed to have control over the prohibited activity. This notice prohibits an activity which involves or will involve an immediate or imminent risk to the health and safety of any person. **The legislation requires that the person to whom a prohibition notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice No. P1055263

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CBGU D&C JV

Address: ROMA STREET STATION, ROMA ST, BRISBANE CITY 4000 QLD

Details of serious risk:

Site location | Direction given orally: Y

ROMA STREET STATION, ROMA ST, BRISBANE CITY 4000 QLD
Location B7 Cabin 4

I, Jason Argent reasonably believe on 23-AUG-2023 at 16:35 that an activity is occurring at the workplace that involves a serious risk to the health or safety of a person emanating from an immediate or imminent exposure to a hazard and that this activity is contravening a provision of the:

Work Health and Safety Act 2011 - section(s) 21(2)

I direct the person with control over the following activity to stop the activity of: using concrete pumping lines located at B7 Cabin 4that were involved in the cleaning incident on the 23rd of August 2023.

until an inspector is satisfied that the matters that give rise to the risk have been remedied.

Basis for inspector's belief:

I was made aware of an incident that occurred with the cleaning of the concrete pumping line located on B7 Cabin 4 on the 23 of August 2023. The line was being pressurised for cleaning and the pressure caused the bottom of the line to whip and injury a worker. Over pressure in the line has caused the sudden burst of air through the line. The lines would require inspection by a competent person to ensure integrity after the incident and increased pressure that has been applied.

Directions (if any) on the measures to be taken to remedy the risk, activities or matters or the contravention or likely contravention: It is mandatory to comply with these directions

Follow:
Work Health and Safety Act 2011 - section 21(2)
The person with management or control of fixtures, fittings or plant at a workplace must ensure, so far as is reasonably practicable, that the fixtures, fittings and plant are without risks to the health and safety of any person.

Recommendations (if any): Recommendations may be followed or you may adopt and follow another way that gives at least the same level of protection against the risk

Issuing inspector:

[redacted]
Signature of inspector

[redacted]
Inspector's ID

[redacted]
Inspector's contact number

23-AUG-2023
Date issued

[redacted]
Inspector's location

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice.

You must comply with this notice. Failure to comply may incur a maximum penalty of $100 000 for an individual and $500 000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the Department. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by Office of Industrial Relations to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.
The Office of Industrial Relations privacy information is on our website at www.worksafe.qld.gov.au/.

Service method:

Delivered directly to the person named by electronic transmission	
SHANE BRADLEY	Management Representative For Person With Management Or Control Of A Workplace
Notice given to	Relationship to person to whom notice is issued

Information about how to obtain a review of this decision is detailed on the back of this notice.

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice.

You must comply with this notice. Failure to comply may incur a maximum penalty of $100 000 for an individual and $500 000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the Department. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by Office of Industrial Relations to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.
The Office of Industrial Relations privacy information is on our website at www.worksafe.qld.gov.au/.

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2051275

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: KENNY CONSTRUCTIONS (AUST.) PTY. LIMITED

ABN: 74096169416 | ACN: 096169416

Trading as:

Address: 365 WONDALL RD, WYNNUM 4178 QLD

Details of contravention:

Site location

ROMA STREET STATION, ROMA ST, BRISBANE 4000 QLD

I, Jason Argent reasonably believe on 23-AUG-2023 at 16:00 that you are contravening a provision of the:

Work Health and Safety Regulation 2011 - regulation 300(1)

Brief description of how the provision is being or has been contravened:

PCBU has failed to ensure compliance with safe work method statement.

I responded to a n incident at the Cross River Rail project on the Roma Street Site whereby a worker has been struck with a whipping concrete pump line, Conversations, observation confirmed the line was not secured to the ground or other structure to prevent uncontrolled movement.

Failure to ensure compliance and understanding of the safe work method statement has caused injuries to a worker.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:

It is mandatory to comply with these directions

Follow:
Work Health and Safety Regulation 2011 - regulation 300(1)
A person conducting a business or undertaking that includes the carrying out of high-risk construction work must put in place arrangements for ensuring that high risk construction work is carried out in accordance with the safe work method statement for the work.

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted] — Signature of inspector

[redacted] — Inspector's ID

[redacted] — Inspector's contact number

24-AUG-2023 — Date issued

[redacted] — Inspector's location

This contravention must be remedied before: 31-AUG-2023

Service method: Delivered directly to the person named by electronic transmission

KEVIN O'NEILL — Notice given to

Management Representative For Person With Management Or Control Of A Workplace — Relationship to person to whom notice is issued

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2051275

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2051275

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2051276

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: KENNY CONSTRUCTIONS (AUST.) PTY. LIMITED

ABN: 74096169416 | ACN: 096169416

Trading as:

Address: ROMA STREET STATION, ROMA ST, BRISBANE 4000 QLD

Details of contravention:

Site location

ROMA STREET STATION, ROMA ST, BRISBANE 4000 QLD

I, Jason Argent reasonably believe on 24-AUG-2023 at 10:00 that you are contravening a provision of the:

Work Health and Safety Act 2011 - section(s) 19(3)(F)

Brief description of how the provision is being or has been contravened:

PCBU had failed to ensure as far as reasonably practicable the provision of information, training and instruction or supervision to protect all persons form the risks to their health and safety.

I was made aware of incident that occurred at the cross-river rail site at Roma Street. There was an uncontrolled pump line that caused workers to be injured during the cleaning process. Workers were not in an exclusion zone, the line operators where left unsupervised by the pump operator during the cleaning process. VOC or training records were requested for the line hands there was nothing available at the time of the request.

Failure to ensure workers are supervisors, trained and have the appropriate instruction for the work activities that they are tasked with can expose them to a risk to their health and safety.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Follow:
Work Health and Safety Act 2011 - section 19(3)(F)
Without limiting subsections 19 (1) and 19 (2), a person conducting a business or undertaking must ensure, so far as is reasonably practicable the provision of any information, training, instruction or supervision that is necessary to protect all persons from risks to their health and safety arising from work carried out as part of the conduct of the business or undertaking.

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector

[redacted] Inspector's ID

[redacted] Inspector's contact number

24-AUG-2023
Date issued

[redacted] Inspector's location

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2051276

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This contravention must be remedied before:	**Service method:**
31-AUG-2023	Delivered directly to the person named by electronic transmission
KEVIN O'NEILL Notice given to	Management Representative For Person Conducting A Business Or Undertaking Relationship to person to whom notice is issued

---

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2051276

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2062966

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: FTF PTY LTD

ABN: 95071702111 | ACN:

Trading as:

Address: U 1 , 29 EXPORT DR, MOLENDINAR 4214 QLD

Details of contravention:

Site location

ROMA STREET STATION, ROMA ST, BRISBANE 4000 QLD

I, Ryan Usher reasonably believe on 23-AUG-2023 at 16:00 that you are contravening a provision of the:

Work Health and Safety Act 2011 - section(s) 19(1)

Brief description of how the provision is being or has been contravened:

As a person conducting a business or undertaking you have failed to ensure, so far as is reasonably practicable the provision and maintenance of safe systems of work.

I responded to an incident where a worker was admitted to hospital after sustaining hose whip related injuries while cleaning a concreate pipeline. Conversations with workers show they unaware that the hose was not secured and that if they knew they would not have pressurised the lines. A safe system of work for checking the entire work environment was not in place to manage risks associated with all elements of the activity.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:

It is mandatory to comply with these directions

Work Health and Safety Act 2011 - section 19(1)
A person conducting a business or undertaking must ensure, so far as is reasonably practicable, the health and safety of (a) workers engaged, or caused to be engaged by the person; and (b)workers whose activities in carrying out work are influenced or directed by the person; while the workers are at work in the business or undertaking.

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted] | [redacted] | [redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

24-AUG-2023 | [redacted]

Date issued | Inspector's location

This contravention must be remedied before: 31-AUG-2023

Service method: Delivered directly to the person named by electronic transmission

JOSH CASSIDY

Notice given to

Management Representative For Person Conducting A Business Or Undertaking

Relationship to person to whom notice is issued

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2062966

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2062966

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

FORM 12
V1.1.12

RECIPIENT'S COPY

Prohibition notice

This notice is issued under the *Work Health and Safety Act 2011* section 195 or the *Safety in Recreational Water Activities Act 2011* applied section 195 *Work Health and Safety Act 2011* (which includes a body corporate, government department or public authority) who has or may be reasonably presumed to have control over the prohibited activity. This notice prohibits an activity which involves or will involve an immediate or imminent risk to the health and safety of any person. **The legislation requires that the person to whom a prohibition notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Queensland Government

ABN 94 496 188 983

Work Health and Safety Act 2011
Safety in Recreational Water Activities Act 2011

Notice No. P1055264

Notice issued to:

Legal name of person/business or undertaking: FTF PTY LTD

ABN: 95071702111 | ACN:

Trading as:

Address: U 1 , 29 EXPORT DR, MOLENDINAR 4214 QLD

Details of serious risk:

Site location | Direction given orally: Y

ROMA STREET STATION, ROMA ST, BRISBANE 4000 QLD

I, Jason Argent reasonably believe on 24-AUG-2023 at 08:50 that an activity is occurring at the workplace that involves a serious risk to the health or safety of a person emanating from an immediate or imminent exposure to a hazard and that this activity is contravening a provision of the:

Work Health and Safety Act 2011 - section(s) 21(2)

I direct the person with control over the following activity to stop the activity of: using the valve attachment for the concrete pump line cleaning

until an inspector is satisfied that the matters that give rise to the risk have been remedied.

Basis for inspector's belief:

I was made aware of incident that occurred at the Cross River Rail site Roma Street on the 23rd of August 2023. The concrete pump line was being cleaned and you were pumping air through your valve at the top of the line. The valve did not have any way to show pressure that was being built up in the line. On the third burst of air the line whipped violently injuring a worker. Whilst the line was not secured you had no way to gauge the pressure that had been applied to the line and system.

Directions (if any) on the measures to be taken to remedy the risk, activities or matters or the contravention or likely contravention: It is mandatory to comply with these directions

Follow:
Work Health and Safety Act 2011 - section 21(2)
The person with management or control of fixtures, fittings or plant at a workplace must ensure, so far as is reasonably practicable, that the fixtures, fittings and plant are without risks to the health and safety of any person.

Recommendations (if any): Recommendations may be followed or you may adopt and follow another way that gives at least the same level of protection against the risk

Issuing inspector:

[redacted]

Signature of inspector | [redacted] Inspector's ID | [redacted] Inspector's contact number

24-AUG-2023
Date issued | [redacted] Inspector's location

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice.

You must comply with this notice. Failure to comply may incur a maximum penalty of $100 000 for an individual and $500 000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the Department. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by Office of Industrial Relations to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.
The Office of Industrial Relations privacy information is on our website at www.worksafe.qld.gov.au/.

Service method:

Delivered directly to the person named by electronic transmission	
JOSH CASSIDY	Management Representative For Person Conducting A Business Or Undertaking
Notice given to	Relationship to person to whom notice is issued

Information about how to obtain a review of this decision is detailed on the back of this notice.

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice.

You must comply with this notice. Failure to comply may incur a maximum penalty of $100 000 for an individual and $500 000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the Department. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by Office of Industrial Relations to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.
The Office of Industrial Relations privacy information is on our website at www.worksafe.qld.gov.au/.

FORM 61 **RECIPIENT'S COPY**
V30.6.18

Requirement to produce document(s)

Work Health and Safety Act 2011
Electrical Safety Act 2002
Safety in Recreational Water Activities Act 2011

Serial No. RDI10000559

This requirement for a person to produce document(s) for an inspector is issued under the:

Work Health and Safety Act 2011, section(s) 171(1)(b)

I require, MR MARK TAYLOR _____ to produce the following
name of person who has custody of, or access to the documents(s)

document(s) to me

Document(s) required:
I attended the construction workplace in relation to an incident which occurred on the 4/7/23 where a worker was injured when assisting with chains attached to overhead gantry crane. I formally requested Keanu DENNIS and Steven Coffin contact details via an email but was not provided this information.I will now require you to provide me with these details so i can have discussions to close off the matter.
I require the contact details being phone and email and medical certificates to show injuries sustained and discharge certificate of KEANU DENNIS and return to work clearance.
I also require the contact details being phone and email of Steven Coffin and photo of his high-risk work licencee .
I also need a copy of document that shows that the 2 workers involved in the activity were signed into the undated system of work.

by 04/09/2023 08:56
date 24 hour time

Warning: A person who has custody of, or access to, a document, must not, without reasonable excuse, refuse or fail to comply with the requirement to produce document(s) to an inspector. A person is not excused from providing the document(s) on the grounds they may tend to incriminate themselves or expose themselves to a penalty. If you are an individual, any document(s) provided, or evidence (direct or indirect) derived therefrom, is not admissible as evidence against you in civil or criminal proceedings other than proceedings arising out of the false or misleading nature of the document(s). You are not required to produce any document(s) subject to legal professional privilege.

Issuing inspector:

Frank D'Allura [redacted]

Name of inspector Inspector's Signature Inspector's ID

Date: 01/09/2023 Time: 08:55 24 hours

The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions. Privacy information is on our website at **www.worksafe.qld.gov.au.**

ABN 94 496 188 983

Queensland Government

FORM 61 **RECIPIENT'S COPY**
V30.6.18

Requirement to produce document(s)

Work Health and Safety Act 2011
Electrical Safety Act 2002
Safety in Recreational Water Activities Act 2011

Serial No. RDI10000560

This requirement for a person to produce document(s) for an inspector is issued under the:

Work Health and Safety Act 2011, section(s) 171(1)(b)

I require, MR JADE FURNESS _____ to produce the following
name of person who has custody of, or access to the documents(s)

document(s) to me

Document(s) required:
I attended the construction workplace on the 22/8/23 in relation to an incident where a 3.3m long 16mm Z bar had fallen over 2m into an area where workers were working.
I require evidence of compliance to close off the matter so i have referred to email from Jade Furness 26/8/23 for cpb improvements.
I require documents, photos or emails to show how the listed items below have been done.
1.- Supervision team from CPB re-structured to provide further support in cavern.
2.- Zoomwave management and supervision team given clarification on roles and responsibilities.
3. Contractors and sub-contractors given clarification on roles and responsibilities by CPB CONTRACTORS PTY LIMITED.
4.a new format for the pre-start toolboxes to improve communication between different work crews.

by 06/09/2023 09:37
date 24 hour time

Warning: A person who has custody of, or access to, a document, must not, without reasonable excuse, refuse or fail to comply with the requirement to produce document(s) to an inspector. A person is not excused from providing the document(s) on the grounds they may tend to incriminate themselves or expose themselves to a penalty. If you are an individual, any document(s) provided, or evidence (direct or indirect) derived therefrom, is not admissible as evidence against you in civil or criminal proceedings other than proceedings arising out of the false or misleading nature of the document(s). You are not required to produce any document(s) subject to legal professional privilege.

Issuing inspector:

Frank D'Allura

Name of inspector | Inspector's Signature | Inspector's ID

Date: 01/09/2023 Time: 09:36 24 hours

The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions. Privacy information is on our website at **www.worksafe.qld.gov.au.**

ABN 94 496 188 983

FORM 61 **RECIPIENT'S COPY**
V30.6.18

Requirement to produce document(s)

Work Health and Safety Act 2011
Electrical Safety Act 2002
Safety in Recreational Water Activities Act 2011

Serial No. RDI10000680

This requirement for a person to produce document(s) for an inspector is issued under the:

Work Health and Safety Act 2011, section(s) 171(1)(b)

I require, MR ADAM BAKER _____ to produce the following
name of person who has custody of, or access to the documents(s)

document(s) to me

Document(s) required:
Incident report with corrective actions
Minutes for the meeting that took place with the concrete crews across the site and CPB Management.
Photos of the new bins that have been ordered.
Photos on the day of the incident taken.
Revised system of work stating 30 minutes prior to a concrete wash out being done on site CPB Superintendent or Project Manager are too inspect only and approve the concrete wash out to go ahead.
Revised safe work method statement with new system.
Copy of the tool box talk conducted with revised safe work method statement.

by 08/09/2023 (date) 08:17 (24 hour time)

Warning: A person who has custody of, or access to, a document, must not, without reasonable excuse, refuse or fail to comply with the requirement to produce document(s) to an inspector. A person is not excused from providing the document(s) on the grounds they may tend to incriminate themselves or expose themselves to a penalty. If you are an individual, any document(s) provided, or evidence (direct or indirect) derived therefrom, is not admissible as evidence against you in civil or criminal proceedings other than proceedings arising out of the false or misleading nature of the document(s). You are not required to produce any document(s) subject to legal professional privilege.

Issuing inspector:

James Ross — Name of inspector

[redacted] — Inspector's Signature

Inspector's ID

Date: 05/09/2023 Time: 08:02 24 hours

The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions. Privacy information is on our website at **www.worksafe.qld.gov.au.**

ABN 94 496 188 983

Queensland Government

FORM 61 **RECIPIENT'S COPY**
V30.6.18

Requirement to produce document(s)

Work Health and Safety Act 2011
Electrical Safety Act 2002
Safety in Recreational Water Activities Act 2011

Serial No. RDI10001571

This requirement for a person to produce document(s) for an inspector is issued under the:

Work Health and Safety Act 2011, section(s) 171(1)(b)

I require, MR MARK TAYLOR _____ to produce the following
name of person who has custody of, or access to the documents(s)

document(s) to me

Document(s) required:
All documentation and information relating to the site 96 Albert Street, Brisbane City, where on 08/09/23 it has been alleged that a worker received a mild electric shock whilst removing an electrical extension lead from a temporary electrical board.

This documentation should include:

- Evidence of Licensed Electricians inspection and test of related temporary distribution board, electrical lead post the event
- Photo of the work area event location showing temporary distribution board, electrical lead
- Copy of the involved workers medical certificate after the medical review
- Investigation report relating to the incident - interim if report has not been finalised

by 15/09/2023 (date) 17:00 (24 hour time)

Warning: A person who has custody of, or access to, a document, must not, without reasonable excuse, refuse or fail to comply with the requirement to produce document(s) to an inspector. A person is not excused from providing the document(s) on the grounds they may tend to incriminate themselves or expose themselves to a penalty. If you are an individual, any document(s) provided, or evidence (direct or indirect) derived therefrom, is not admissible as evidence against you in civil or criminal proceedings other than proceedings arising out of the false or misleading nature of the document(s). You are not required to produce any document(s) subject to legal professional privilege.

Issuing inspector:

Majella Pearl

Name of inspector | Inspector's Signature | Inspector's ID

Date: 12/09/2023 Time: 12:22 24 hours

The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions. Privacy information is on our website at **www.worksafe.qld.gov.au.**

Queensland Government

FORM 62 **RECIPIENT'S COPY**
V1.1.12

Non-disturbance notice

This notice is issued under the *Work Health and Safety Act 2011* section 198, the *Safety in Recreational Water Activities Act 2011* applied section 198 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 149. This notice requires the person with management or control of a workplace (which can mean a body corporate, government department or public authority) to preserve the site at which a notifiable incident has occurred or prevent the disturbance of a particular site for a specified period including the operation of plant. **The legislation requires that the person to whom a non-disturbance notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Queensland Government
ABN 94 496 188 983

Work Health and Safety Act 2011
Electrical Safety Act 2002
Safety in Recreational Water Activities Act 2011

Notice No. NDI1024552

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CBGU D&C JV

Address: SOUTH TOWER, 520 WICKHAM ST, FORTITUDE VALLEY 4006 QLD

Details of non-disturbance:

Site location / plant location / plant identification

BOGGO ROAD STATION, BOGGO RD, DUTTON PARK 4102 QLD

I, Travis Dungey on 14-SEP-2023 at 15:00 require the person identified above to:

preserve the site at which notifiable incident has occurred

However, the issue of this notice does not prevent the person identified above taking any action:

- to assist an injured person; or
- to remove a deceased person; or
- that is essential to make the site safe or to prevent a further incident; or
- that is associated with a police investigation; or
- for which an inspector has given permission.

Measures to be taken to preserve the site or prevent disturbance of the site:

i require that the area of B6 western track line adjacent to the toilet amenities where the Meales concrete pumping pipe has blown out, remains in the condition it is and is not disturbed until the time stated on the notice.

This notice will remain in force until:

Date 15-SEP-2023 Time (24 hrs) 15:00

A non-disturbance notice can apply only for a maximum of seven days. If the inspector considers it necessary to do so, he or she may issue one or more subsequent non-disturbance notices, either before or after the expiry of this notice.

Issuing inspector:

[redacted] | [redacted] | [redacted]
Signature of inspector | Inspector's ID | Inspector's contact number

14-SEP-2023 | [redacted]
Date issued | Inspector's location

Service method:

Delivered directly to the person named by electronic transmission

PAUL HEAD | Management Representative For Person Conducting A Business Or Undertaking
Notice given to | Relationship to person to whom notice is issued

Information about how to obtain a review of this decision is detailed on the back this notice.

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice.

You must comply with this notice within the period stated. Failure to comply may incur a maximum penalty of $50 000 for an individual, and $250 000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the Department. Note that privacy laws do not apply if other laws prohibit or allow or require the collection of information, and do not apply to the collection of information by The Office of Industrial Relations to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.
The Office of Industrial Relations privacy information is on our website at www.worksafe.qld.gov.au.

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2050486

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CBGU D&C JV

Address: SOUTH TOWER, 520 WICKHAM ST, FORTITUDE VALLEY 4006 QLD

Details of contravention:

Site location

BOGGO ROAD STATION, BOGGO RD, DUTTON PARK 4102 QLD
- Stretcher stair next to Alimak access lift, heading to levels B5 and B6.

I, Travis Dungey reasonably believe on 15-SEP-2023 at 11:10 that you are contravening a provision of the:
Work Health and Safety Regulation 2011 - regulation 225(4)

Brief description of how the provision is being or has been contravened:

An inspection of the stretcher stair access that provides access to the lower levels of the western track line has identified that it presents a potential risk to the health and safety of workers.

Whilst on site I observed and photographed the bottom stretcher access stairway to have a large space between the scaffold stair platform and the supporting transom.

As a result, workers required to use this access in general working and/or in an emergency are at a potential risk of falls.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Work Health and Safety Regulation 2011 - regulation 225(4)
If an inspection indicates that a scaffold at a workplace or its supporting structure creates a risk to health or safety, the person with management or control of the scaffold must ensure that- (a) any necessary repairs, alterations and additions are made or carried out; and (b) the scaffold and its supporting structure are inspected again by a competent person before use of the scaffold is resumed.

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted] | [redacted] | [redacted]
Signature of inspector | Inspector's ID | Inspector's contact number

15-SEP-2023 | [redacted]
Date issued | Inspector's location

This contravention must be remedied before: 21-SEP-2023

Service method: Delivered directly to the person named by electronic transmission

PAUL HEAD
Notice given to

Management Representative For Person With Management Or Control Of A Workplace
Relationship to person to whom notice is issued

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2050486

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2050486

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2050487

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: MEALES BRISBANE CONCRETE PUMPING PTY LTD

ABN: 43644711311 | ACN:

Trading as:

Address: 41 BROWNLEE ST, PINKENBA 4008 QLD

Details of contravention:

Site location

JOE BAKER ST, DUTTON PARK 4102 QLD

I, Travis Dungey reasonably believe on 15-SEP-2023 at 11:00 that you are contravening a provision of the:
Work Health and Safety Act 2011 - section(s) 19(1)

Brief description of how the provision is being or has been contravened:

After attending the site for an incident where a concrete pump component (slide valve) has failed due to unknown reasons, an inspection of the concrete pumping plant at the site has identified corrosion/rust on other components that are currently in use.

There is a potential that the incident could have caused damage to other components, if not inspected by a competent person and deemed safe for use, it has the potential to expose workers to risks to their health and safety as a result if not inspected and cleared for use.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

19(3)(b) Without limiting subsections 19 (1) and 19 (2), a person conducting a business or undertaking must ensure, so far as is reasonably practicable the provision and maintenance of safe plant and structures.

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted] | [redacted] | [redacted]
Signature of inspector | Inspector's ID | Inspector's contact number

15-SEP-2023 | [redacted]
Date issued | Inspector's location

This contravention must be remedied before: 21-SEP-2023

Service method: Delivered directly to the person named by electronic transmission

CHRISTOPHER BAGLEY
Notice given to

Management Representative For Person Conducting A Business Or Undertaking
Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2050487

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2039517

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: ROCKTOWN PTY LTD

ABN: 18122450711 | ACN:

Trading as:

Address: ALBERT STREET STATION, ALBERT ST, BRISBANE CITY 4000 QLD

Details of contravention:

Site location

Albert Street, Lot 3. Cross River Rail Brisbane City. 4000

I, Ian Maclean reasonably believe on 18-SEP-2023 at 15:30 that you are contravening a provision of the:

Electrical Safety Regulation 2013 - section(s) 11

Brief description of how the provision is being or has been contravened:

A person conducting a business or undertaking must ensure the person's business or undertaking is conducted in a way that is electrically safe. Rocktown Pty Ltd has failed to ensure the person's business or undertaking is conducted in a way that is electrically safe. This is evidence when When employee's Tom Tuohey and Martin Curran moved the electrical wiring and light fitting that was fixed in position, so they could install the stairway formwork for formstair 7, by doing this they created an electrical risk to the worksite.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Rocktown Pty Ltd must review how they manage risks to health and safety associated with electrical risks at the workplace partially when thier workers are working around energized parts and electrical equipment as requirement ESR 2013 sect 11.

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted] | [redacted] | [redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

18-SEP-2023 | [redacted]

Date issued | Inspector's location

This contravention must be remedied before: 13-OCT-2023

Service method: Delivered directly to the person named by electronic transmission

NICK KNIGHT — Notice given to

Management Representative For Person Conducting A Business Or Undertaking — Relationship to person to whom notice is issued

---

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2039517

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2039518

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: ROCKTOWN PTY LTD

ABN: 18122450711 | ACN:

Trading as:

Address: ALBERT STREET STATION, ALBERT ST, BRISBANE CITY 4000 QLD

Details of contravention:

Site location

Albert Street, Lot 3. Cross River Rail Brisbane City. 4000

I, Ian Maclean reasonably believe on 18-SEP-2023 at 15:30 that you are contravening a provision of the:

Electrical Safety Act 2002 - section(s) 30(2)

Brief description of how the provision is being or has been contravened:

A person conducting a business or undertaking must ensure the person's business or undertaking is conducted in a way that is electrically safe. Rocktown Pty Ltd has failed to ensure the person's business or undertaking is conducted in a way that is electrically safe. This is evidence when When employee's Tom Tuohey and Martin Curran moved the electrical wiring and light fitting that was fixed in position, so they could install the stairway formwork for formstair 7, by doing this they created an electrical risk to the worksite.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Rocktown Pty Ltd must ensure the person's business or undertaking is conducted in a way that is electrically safe. As per their primary duty of care under section 30 of the Electrical Safety Act 2002. Particular, all electrical work must be conducted by only licence electrical workers that are enforced under the Electrical Safety Act 2002.

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

It is recommended a revision or implementation of Rocktown Pty Ltd policies/directions for workers to follow to ensure that electrical work is only performed by a license electrical workers.

Issuing inspector:

[redacted] | [redacted] | [redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

18-SEP-2023 | [redacted]

Date issued | Inspector's location

This contravention must be remedied before: 13-OCT-2023

Service method: Delivered directly to the person named by electronic transmission

NICK KNIGHT

Notice given to

Management Representative For Person Conducting A Business Or Undertaking

Relationship to person to whom notice is issued

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2039518

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2039518

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2051734

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: UNITY ALLIANCE

Address: 520-540 WICKHAM ST, FORTITUDE VALLEY 4006 QLD

Details of contravention:

Site location

600 GREGORY TCE, BOWEN HILLS 4006 QLD
entry gate to site near RNA main area seating

I, Brian Pocock reasonably believe on 04-OCT-2023 at 13:35 that you are contravening a provision of the:

Work Health and Safety Act 2011 - section(s) 19(1)

Brief description of how the provision is being or has been contravened:

After attending site and conducting a site inspection including conversations with workers, it was ascertained that a Forklift has truck a person and caused a serious injury. During the incident the operator of the forklift has got off to open a gate on the site and the forklift has rolled toward him and struck him. There is currently not a system in place to manage the risks associated with this task. The task includes an operator of plant leaving his plant while on an incline/decline and being required to open a gate and then close the gate behind himself. I reasonably believe the lack of a safe system of work for this specific task has led to an incident that has caused a worker serious injury.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Without limiting subsections 19 (1) and 19 (2) of the ACT, a person conducting a business or undertaking must ensure, so far as is reasonably practicable the provision and maintenance of safe systems of work.

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Ensure you manage the risks associated with this task.
Communicate any new changes to workers.
Record communication to workers.

Issuing inspector:

[redacted] | [redacted] |

Signature of inspector | Inspector's ID | Inspector's contact number

04-OCT-2023 | [redacted]

Date issued | Inspector's location

This contravention must be remedied before: 09-OCT-2023

Service method: Delivered directly to the person named by electronic transmission

MATTHEW LAUGHTON
Notice given to

Management Representative For Person With Management Or Control Of A Workplace
Relationship to person to whom notice is issued

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2051734

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2051734

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

FORM 12 **RECIPIENT'S COPY**
V1.1.12

Prohibition notice

This notice is issued under the *Work Health and Safety Act 2011* section 195 or the *Safety in Recreational Water Activities Act 2011* applied section 195 *Work Health and Safety Act 2011* (which includes a body corporate, government department or public authority) who has or may be reasonably presumed to have control over the prohibited activity. This notice prohibits an activity which involves or will involve an immediate or imminent risk to the health and safety of any person. **The legislation requires that the person to whom a prohibition notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Queensland Government
ABN 94 496 188 983

Work Health and Safety Act 2011
Safety in Recreational Water Activities Act 2011

Notice No. P1033008

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: UNITY ALLIANCE

Address: 600 GREGORY TCE, BOWEN HILLS 4006 QLD

Details of serious risk:

Site location — Direction given orally: Y

RNA Exabition ground station upgrade

I, Travis Dungey reasonably believe on 04-OCT-2023 at 12:55 that an activity may occur at the workplace that will involve a serious risk to the health or safety of a person emanating from an immediate or imminent exposure to a hazard and that this activity is likely to be contravening a provision of the:

Work Health and Safety Act 2011 - section(s) 21(2)

I direct the person with control over the following activity to stop the activity of: operating the rough terrain forklift model LS-RT25. until a competent person has conducted an examination of the plant to confirm no further risks to workers if used.

until an inspector is satisfied that the matters that will give rise to the risk have been remedied.

Basis for inspector's belief:

while on site investigating an incident where a worker had been run over by the forklift while conducting works, the forklift may have malfunctioned causing the worker to be injured, if the plant is not checked and cleared for use by a competent person this could continue to expose workers to risks as a result.

Directions (if any) on the measures to be taken to remedy the risk, activities or matters or the contravention or likely contravention: It is mandatory to comply with these directions

Work Health and Safety Act 2011 - section 21(2)
The person with management or control of fixtures, fittings or plant at a workplace must ensure, so far as is reasonably practicable, that the fixtures, fittings and plant are without risks to the health and safety of any person.

Recommendations (if any): Recommendations may be followed or you may adopt and follow another way that gives at least the same level of protection against the risk

Issuing inspector:

[redacted] — Signature of inspector
[redacted] — Inspector's ID
[redacted] — Inspector's contact number
04-OCT-2023 — Date issued
[redacted] — Inspector's location

Service method:

Delivered directly to the person named by electronic transmission

MATTHEW LAUGHTON — Notice given to
Management Representative For Person Conducting A Business Or Undertaking — Relationship to person to whom notice is issued

Information about how to obtain a review of this decision is detailed on the back of this notice.

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice.

You must comply with this notice. Failure to comply may incur a maximum penalty of $100 000 for an individual and $500 000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the Department. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by Office of Industrial Relations to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.
The Office of Industrial Relations privacy information is on our website at www.workfsafe.qld.gov.au/.

FORM 61 **RECIPIENT'S COPY**
V30.6.18

Requirement to produce document(s)

Work Health and Safety Act 2011
Electrical Safety Act 2002
Safety in Recreational Water Activities Act 2011

Serial No. RDI1042576

This requirement for a person to produce document(s) for an inspector is issued under the:

Electrical Safety Act 2002, section(s) 141(1)(b)

I require, MR MARK TAYLOR _____ to produce the following
name of person who has custody of, or access to the documents(s)

document(s) to me

Document(s) required:
Please provide the following information:
1. The name of the PCBU and the employee involved in the reported unsafe work.
2. Contact details of the PCBU and employee, including their business hours phone number and work location.
3. A copy of any report into the matter that was reported to ESO for the above Ref: number 97803.
4. A copy of any direction to sub-contractors and workers on site to stop any work around electrical assets, till a licence electrical worker removes the asset if it's in the way of program works.
5. Any policy relating to, who performs electrical work on site.
6. Any Photographs that are related to incident reported.
7. Please confirm in writing that the electrical risk has been removed and made safe from this incident.

by 24/10/2023 (date) 10:30 (24 hour time)

Warning: A person who has custody of, or access to, a document, must not, without reasonable excuse, refuse or fail to comply with the requirement to produce document(s) to an inspector. A person is not excused from providing the document(s) on the grounds they may tend to incriminate themselves or expose themselves to a penalty. If you are an individual, any document(s) provided, or evidence (direct or indirect) derived therefrom, is not admissible as evidence against you in civil or criminal proceedings other than proceedings arising out of the false or misleading nature of the document(s). You are not required to produce any document(s) subject to legal professional privilege.

Issuing inspector:



Ian Maclean

Name of inspector | Inspector's Signature | Inspector's ID

Date: 18/10/2023 Time: 18:00 24 hours

The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions. Privacy information is on our website at **www.worksafe.qld.gov.au.**

ABN 94 496 188 983

Queensland Government

PLACEHOLDER FOR NOTICE

432.	23.10.2023	S155	Fall from Height		Notice issued under section 155(2) to give information to the Regulator; In relation to an incident that occurred on 25/07/2023.	Steven Reynolds	10/23/2023			to be sent by Legal Team	CPB Contractors Pty Ltd	Boggo Rd	11/20/2023				no response required

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2039523

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CALEDONIA QLD PTY LTD

ABN: 11654768224 | ACN: 654768224

Trading as:

Address: 5 FLEGG ST, DECEPTION BAY 4508 QLD

Details of contravention:

Site location

Albert Street Station, Albert Street, Brisbane City 4000. QLD

I, Ian Maclean reasonably believe on 27-OCT-2023 at 14:30 that you are contravening a provision of the:

Electrical Safety Act 2002 - section(s) 30(1)

Brief description of how the provision is being or has been contravened:

A person conducting a business or undertaking must ensure the person's business or undertaking is conducted in a way that is electrically safe, Caledonia Qld Pty Ltd has failed to ensure the person's business or undertaking is conducted in a way that is electrically safe. This is evidence when Caledonia Qld Pty Ltd employee Sipaoa Kofutua removed the scaffold ledger that had a temporary emergency light fixed to it, leaving a potential electrical risk at the work site.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:

It is mandatory to comply with these directions

Caledonia Qld Pty Ltd must implement or review how they manage risks to health and safety associated with electrical risks at the workplace particularly when erecting and dismantling scaffold.

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted] Signature of inspector

[redacted] Inspector's ID

[redacted] Inspector's contact number

27-OCT-2023 Date issued

[redacted] Inspector's location

This contravention must be remedied before: 10-NOV-2023

Service method: Delivered directly to the person named by electronic transmission

BRENDON WRIGHT Notice given to

Management Representative For Person Conducting A Business Or Undertaking — Relationship to person to whom notice is issued

---

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2039523

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

FORM 62
V1.1.12

RECIPIENT'S COPY

Non-disturbance notice

This notice is issued under the *Work Health and Safety Act 2011* section 198, the *Safety in Recreational Water Activities Act 2011* applied section 198 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 149. This notice requires the person with management or control of a workplace (which can mean a body corporate, government department or public authority) to preserve the site at which a notifiable incident has occurred or prevent the disturbance of a particular site for a specified period including the operation of plant. **The legislation requires that the person to whom a non-disturbance notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Queensland Government
ABN 94 496 188 983

Work Health and Safety Act 2011
Electrical Safety Act 2002
Safety in Recreational Water Activities Act 2011

Notice No. NDI1026352

Notice issued to:

Legal name of person/business or undertaking: MEALES BRISBANE CONCRETE PUMPING PTY LTD

ABN: 43644711311 | ACN:

Trading as:

Address: 113D OAKWAL LANE, WINDSOR 4030 QLD

Details of non-disturbance:

Site location / plant location / plant identification

Lot 1 ALBERT STREET STATION, ALBERT ST, BRISBANE CITY 4000 QLD

I, Jason Argent on 01-NOV-2023 at 18:16 require the person identified above to:

prevent the disturbance of a particular site (including any plant, substance, structure or thing associated with the site)

However, the issue of this notice does not prevent the person identified above taking any action:

- to assist an injured person; or
- to remove a deceased person; or
- that is essential to make the site safe or to prevent a further incident; or
- that is associated with a police investigation; or
- for which an inspector has given permission.

Measures to be taken to preserve the site or prevent disturbance of the site:

Putzmeister Concrete Pump BR103

Not to be operated until inspected by an Engineer for data from the on-board computer.

This notice will remain in force until:

Date 07-NOV-2023 Time (24 hrs) 18:00

A non-disturbance notice can apply only for a maximum of seven days. If the inspector considers it necessary to do so, he or she may issue one or more subsequent non-disturbance notices, either before or after the expiry of this notice.

Issuing inspector:

[redacted]

Signature of inspector

[redacted] Inspector's ID

[redacted] Inspector's contact number

01-NOV-2023
Date issued

[redacted] Inspector's location

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice.

You must comply with this notice within the period stated. Failure to comply may incur a maximum penalty of $50 000 for an individual, and $250 000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the Department. Note that privacy laws do not apply if other laws authorise or allow or require the collection of information, and do not apply to the collection of information by The Office of Industrial Relations to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.
The Office of Industrial Relations privacy information is on our website at www.worksafe.qld.gov.au.

Service method:

Delivered directly to the person named by electronic transmission	
GRANTLEY SCHLOSS	Management Representative For Person Conducting A Business Or Undertaking
Notice given to	Relationship to person to whom notice is issued

Information about how to obtain a review of this decision is detailed on the back this notice.

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice.

You must comply with this notice within the period stated. Failure to comply may incur a maximum penalty of $50 000 for an individual, and $250 000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the Department. Note that privacy laws do not apply if other laws require or allow or require the collection of information, and do not apply to the collection of information by The Office of Industrial Relations to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

The Office of Industrial Relations privacy information is on our website at www.worksafe.qld.gov.au.

FORM 12
V1.1.12

RECIPIENT'S COPY

Prohibition notice

This notice is issued under the *Work Health and Safety Act 2011* section 195 or the *Safety in Recreational Water Activities Act 2011* applied section 195 *Work Health and Safety Act 2011* (which includes a body corporate, government department or public authority) who has or may be reasonably presumed to have control over the prohibited activity. This notice prohibits an activity which involves or will involve an immediate or imminent risk to the health and safety of any person. **The legislation requires that the person to whom a prohibition notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Queensland Government
ABN 94 496 188 983

Work Health and Safety Act 2011
Safety in Recreational Water Activities Act 2011

Notice No. P1055272

Notice issued to:

Legal name of person/business or undertaking: MEALES BRISBANE CONCRETE PUMPING PTY LTD

ABN: 43644711311 | ACN:

Trading as:

Address: 113D OAKWAL LANE, WINDSOR 4030 QLD

Details of serious risk:

Site location | Direction given orally: Y

Lot 1 ALBERT STREET STATION, ALBERT ST, BRISBANE CITY 4000 QLD

I, Jason Argent reasonably believe on 01-NOV-2023 at 13:15 that an activity is occurring at the workplace that involves a serious risk to the health or safety of a person emanating from an immediate or imminent exposure to a hazard and that this activity is contravening a provision of the:

Work Health and Safety Act 2011 - section(s) 21(2)

I direct the person with control over the following activity to stop the activity of: using concrete satellite pumps BR013 and BR014 located at Lot 1 on level B9.

until an inspector is satisfied that the matters that give rise to the risk have been remedied.

Basis for inspector's belief:

I observed and photographed two concrete satellite pumps located at the construction site that have had failures with clamps on the concrete pump lines. After attending to inspect a failure on BR013 that occurred at approximately 0810hrs on the 1/10/2023 whereby a clamp at the end of the boom failed causing the line to separate and have to rely on the safety chain to stop the reducer being uncontrolled and potentially injuring a worker.

I observed BR014 experience another clamp failure on the first section between turret and first stage of line. The clamp became airborne and landed on the lower area near workers and the handle landed in an upper area of the site. The clamp on BR014 had a line blockage just before the clamp was ejected.

Discussions with PBCU advised that the plants had recently been inspected and passed for use.

Failure to ensure plant and equipment is without risk can cause risks to a worker's health and safety.

Directions (if any) on the measures to be taken to remedy the risk, activities or matters or the contravention or likely contravention: It is mandatory to comply with these directions

Follow:
Work Health and Safety Act 2011 - section 21(2)
The person with management or control of fixtures, fittings or plant at a workplace must ensure, so far as is reasonably practicable, that the fixtures, fittings and plant are without risks to the health and safety of any person

Recommendations (if any): Recommendations may be followed or you may adopt and follow another way that gives at least the same level of protection against the risk

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice.

You must comply with this notice. Failure to comply may incur a maximum penalty of $100 000 for an individual and $500 000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the Department. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by Office of Industrial Relations to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.
The Office of Industrial Relations privacy information is on our website at www.worksafe.qld.gov.au/.

Issuing inspector:

[redacted]	[redacted]	[redacted]
Signature of inspector	Inspector's ID	Inspector's contact number
01-NOV-2023	[redacted]	
Date issued	Inspector's location	

Service method:

Delivered directly to the person named by electronic transmission

GRANTLEY SCHLOSS	Management Representative For Person Conducting A Business Or Undertaking
Notice given to	Relationship to person to whom notice is issued

Information about how to obtain a review of this decision is detailed on the back of this notice.

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice.

You must comply with this notice. Failure to comply may incur a maximum penalty of $100 000 for an individual and $500 000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the Department. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by Office of Industrial Relations to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

The Office of Industrial Relations privacy information is on our website at www.worksafe.qld.gov.au/.

Details of CFMEU Workplace Health and Safety Queensland Incidents

Date of Notice	02/11/2023
Notice Number	RFS1109052
Location	Albert Precinct
Incident Description	"Components from the Putzmeister Satellite Concrete Placing Bom BR012 market with yellow spray paint including: 1 x 90 degree elbow 2 x 5"" clamps 1 x black rubber seal 1 x straight section of pipe that leads to turret Condition: used. Pipes filled with concrete. Camps in unknown condition."
Issued By	Jason Argent

FORM 62
V1.1.12

RECIPIENT'S COPY

Non-disturbance notice

This notice is issued under the *Work Health and Safety Act 2011* section 198, the *Safety in Recreational Water Activities Act 2011* applied section 198 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 149. This notice requires the person with management or control of a workplace (which can mean a body corporate, government department or public authority) to preserve the site at which a notifiable incident has occurred or prevent the disturbance of a particular site for a specified period including the operation of plant. **The legislation requires that the person to whom a non-disturbance notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Queensland Government
ABN 94 496 188 983

Work Health and Safety Act 2011
Electrical Safety Act 2002
Safety in Recreational Water Activities Act 2011

Notice No. NDI1026352

Notice issued to:

Legal name of person/business or undertaking: MEALES BRISBANE CONCRETE PUMPING PTY LTD

ABN: 43644711311 | ACN:

Trading as:

Address: 113D OAKWAL LANE, WINDSOR 4030 QLD

Details of non-disturbance:

Site location / plant location / plant identification

Lot 1 ALBERT STREET STATION, ALBERT ST, BRISBANE CITY 4000 QLD

I, Jason Argent on 07-NOV-2023 at 17:45 require the person identified above to:

prevent the disturbance of a particular site (including any plant, substance, structure or thing associated with the site)

However, the issue of this notice does not prevent the person identified above taking any action:

- to assist an injured person; or
- to remove a deceased person; or
- that is essential to make the site safe or to prevent a further incident; or
- that is associated with a police investigation; or
- for which an inspector has given permission.

Measures to be taken to preserve the site or prevent disturbance of the site:

Putzmeister Concrete Pump BR103

Not to be operated until inspected by an Engineer for data from the on-board computer.

This notice will remain in force until:

Date 13-NOV-2023 Time (24 hrs) 18:00

A non-disturbance notice can apply only for a maximum of seven days. If the inspector considers it necessary to do so, he or she may issue one or more subsequent non-disturbance notices, either before or after the expiry of this notice.

Issuing inspector:

[redacted]

Signature of inspector

[redacted]

Inspector's ID

[redacted]

Inspector's contact number

07-NOV-2023

Date issued

[redacted]

Inspector's location

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice.

You must comply with this notice within the period stated. Failure to comply may incur a maximum penalty of $50 000 for an individual, and $250 000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the Department. Note that privacy laws do not apply if other laws prohibit or allow or require the collection of information, and do not apply to the collection of information by The Office of Industrial Relations to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.
The Office of Industrial Relations privacy information is on our website at www.worksafe.qld.gov.au.

Service method:

Delivered directly to the person named by electronic transmission	
GRANTLEY SCHLOSS	Management Representative For Person Conducting A Business Or Undertaking
Notice given to	Relationship to person to whom notice is issued

Information about how to obtain a review of this decision is detailed on the back this notice.

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice.

You must comply with this notice within the period stated. Failure to comply may incur a maximum penalty of $50 000 for an individual, and $250 000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the Department. Note that privacy laws do not apply if other laws authorise or allow or require the collection of information, and do not apply to the collection of information by The Office of Industrial Relations to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

The Office of Industrial Relations privacy information is on our website at www.worksafe.qld.gov.au.

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2075657

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: MEALES BRISBANE CONCRETE PUMPING PTY LTD

ABN: 43644711311 | ACN:

Trading as:

Address: 41 BROWNLEE ST, PINKENBA 4008 QLD

Details of contravention:

Site location

LOT 1 ALBERT STREET STATION, ALBERT ST, BRISBANE CITY 4000 QLD

I, Jason Argent reasonably believe on 08-NOV-2023 at 09:53 that you are contravening a provision of the:

Work Health and Safety Act 2011 - section(s) 19(3)(B)

Brief description of how the provision is being or has been contravened:

PCBU has failed to ensure so far, a reasonably practicable the provision and maintenance of safe plant and structure.

I attended a construction site where you had satellite concrete placing booms, operating known as BRO12 and BR013. During this inspection I was made aware of a clamp failure on BR013, whilst making enquiries with the failure of the clamp on this plant the other plant BR012 had a clamp failure and ejected the 4kg clamp from the boom to the lower ground where workers were pouring concrete.

Enquiries with workers and the PCBU has discovered there is no current system or documented process for clamp inspections. It is done visually by the workers during pipeline inspections and thickness testing. There is no specific regime for inspection, maintenance or replacement available at this time or when requested.

Failure to ensure a system is in place for maintenance and ensuring plant is safe, can expose workers to a risk to their health and safety.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:

It is mandatory to comply with these directions

Follow:
Work Health and Safety Act 2011 - section 19(3)(B)
Without limiting subsections 19 (1) and 19 (2), a person conducting a business or undertaking must ensure, so far as is reasonably practicable the provision and maintenance of safe plant and structures;

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice

Issuing inspector:

[redacted]

Signature of inspector

[redacted]

Inspector's ID

[redacted]

Inspector's contact number

08-NOV-2023

Date issued

[redacted]

Inspector's location

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2075657

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This contravention must be remedied before:	**Service method:**
25-NOV-2023	Delivered directly to the person named by electronic transmission
CHRIS BAGLEY Notice given to	Management Representative For Person Conducting A Business Or Undertaking Relationship to person to whom notice is issued

---

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2075657

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2075658

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: MEALES BRISBANE CONCRETE PUMPING PTY LTD

ABN: 43644711311 | ACN:

Trading as:

Address: 41 BROWNLEE ST, PINKENBA 4008 QLD

Details of contravention:

Site location

Lot 1 ALBERT STREET STATION, ALBERT ST, BRISBANE CITY 4000 QLD

I, Jason Argent reasonably believe on 08-NOV-2023 at 10:16 that you are contravening a provision of the:

Work Health and Safety Act 2011 - section(s) 19(3)(F)

Brief description of how the provision is being or has been contravened:

PCBU has failed to ensure so far as reasonably practicable the provision of any information, training or instruction that is necessary to protect all persons from risks.

I attended a construction site where you had satellite concrete placing booms operating known as BRO12 and BR013. I was made aware of a clamp failure on BR013, whilst making enquiries with the failure of the clamp on this plant the other plant BR012 had a clamp failure and ejected the 4kg clamp from the boom to the lower ground where workers were pouring concrete.

During conversations with your workers, I have established that there is no documented training, information or instruction provided by you for the workers in regard to safe inspection and maintenance of clamps. Workers could describe a process, however evidence obtained from the plant designer and equipment manufacturer showed different elements that should be examined and checked. Your workers were not aware of this process and guidelines.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Follow:
Work Health and Safety Act 2011 - section 19(3)(F)
Without limiting subsections 19 (1) and 19 (2), a person conducting a business or undertaking must ensure, so far as is reasonably practicable the provision of any information, training, instruction or supervision that is necessary to protect all persons from risks to their health and safety arising from work carried out as part of the conduct of the business or undertaking;

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted] Signature of inspector

[redacted] Inspector's ID

[redacted] Inspector's contact number

08-NOV-2023
Date issued

[redacted] Inspector's location

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2075658

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This contravention must be remedied before:	**Service method:**
25-NOV-2023	Delivered directly to the person named by electronic transmission
CHRIS BAGLEY Notice given to	Management Representative For Person Conducting A Business Or Undertaking Relationship to person to whom notice is issued

---

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2075658

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2082489

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CALEDONIA QLD PTY LTD	
ABN: 11654768224	ACN: 654768224
Trading as:	
Address: ROMA STREET STATION, ROMA ST, BRISBANE 4000 QLD	

Details of contravention:

Site location

ROMA STREET STATION, ROMA ST, BRISBANE 4000 QLD

I, Dylan Torres reasonably believe on 21-NOV-2023 at 10:51 that you are contravening a provision of the:

Work Health and Safety Act 2011 - section(s) 26(2)

Brief description of how the provision is being or has been contravened:

CALEDONIA QLD PTY LTD has failed to ensure, so far as is reasonably practicable, that the way in which the plant or structure is installed, constructed or commissioned ensures that the plant or structure is without risks to the health and safety of persons who install or construct the plant or structure at a workplace.

I Conducted an inspection of the scaffolding at the address of ROMA STREET STATION, ROMA ST, BRISBANE 4000 QLD and observed non-compliant scaffolding in the form of Free-standing legs, Missing bracing, Face ties more than 300mm from the node point Raker brace more than 300mm from the node point Inconsistent clipping of paramila mesh, Handrails installed in a way that is incorrect. Tubbing not extending more than 10mm tolerance on coupling, ladders over 2m without fall controls, Access gates lower than 900mm.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:

It is mandatory to comply with these directions

CALEDONIA QLD PTY LTD must ensure, so far as is reasonably practicable, that the way in which the plant or structure is installed, constructed or commissioned ensures that the plant or structure is without risks to the health and safety of persons (a)who install or construct the plant or structure at a workplace; or

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector	[redacted] Inspector's ID	Inspector's contact number
21-NOV-2023 Date issued	[redacted] Inspector's location	

This contravention must be remedied before:	**Service method:**
05-DEC-2023	Delivered directly to the person named by electronic transmission
BRENDON WRIGHT Notice given to	Management Representative For Person Conducting A Business Or Undertaking Relationship to person to whom notice is issued

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collector of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13

RECIPIENT'S COPY

Improvement notice

Notice No. I2082489

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This [redacted] returned where contravention has been remedied before the stated date.
e requirements of this notice have been complied with:

Name in [redacted] WRIGHT Position: STATE MANAGER

Signature [redacted] Date complied: 30/11/2023

ABN 94 496 1[redacted]

Notice No. I2082489

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13

RECIPIENT'S COPY

Improvement notice

Notice No. I2082490

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED	
ABN: 98000893667	ACN: 000893667
Trading as: CBGU D&C JV	
Address: ROMA STREET STATION, ROMA ST, BRISBANE CITY 4000 QLD	

Details of contravention:

Site location

ROMA STREET STATION, ROMA ST, BRISBANE CITY 4000 QLD

I, Dylan Torres reasonably believe on 21-NOV-2023 at 11:59 that you are contravening a provision of the:

Work Health and Safety Act 2011 - section(s) 21(2)

Brief description of how the provision is being or has been contravened:

CPB CONTRACTORS PTY LIMITED with management or control of fixtures, fittings or plant at a workplace has failed to ensure, so far as is reasonably practicable, that the fixtures, fittings and plant are without risks to the health and safety of any person.

I Observed Scaffolding under the control of CPB that has not been maintained where Ties were greater than 300 mm from node points. containment mesh was clipped in a way that was not per manufactures specifications. Bracing missing. Ledgers and transoms removed from standards and free standing legs.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:

It is mandatory to comply with these directions

CPB CONTRACTORS PTY LIMITED with management or control of fixtures, fittings or plant at a workplace must ensure, so far as is reasonably practicable, that the fixtures, fittings and plant are without risks to the health and safety of any person.

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector

[redacted]

Inspector's ID

Inspector's contact number

21-NOV-2023

Date issued

[redacted]

Inspector's location

This contravention must be remedied before:	Service method:
05-DEC-2023	Delivered directly to the person named by electronic transmission
ADAM BAKER Notice given to	Management Representative For Person With Management Or Control Of A Workplace Relationship to person to whom notice is issued

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2082490

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2082490

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2082488

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: SIDE BY SIDE SCAFFOLDING AND RIGGING SERVICES (AUS) PTY LTD	
ABN: 33169610253	ACN: 169610253
Trading as:	
Address: 484 BILSEN RD, GEEBUNG 4034 QLD	

Details of contravention:

Site location

ROMA STREET STATION, ROMA ST, BRISBANE 4000 QLD

I, Dylan Torres reasonably believe on 21-NOV-2023 at 07:38 that you are contravening a provision of the:

Work Health and Safety Act 2011 - section(s) 26(2)

Brief description of how the provision is being or has been contravened:

SIDE BY SIDE SCAFFOLDING AND RIGGING SERVICES has failed to ensure, so far as is reasonably practicable, that the way in which the plant or structure is installed, constructed or commissioned ensures that the plant or structure is without risks to the health and safety of persons who install or construct the plant or structure at a workplace.

I Conducted an inspection of the scaffolding at the address of ROMA STREET STATION, ROMA ST, BRISBANE 4000 QLD and observed non-compliant scaffolding in the form of Splicing not having the correct number of couplings, ledgers and Transoms been removed from standards, free standing legs, bracing missing from multipool arears of the structure Diagonal bracing missing from the loading bays, Face ties more than 300mm from the node point, toe boards installed with only zip ties and containment mesh with incorrect clipping patterns as per manufactures specifications.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:

It is mandatory to comply with these directions

SIDE BY SIDE SCAFFOLDING AND RIGGING SERVICES must ensure, so far as is reasonably practicable, that the way in which the plant or structure is installed, constructed or commissioned ensures that the plant or structure is without risks to the health and safety of persons (a)who install or construct the plant or structure at a workplace; or

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector	Inspector's ID	Inspector's contact number
21-NOV-2023	[redacted]	
Date issued	Inspector's location	

This contravention must be remedied before:	**Service method:**
05-DEC-2023	Delivered directly to the person named by electronic transmission
MIKE TE HIKO	Management Representative For Person Conducting A Business Or Undertaking
Notice given to	Relationship to person to whom notice is issued

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2082488

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2082488

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Internal review of decision

An eligible person whose interests are affected by an original decision may apply for the decision to be reviewed. Refer to the Internal review of decision ? guide for applicants, at www.worksafe.qld.gov.au

An eligible person is:

1. The person to whom the notice was issued.
2. A person conducting a business or undertaking whose interests are affected by the decision.
3. A worker whose interests are affected by the decision.
4. A health and safety representative who represents a worker whose interests are affected by the decision.

How does a person apply for a review of a decision?

The application for internal review must:

a) be made in the approved form to the reviewer

b) supported by enough information to enable the reviewer to decide the application

An application for internal review relating to an improvement notice issued under the *Work Health and Safety Act 2011* and the *Safety in Recreational Water Activities Act 2011* must be lodged before the date stated in the notice for compliance or within 14 calendar days of the decision coming to the notice of the eligible person, whichever is the lesser.

For an improvement notice issued under the *Electrical Safety Act 2002*, the application for internal review must be made within 14 days after the day the applicant receives the notice.

Lodgement of the form can be made via email whsrod@oir.qld.gov.au. Information about how to apply for an internal review of decision, including the application form, is available at www.worksafe.qld.gov.au or by calling 1300 362 128. There is no application fee.

The operation of the improvement notice is stayed (suspended) once the application for review of decision is lodged. The stay remains in effect until a decision is made by the internal reviewer and whichever of the following is earlier ? an external review is applied for or, 28 days have elapsed since the person became aware of the decision.

What happens next?

The internal reviewer must make a decision within 14 calendar days of receiving the application for internal review. The internal reviewer can confirm or vary the reviewable decision, or set aside the reviewable decision and substitute the original decision for another decision. Once the internal reviewer makes the decision, they must notify the applicant of the decision and the reasons for the decision in writing.

External review

An eligible person may apply to an external review body for a review of the internal decision of the internal decision reviewer, or the original decision of the regulator. From the day the applicant received or became aware of the decision, an application for external review must be made within:

- 30 calendar days to the Queensland Industrial Relations Commission (QIRC) relating to the *Work Health and Safety Act 2011*;
- 28 calendar days to the Queensland Civil Administration Tribunal (QCAT) relating to the *Electrical Safety Act 2002* or the *Safety in Recreational Waters Act 2011*.

QCAT and QIRC may confirm or vary the original decision, set aside the original decision and substitute another decision or set aside the original decision and return the matter to the decision maker with appropriate directions.

Please refer to www.worksafe.qld.gov.au or phone 1300 362 128 for more information on how to apply for an external review.

Privacy collection statement

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

The OIR's privacy information is on our website at www.worksafe.qld.gov.au.

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice.

You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2075662

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: KENNY CONSTRUCTION PTY LTD

ABN: 31065215429 | ACN:

Trading as:

Address: JOE BAKER ST, DUTTON PARK 4102 QLD

Details of contravention:

Site location

JOE BAKER ST, DUTTON PARK 4102 QLD
Scaffold Wall 71-82

I, Jason Argent reasonably believe on 22-NOV-2023 at 13:00 that you are contravening a provision of the:

Work Health and Safety Regulation 2011 - regulation 225(4)

Brief description of how the provision is being or has been contravened:

PCBU has failed to ensure scaffold is erected and complete as per the engineer drawings and Australian Standards.

I observed and photographed scaffold installed along the wall 71-82, the system has multiple ties that did not have check couplers installed. There is uni mesh installed at least 4 meters past the last wall tie. There are no additional ties to the top deck of the system to cater for the uni mesh installation.

Failure to ensure the scaffold is built per the plans can exposer persons to a risk to their health and safety.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Follow:
Work Health and Safety Regulation 2011 - regulation 225(4)
If an inspection indicates that a scaffold at a workplace or its supporting structure creates a risk to health or safety, the person with management or control of the scaffold must ensure that- (a) any necessary repairs, alterations and additions are made or carried out; and (b) the scaffold and its supporting structure are inspected again by a competent person before use of the scaffold is resumed.

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector | [redacted] Inspector's ID | [redacted] Inspector's contact number

22-NOV-2023
Date issued

[redacted] Inspector's location

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2075662

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This contravention must be remedied before:	**Service method:**
24-NOV-2023	Delivered directly to the person named by electronic transmission
DANNY MCCARTIN Notice given to	Management Representative For Person With Management Or Control Of A Workplace Relationship to person to whom notice is issued

---

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2075662

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2075663

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: KENNY CONSTRUCTION PTY LTD

ABN: 31065215429 | ACN:

Trading as:

Address: 365 WONDALL RD, WYNNUM 4178 QLD

Details of contravention:

Site location

JOE BAKER ST, DUTTON PARK 4102 QLD
Uni Meshe Installed Across PCBU Equipment

I, Jason Argent reasonably believe on 22-NOV-2023 at 13:00 that you are contravening a provision of the:

Work Health and Safety Act 2011 - section(s) 26(2)

Brief description of how the provision is being or has been contravened:

PCBU has failed to ensure that as far as reasonably practicable that the way in which plant or structure is installed is without risk to the health and safety of any persons.

I observed and photographed Uni mesh installed along the scaffold at wall 71-82 of the construction site. The mesh had not been installed as per the manufacturer's instructions. This includes the tie plan that should be used to secure it to the scaffold. I observed gaps greater than 50mm in places throughout the mesh. There are sections of mesh missing near stairs on the Northern scaffold bay at the top and not at a Compliant height over a walkway.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Follow:
Work Health and Safety Act 2011 - section 26(2)
The person must ensure, so far as is reasonably practicable, that the way in which the plant or structure is installed, constructed or commissioned ensures that the plant or structure is without risks to the health and safety of persons (a)who install or construct the plant or structure at a workplace; or

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

PCBU should ensure that all mesh is installed as per the manufacturers guidelines across their plant and systems.

Issuing inspector:

[redacted]

Signature of inspector | [redacted] Inspector's ID | [redacted] Inspector's contact number

22-NOV-2023
Date issued

[redacted] Inspector's location

This contravention must be remedied before: 07-DEC-2023

Service method: Delivered directly to the person named by electronic transmission

DANNY MCCARTIN
Notice given to

Management Representative For Person With Management Or Control Of A Workplace
Relationship to person to whom notice is issued

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2075663

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2075663

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2075664

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CBGU D&C JV

Address: 520 WICKHAM ST, FORTITUDE VALLEY 4006 QLD

Details of contravention:

Site location

BOGGO ROAD STATION, BOGGO RD, DUTTON PARK 4102 QLD

I, Jason Argent reasonably believe on 22-NOV-2023 at 13:30 that you are contravening a provision of the:

Work Health and Safety Act 2011 - section(s) 21(2)

Brief description of how the provision is being or has been contravened:

PC has failed to ensure as far as reasonably practicable that the fixtures, fittings and plant are without risk to health and safety.

I observed and photographed Uni Mesh installation across the construction site that had been installed to prevent objects falling. This is on scaffold, handrails and penetrations / void areas. The mesh has not been installed with a correct tie plan as specified by the manufacture or been signed off by an engineer as a Compliant installation. The site has numerous areas in which the product is used and inspections of select areas indicated it was not installed correctly. The PC has multiple entities installing the mesh and is not ensuring that they are complying with the instructions for installation.

Failure to ensure Mesh is installed correctly can exposer workers to a risk to their health and safety.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Follow:
Work Health and Safety Act 2011 - section 21(2)
The person with management or control of fixtures, fittings or plant at a workplace must ensure, so far as is reasonably practicable, that the fixtures, fittings and plant are without risks to the health and safety of any person.

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector

[redacted] Inspector's ID

[redacted] Inspector's contact number

22-NOV-2023
Date issued

[redacted] Inspector's location

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2075664

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This contravention must be remedied before:	**Service method:**
07-DEC-2023	Delivered directly to the person named by electronic transmission
ROSS LEADLEY Notice given to	Management Representative For Person With Management Or Control Of A Workplace Relationship to person to whom notice is issued

---

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2075664

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2081552

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: KENNY CONSTRUCTION PTY LTD

ABN: 31065215429 | ACN:

Trading as:

Address: 365 WONDALL RD, WYNNUM 4178 QLD

Details of contravention:

Site location

B4 South formwork prop area access way DOKA system
Wall 71 p7-13 far end open PERI system

I, Brian Pocock reasonably believe on 22-NOV-2023 at 12:34 that you are contravening a provision of the:

Work Health and Safety Act 2011 - section(s) 19(3)(B)

Brief description of how the provision is being or has been contravened:

You have not ensured, so far as is reasonably practicable the provision and maintenance of safe plant and structures.

I observed in Wall 71 p7-13 far end open PERI system on the top of a prop being blocked with timber, one of the components is rotted and water damaged. Although all other timbers are in good condition this one is load bearing in the prop that it is being used in.

I observed in B4 South formwork prop area access way, part of the DOKA system, one of the H20 beam running long ways down the access way is partially off its base and only just sitting on in other places with risk of it falling out. Discussions have shown that the area has not been loaded and that it will not be loaded until the H20 is replaced in the correct position or removed if able to be.

These components mentioned above give rise to the risk of the parts falling or falling and further hazards being created.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Ensure all components identified are replaced or installed correctly and reinspected by a competent person.

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted] | [redacted] | [redacted]
Signature of inspector | Inspector's ID | Inspector's contact number

22-NOV-2023 | [redacted]
Date issued | Inspector's location

This contravention must be remedied before: 25-NOV-2023

Service method: Delivered directly to the person named by electronic transmission

DANNY MCCARTIN
Notice given to

Management Representative For Person Conducting A Business Or Undertaking
Relationship to person to whom notice is issued

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2081552

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2081552

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2081553

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: KENNY CONSTRUCTION PTY LTD

ABN: 31065215429 | ACN:

Trading as:

Address: 365 WONDALL RD, WYNNUM 4178 QLD

Details of contravention:

Site location

Wall 71 p7-13 and p14-15.5

I, Brian Pocock reasonably believe on 22-NOV-2023 at 11:48 that you are contravening a provision of the:

Work Health and Safety Regulation 2011 - regulation 40(A)

Brief description of how the provision is being or has been contravened:

You have not ensured, so far as is reasonably practicable that the layout of the workplace allows, and the workplace is maintained so as to allow, for persons to enter and exit and to move about without risk to health and safety, both under normal working conditions and in an emergency.

I observed multiple areas on site where starter bars and steel bars are protruding out of the formwork on Wall 71 between sections p7-15.5. These are in some cases protruding past the internal handrails and give rise to the risk of persons coming in contact with an exposed metal end, and risk of lacerations and impalement.

These areas are needing to be accessed by form workers and other workers, and are able to be reasonably controlled by placing starter bar caps on, as is done else where on the site.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Ensure you control the risk of workers coming in contact with exposed sharp metal starter bars and steel formwork bars in areas where workers can access them.

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted] | [redacted] | [redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

22-NOV-2023 | [redacted]

Date issued | Inspector's location

This contravention must be remedied before: 25-NOV-2023

Service method: Delivered directly to the person named by electronic transmission

DANNY MCCARTIN

Notice given to

Management Representative For Person Conducting A Business Or Undertaking

Relationship to person to whom notice is issued

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2081553

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2081553

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2077951

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CALEDONIA QLD PTY LTD

ABN: 11654768224 | ACN: 654768224

Trading as:

Address: ALBERT STREET STATION, ALBERT ST, BRISBANE CITY 4000 QLD

Details of contravention:

Site location

Lot 1, Albert Street Station, Albert Street, Brisbane

I, Angela Hall reasonably believe on 23-NOV-2023 at 10:00 that you are contravening a provision of the:

Work Health and Safety Act 2011 - section(s) 26(2)(D)

Brief description of how the provision is being or has been contravened:

CALEDONIA QLD PTY LTD has failed to ensure, so far as is reasonably practicable, that the way in which the plant or structure is installed, constructed or commissioned ensures that the plant or structure is without risks to the health and safety of persons who are at or in the vicinity of a workplace and whose health or safety may be affected by a use or activity mentioned in paragraph (a), (b) or (c).

I attended a construction site where I observed and photographed a scaffold erected, mesh not erected as per design, stairs not joined together, girder clamp not installed as a pair, ladder not within a bay, missing ties between legs using as singles and not doubles. The scaffold must be erected fit for the purpose is intended to be used.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted] | [redacted] | Inspector's contact number

Signature of inspector | Inspector's ID

23-NOV-2023 | [redacted]

Date issued | Inspector's location

This contravention must be remedied before: 07-DEC-2023

Service method: Delivered directly to the person named by electronic transmission

ANDREW GORMAN — Notice given to

Management Representative For Person With Management Or Control Of A Workplace — Relationship to person to whom notice is issued

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2077951

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2077951

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2077952

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: ROCKTOWN PTY LTD

ABN: 18122450711 | ACN:

Trading as:

Address: ALBERT STREET STATION, ALBERT ST, BRISBANE CITY 4000 QLD

Details of contravention:

Site location

Lot 1, Albert Street Station, Albert Street, Brisbane

I, Angela Hall reasonably believe on 23-NOV-2023 at 10:15 that you have contravened a provision in circumstances that make it likely that the contravention will continue or be repeated of the:

Work Health and Safety Act 2011 - section(s) 19(3)(F)

Brief description of how the provision is being or has been contravened:

I observed a catch netting that had been erected the way in which it was installed was not as per design, rakers were installed incorrectly, no back up clips, with further conversation the erection of the system could have possibly been installed by persons without the appropriate authority to do so. Rocktown must ensure any scaffold erected by them, must be erected by a person with an appropriate licence to do so. Rocktown must also provide appropriate training, instruction and supervision of works asked of them.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Without limiting subsections 19 (1) and 19 (2), a person conducting a business or undertaking must ensure, so far as is reasonably practicable the provision of any information, training, instruction or supervision that is necessary to protect all persons from risks to their health and safety arising from work carried out as part of the conduct of the business or undertaking;

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted] | [redacted] | [redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

23-NOV-2023 | [redacted]

Date issued | Inspector's location

This contravention must be remedied before: 07-DEC-2023

Service method: Delivered directly to the person named by electronic transmission

DARA O'DONNELL

Notice given to

Management Representative For Person With Management Or Control Of A Workplace

Relationship to person to whom notice is issued

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2077952

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2077952

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13

RECIPIENT'S COPY

Improvement notice

Notice No. I2077953

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CBGU D&C JV

Address: ALBERT STREET STATION ST, BRISBANE 4000 QLD

Details of contravention:

Site location

LOT 1, Albert Street Station, Albert Street, Brisbane

I, Angela Hall reasonably believe on 23-NOV-2023 at 10:15 that you have contravened a provision in circumstances that make it likely that the contravention will continue or be repeated of the:

Work Health and Safety Act 2011 - section(s) 19(3)(C)

Brief description of how the provision is being or has been contravened:

CPB failed to ensure, so far as is reasonably practicable the provision and maintenance of safe systems of work.

I observed a supervisor from CPB supervising the work of Rocktown Pty Ltd who were dismantling scaffold without an appropriate licence and training to do so. Licenced scaffolders were in the area however were not supervising at the time.

CPB must ensure when high risk work is being performed the appropriate training, supervision and instruction is given to workers to perform their duties appropriately.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Without limiting subsections 19 (1) and 19 (2), a person conducting a business or undertaking must ensure, so far as is reasonably practicable the provision and maintenance of safe systems of work;

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector | [redacted] Inspector's ID | Inspector's contact number

23-NOV-2023
Date issued

[redacted] Inspector's location

This contravention must be remedied before: 07-DEC-2023

Service method: Delivered directly to the person named by electronic transmission

MARK TAYLOR
Notice given to

Management Representative For Person Conducting A Business Or Undertaking
Relationship to person to whom notice is issued

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2077953

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2077953

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

FORM 61 **RECIPIENT'S COPY**
V30.6.18

Requirement to produce document(s)

Work Health and Safety Act 2011
Electrical Safety Act 2002
Safety in Recreational Water Activities Act 2011

Serial No. RDI10000752

This requirement for a person to produce document(s) for an inspector is issued under the:

Work Health and Safety Act 2011, section(s) 171(1)(b)

I require, MR STEPHEN BUSH _____ to produce the following
name of person who has custody of, or access to the documents(s)

document(s) to me

Document(s) required:
- Evidence the training in Respirable Crystaline Silica dust (RCS) was delivered by a suitably qualified and competent person with relevant subject matter expertise and training experience
- Records of RCS compliant tool purchases
- Training for workers in the use of the RCS tools purchased
- SWMS for RCS tasks and evidence of the consultation with workers
- Evidence that heath monitoring is being provided to at risk workers that meet the requirements of section 10 from COP Managing RCS dust exposure in construction and manufacturing of construction elements 2022
- Evidence of the RCS monitoring from site by hygienist
- Fit testing records for workers completing RCS tasks
- Induction records for workers at Northern Portal completing RCS tasks

The documents were requested at the meeting on CPB's site on the morning of the 30/11/2023 and agreed it would be provided on the day. No documents have yet been received.

by 06/12/2023 (date) 10:58 (24 hour time)

Warning: A person who has custody of, or access to, a document, must not, without reasonable excuse, refuse or fail to comply with the requirement to produce document(s) to an inspector. A person is not excused from providing the document(s) on the grounds they may tend to incriminate themselves or expose themselves to a penalty. If you are an individual, any document(s) provided, or evidence (direct or indirect) derived therefrom, is not admissible as evidence against you in civil or criminal proceedings other than proceedings arising out of the false or misleading nature of the document(s). You are not required to produce any document(s) subject to legal professional privilege.

Issuing inspector:



Rachel Johnson

Name of inspector | Inspector's Signature | Inspector's ID

Date: 04/12/2023 Time: 10:47 24 hours

The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the OIR. Note that privacy laws do not apply if other laws conflict or allow or

Queensland Government

require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions. Privacy information is on our website at **www.worksafe.qld.gov.au.**

ABN 94 496 188 983

FORM 61 **RECIPIENT'S COPY**
V30.6.18

Requirement to produce document(s)

Work Health and Safety Act 2011
Electrical Safety Act 2002
Safety in Recreational Water Activities Act 2011

Serial No. RDI10000702

This requirement for a person to produce document(s) for an inspector is issued under the:

Work Health and Safety Act 2011, section(s) 171(1)(b)

I require, CHRIS CREDARO _____ to produce the following
name of person who has custody of, or access to the documents(s)

document(s) to me

Document(s) required:
Document available (such as SWMS) that identifies the actual work being undertaken at this phase of the project.

Documents that describe the controls for equipment such as electrical equipment that incorporates water suppression and tools used for dust extraction.

Information provided to workers that sets out training fir the use of RPE and filters.

Documents of information sets out schedules for washdowns of plant and machinery.

SWMS/Dust control plan for tasks involving RCS dust exposure.

Information available to workers regarding health monitoring (including the purpose of health monitoring, how it benefits workers, what is involved, and what support is available if the doctor finds a problem) - is there a document available or published?

Documents that address training and information provided to other workers with on the risks from RCS and the controls being used (eg. office & cleaning staff)

Records of training provided to workers should be kept, including a record of who was trained, when they were trained, and what information was included.

by 08/01/2024 14:00
date 24 hour time

Warning: A person who has custody of, or access to, a document, must not, without reasonable excuse, refuse or fail to comply with the requirement to produce document(s) to an inspector. A person is not excused from providing the document(s) on the grounds they may tend to incriminate themselves or expose themselves to a penalty. If you are an individual, any document(s) provided, or evidence (direct or indirect) derived therefrom, is not admissible as evidence against you in civil or criminal proceedings other than proceedings arising out of the false or misleading nature of the document(s). You are not required to produce any document(s) subject to legal professional privilege.

Issuing inspector:

Mark Murphy

[redacted]

Name of inspector | Inspector's Signature | Inspector's ID

Date: 22/12/2023 Time: 13:10 24 hours

The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions. Privacy information is on our website at **www.worksafe.qld.gov.au.**

ABN 94 496 188 983

Queensland Government

Form 13

RECIPIENT'S COPY

Improvement notice

Notice No. I2075637

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CBGU D&C JV

Address: 867 MAIN ST, WOOLLOONGABBA 4102 QLD

Details of contravention:

Site location

in 3 different areas crane lifting yards.

I, John Azcune reasonably believe on 15-JAN-2024 at 11:29 that you are contravening a provision of the:

Work Health and Safety Act 2011 - section(s) 19(3)(C)

Brief description of how the provision is being or has been contravened:

3 different site areas [crane lifting yards] where plant was used and not carried out the manufacture's requirement of daily check. A safe system of work must be maintained to ensure that manufactures requirements are for-filled before using mobile plant.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted] | [redacted] | [redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

15-JAN-2024 | [redacted]

Date issued | Inspector's location

This contravention must be remedied before: 17-JAN-2024

Service method: Delivered directly to the person named by electronic transmission

ROD SMALL — Notice given to

Management Representative For Person Conducting A Business Or Undertaking — Relationship to person to whom notice is issued

---

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2075637

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2081569

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED	
ABN: 98000893667	ACN: 000893667
Trading as: CBGU D&C JV	
Address: SOUTH TOWER, 520 WICKHAM ST, FORTITUDE VALLEY 4006 QLD	

Details of contravention:

Site location

Unity Alliance RIS

I, Brian Pocock reasonably believe on 19-JAN-2024 at 11:00 that you have contravened a provision in circumstances that make it likely that the contravention will continue or be repeated of the:

Work Health and Safety Act 2011 - section(s) 19(3)(F)

Brief description of how the provision is being or has been contravened:

As a person conducting a business or undertaking, you have not ensured, so far as is reasonably practicable the provision of any information, training, instruction or supervision that is necessary to protect all persons from risks to their health and safety arising from work carried out as part of the conduct of the business or undertaking.
Site inspection and discussion with workers on a construction site part of Unity Alliance RIS has confirmed that the training related to Heat Management at site is not effective so as to protect all persons from risks to their health and safety arising from work carried out as part of the business or undertaking.
Pre-Starts, Toolbox Talks & Heat Management Plan with some information delivered to workers & some to supervisors to pass on. Discissions with workers including Waterproofers, WCI, Matrix, GTE, Edge and Unity Alliance has shown they do not show they have been effectively trained in how to manage the risks associated with heat management

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Comply with Work Health and Safety Act 2011 - section 19(3)(F)
Without limiting subsections 19 (1) and 19 (2), a person conducting a business or undertaking must ensure, so far as is reasonably practicable the provision of any information, training, instruction or supervision that is necessary to protect all persons from risks to their health and safety arising from work carried out as part of the conduct of the business or undertaking;

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

19-JAN-2024
Date issued

[redacted]
Inspector's location

This contravention must be remedied before:	**Service method:**
26-JAN-2024	Delivered directly to the person named by electronic transmission
YOUNGMIN LEE Notice given to	Management Representative For Person With Management Or Control Of A Workplace Relationship to person to whom notice is issued

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2081569

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2081569

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Internal review of decision

An eligible person whose interests are affected by an original decision may apply for the decision to be reviewed. Refer to the Internal review of decision ? guide for applicants, at www.worksafe.qld.gov.au

An eligible person is:

1. The person to whom the notice was issued.
2. A person conducting a business or undertaking whose interests are affected by the decision.
3. A worker whose interests are affected by the decision.
4. A health and safety representative who represents a worker whose interests are affected by the decision.

How does a person apply for a review of a decision?

The application for internal review must:

a) be made in the approved form to the reviewer

b) supported by enough information to enable the reviewer to decide the application

An application for internal review relating to an improvement notice issued under the *Work Health and Safety Act 2011* and the *Safety in Recreational Water Activities Act 2011* must be lodged before the date stated in the notice for compliance or within 14 calendar days of the decision coming to the notice of the eligible person, whichever is the lesser.

For an improvement notice issued under the *Electrical Safety Act 2002*, the application for internal review must be made within 14 days after the day the applicant receives the notice.

Lodgement of the form can be made via email whsrod@oir.qld.gov.au. Information about how to apply for an internal review of decision, including the application form, is available at www.worksafe.qld.gov.au or by calling 1300 362 128. There is no application fee.

The operation of the improvement notice is stayed (suspended) once the application for review of decision is lodged. The stay remains in effect until a decision is made by the internal reviewer and whichever of the following is earlier ? an external review is applied for or, 28 days have elapsed since the person became aware of the decision.

What happens next?

The internal reviewer must make a decision within 14 calendar days of receiving the application for internal review. The internal reviewer can confirm or vary the reviewable decision, or set aside the reviewable decision and substitute the original decision for another decision. Once the internal reviewer makes the decision, they must notify the applicant of the decision and the reasons for the decision in writing.

External review

An eligible person may apply to an external review body for a review of the internal decision of the internal decision reviewer, or the original decision of the regulator. From the day the applicant received or became aware of the decision, an application for external review must be made within:

- 30 calendar days to the Queensland Industrial Relations Commission (QIRC) relating to the *Work Health and Safety Act 2011*;
- 28 calendar days to the Queensland Civil Administration Tribunal (QCAT) relating to the *Electrical Safety Act 2002* or the *Safety in Recreational Waters Act 2011*.

QCAT and QIRC may confirm or vary the original decision, set aside the original decision and substitute another decision or set aside the original decision and return the matter to the decision maker with appropriate directions.

Please refer to www.worksafe.qld.gov.au or phone 1300 362 128 for more information on how to apply for an external review.

Privacy collection statement

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

The OIR's privacy information is on our website at www.worksafe.qld.gov.au.

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice.

You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

FORM 61 **RECIPIENT'S COPY**
V30.6.18

Requirement to produce document(s)

Work Health and Safety Act 2011
Electrical Safety Act 2002
Safety in Recreational Water Activities Act 2011

Serial No. RDI10004663

This requirement for a person to produce document(s) for an inspector is issued under the:

Work Health and Safety Act 2011, section(s) 171(1)(b)

I require, Mr CHRIS CREDARO _____ to produce the following
name of person who has custody of, or access to the documents(s)

document(s) to me

Document(s) required:
Documents including incident reports or notes in relation to workers that have attended the first aid rooms on sites with symptoms of heat stress.

Also, documents including medical reports for workers, who have been transported to hospital or a medical facility by ambulance or by car and you have therefore been given medical reports from the worker or their employer from those facilities to show the outcomes of the workers treatment and diagnoses.

all documents required are from the Boggo Rd site, Albert St site Woolloongabba site and Roma St site,

I also require these documents to be unredacted.

by 14/02/2024 (date) 14:15 (24 hour time)

Warning: A person who has custody of, or access to, a document, must not, without reasonable excuse, refuse or fail to comply with the requirement to produce document(s) to an inspector. A person is not excused from providing the document(s) on the grounds they may tend to incriminate themselves or expose themselves to a penalty. If you are an individual, any document(s) provided, or evidence (direct or indirect) derived therefrom, is not admissible as evidence against you in civil or criminal proceedings other than proceedings arising out of the false or misleading nature of the document(s). You are not required to produce any document(s) subject to legal professional privilege.

Issuing inspector:

Travis Dungey — Name of inspector

[redacted] — Inspector's Signature

[redacted] — Inspector's ID

Date: 09/02/2024 Time: 14:15 24 hours

The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions. Privacy information is on our website at **www.worksafe.qld.gov.au.**

ABN 94 496 188 983

Queensland Government

FORM 61 **RECIPIENT'S COPY**
V30.6.18

Requirement to produce document(s)

Work Health and Safety Act 2011
Electrical Safety Act 2002
Safety in Recreational Water Activities Act 2011

Serial No. RDI10004634

This requirement for a person to produce document(s) for an inspector is issued under the:

Work Health and Safety Act 2011, section(s) 171(1)(b)

I require, Mr PAUL HEAD _____ to produce the following
name of person who has custody of, or access to the documents(s)

document(s) to me

Document(s) required:
Incident reports, Task SWMS, CPB management meeting minutes with sub-contractor, toolbox talk record,

by 17/02/2024 23:30
date 24 hour time

Warning: A person who has custody of, or access to, a document, must not, without reasonable excuse, refuse or fail to comply with the requirement to produce document(s) to an inspector. A person is not excused from providing the document(s) on the grounds they may tend to incriminate themselves or expose themselves to a penalty. If you are an individual, any document(s) provided, or evidence (direct or indirect) derived therefrom, is not admissible as evidence against you in civil or criminal proceedings other than proceedings arising out of the false or misleading nature of the document(s). You are not required to produce any document(s) subject to legal professional privilege.

Issuing inspector:

Gary Stanley [redacted]

Name of inspector Inspector's Signature Inspector's ID

Date: 12/02/2024 Time: 13:04 24 hours

The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions. Privacy information is on our website at **www.worksafe.qld.gov.au.**

ABN 94 496 188 983

Queensland Government

FORM 61 **RECIPIENT'S COPY**
V30.6.18

Requirement to produce document(s)

Work Health and Safety Act 2011
Electrical Safety Act 2002
Safety in Recreational Water Activities Act 2011

Serial No. RDI10004664

This requirement for a person to produce document(s) for an inspector is issued under the:

Work Health and Safety Act 2011, section(s) 171(1)(b)

I require, Mr PAUL HEAD _____ to produce the following
name of person who has custody of, or access to the documents(s)

document(s) to me

Document(s) required:
in relation to the Roma St station site, I was advised that a third-party audit has taken place on site in relation to heat stress controls, could i please have a copy of this report, could you please supply to me documentation and evidence how you are managing heat stress on site, and how you are conducting consultation with the workers.

i require this documentation and information be provided unredacted.

by 17/02/2024 14:34
date 24 hour time

Warning: A person who has custody of, or access to, a document, must not, without reasonable excuse, refuse or fail to comply with the requirement to produce document(s) to an inspector. A person is not excused from providing the document(s) on the grounds they may tend to incriminate themselves or expose themselves to a penalty. If you are an individual, any document(s) provided, or evidence (direct or indirect) derived therefrom, is not admissible as evidence against you in civil or criminal proceedings other than proceedings arising out of the false or misleading nature of the document(s). You are not required to produce any document(s) subject to legal professional privilege.

Issuing inspector:

Travis Dungey
Name of inspector

[redacted]
Inspector's Signature

[redacted]
Inspector's ID

Date: 13/02/2024 Time: 14:33 24 hours

The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions. Privacy information is on our website at **www.worksafe.qld.gov.au.**

ABN 94 496 188 983

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2075649

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: FORMCON GROUP PTY LTD

ABN: 75201056676 | ACN: 125757057

Trading as: FORMCON GROUP

Address: 67 ENKLEMAN RD, YATALA 4207 QLD

Details of contravention:

Site location

Formwork area North ramp.

I, John Azcune reasonably believe on 15-FEB-2024 at 13:58 that you are contravening a provision of the:

Work Health and Safety Regulation 2011 - regulation 40(A)

Brief description of how the provision is being or has been contravened:

During a site inspection on a formwork area that had restricted being below 1.5 metres below ground level which has poor access. The access was on a step decline/incline with lose soil [marble type stones] impeding access and creating a possible fall. Only one access was observed to allow formwork and concrete activities.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Follow
Work Health and Safety Regulation 2011 - regulation 40(A)
A person conducting a business or undertaking at a workplace must ensure, so far as is reasonably practicable, the following- (a) the layout of the workplace allows, and the workplace is maintained so as to allow, for persons to enter and exit and to move about without risk to health and safety, both under normal working conditions and in an emergency;

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted] | [redacted] | [redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

15-FEB-2024 | [redacted]

Date issued | Inspector's location

This contravention must be remedied before: 16-FEB-2024

Service method: Delivered directly to the person named by electronic transmission

MARK SULLIVAN — Notice given to

Worker — Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 963

Notice No. I2075649

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2075650

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: UNITY ALLIANCE

Address: 600 GREGORY TCE, BOWEN HILLS 4006 QLD

Details of contravention:

Site location

Bridge entry northern excavation area

I, John Azcune reasonably believe on 13-FEB-2024 at 10:55 that you are contravening a provision of the:
Work Health and Safety Regulation 2011 - regulation 306(3)

Brief description of how the provision is being or has been contravened:

During an inspection of an excavation area where formwork and reinforcement was being installed, the side wall of the excavated work area was observed to have water filled barriers on the edge for fall control and traffic control. These were in the zone of influence. With possible plant moving nearby.
The PCBU employed for these activities were given the area to work by the PC [CPB Contractors Pty Limited]
No Geo tec or other controls were employed to ensure excavation is adequately supported. There was no Geo tec documents on site available.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted] — Signature of inspector

[redacted] — Inspector's ID

[redacted] — Inspector's contact number

16-FEB-2024 — Date issued

[redacted] — Inspector's location

This contravention must be remedied before:	**Service method:**
20-FEB-2024	Delivered directly to the person named by electronic transmission
ADRIAN OCKFORD (Notice given to)	Management Representative For Person Conducting A Business Or Undertaking (Relationship to person to whom notice is issued)

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2075650

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

FORM 61 **RECIPIENT'S COPY**
V30.6.18

Requirement to produce document(s)

Work Health and Safety Act 2011
Electrical Safety Act 2002
Safety in Recreational Water Activities Act 2011

Serial No. RDI10001572

This requirement for a person to produce document(s) for an inspector is issued under the:

Work Health and Safety Act 2011, section(s) 171(1)(b)

I require, Mr CHRIS CREDARO _____ to produce the following
name of person who has custody of, or access to the documents(s)

document(s) to me

Document(s) required:
All documentation relating to the incident at the Northern Portal site (450 Gregory Terrace, Bowen Hills) which happened on nightshift on 27/02/24 where a worker was contacted by a skid steer loader carrying a portaloo. Specifically:
- Electronic copy of the original safe work method statement (SWMS) for loading & unloading materials, and working around mobile plant.
- Updated system of transportation of portaloos outside of tunnel environment (e.g. SWMS, safe operating procedure, toolbox talk, engineering advice, etc.)
- Emergency response procedure
- Contact details for involved parties, including the injured worker, witnesses, and night shift supervisor.
- Any witness statements from involved parties.
- Drug and alcohol test for the operator of the skid steer loader involved in the incident
- Any photographs taken of the incident scene on the night of the incident.

Information and documentation relating to the tunnel walkway portaloo installation.
- Incident investigation report for the incident

Specifically:
- Information which shows that the risk of the portaloo inadvertently vibrating or moving off the platform has been managed.
- Information which shows that the risk of the portaloo inadvertently tipping over due to a person falling over inside it has been managed.

by 05/03/2024 12:00
date 24 hour time

Warning: A person who has custody of, or access to, a document, must not, without reasonable excuse, refuse or fail to comply with the requirement to produce document(s) to an inspector. A person is not excused from providing the document(s) on the grounds they may tend to incriminate themselves or expose themselves to a penalty. If you are an individual, any document(s) provided, or evidence (direct or indirect) derived therefrom, is not admissible as evidence against you in civil or criminal proceedings other than proceedings arising out of the false or misleading nature of the document(s). You are not required to produce any document(s) subject to legal professional privilege.

Issuing inspector:

Majella Pearl

Name of inspector Inspector's Signature Inspector's ID

Date: 28/02/2024 Time: 15:53 24 hours

The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions. Privacy information is on our website at **www.worksafe.qld.gov.au.**

ABN 94 496 188 983



Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2081574

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED	
ABN: 98000893667	ACN: 000893667
Trading as: CBGU D&C JV	
Address: SOUTH TOWER, 520 WICKHAM ST, FORTITUDE VALLEY 4006 QLD	

Details of contravention:

Site location

pit 1 to 15 access point and tunnel water sump (B9 Sump)

I, Brian Pocock reasonably believe on 28-FEB-2024 at 14:15 that you have contravened a provision in circumstances that make it likely that the contravention will continue or be repeated of the:

Work Health and Safety Act 2011 - section(s) 19(3)(C)

Brief description of how the provision is being or has been contravened:

I observed at a construction site where you are a person conducting a business or undertaking, that you have not ensured so far as is reasonably practicable the provision and maintenance of safe systems of work.
I observed that there was a system in place around access pit 1-15 and B9 sump area, however it was not maintained so as to remain effective. There has been training to some supervisors, information provided on permit to work systems.
Discussions with management and other persons on site could not confirm how the system is being performed and which other PCBU's are accessing or have accessed the area.
Although pit 1-15 are not designated as confined spaces, they are risk assessed as Restricted Areas and the controls in place have not been shown to be followed.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:

It is mandatory to comply with these directions

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted] | [redacted] |

Signature of inspector | Inspector's ID | Inspector's contact number

29-FEB-2024 | [redacted]

Date issued | Inspector's location

This contravention must be remedied before:	**Service method:**
06-MAR-2024	Delivered directly to the person named by electronic transmission
PAUL HEAD	Management Representative For Person Conducting A Business Or Undertaking
Notice given to	Relationship to person to whom notice is issued

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2081574

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983 **Notice No. I2081574**

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

FORM 61 **RECIPIENT'S COPY**
V30.6.18

Requirement to produce document(s)

Work Health and Safety Act 2011
Electrical Safety Act 2002
Safety in Recreational Water Activities Act 2011

Serial No. RDI10005287

This requirement for a person to produce document(s) for an inspector is issued under the:

Work Health and Safety Act 2011, section(s) 171(1)(b)

I require, PAUL HEAD _____ to produce the following
name of person who has custody of, or access to the documents(s)

document(s) to me

Document(s) required:
- Contact details of workers that accessed B9 sump area/ surrounds.
- Engineering documents on airflow in station area (including info on pits 1-15)
- Contact details for an PCBU (sub contractors) that have accessed the area (pit 1-15)
- Toolbox and Prestart of any further training on the system
- Any data on air monitoring (if any was done)

by 04/03/2024 13:00
date 24 hour time

Warning: A person who has custody of, or access to, a document, must not, without reasonable excuse, refuse or fail to comply with the requirement to produce document(s) to an inspector. A person is not excused from providing the document(s) on the grounds they may tend to incriminate themselves or expose themselves to a penalty. If you are an individual, any document(s) provided, or evidence (direct or indirect) derived therefrom, is not admissible as evidence against you in civil or criminal proceedings other than proceedings arising out of the false or misleading nature of the document(s). You are not required to produce any document(s) subject to legal professional privilege.

Issuing inspector:

Brian Pocock [redacted]

Name of inspector Inspector's Signature Inspector's ID

Date: 29/02/2024 Time: 11:23 24 hours

The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions. Privacy information is on our website at **www.worksafe.qld.gov.au.**

ABN 94 496 188 983

Queensland Government

FORM 12
V1.1.12

RECIPIENT'S COPY

Prohibition notice

This notice is issued under the *Work Health and Safety Act 2011* section 195 or the *Safety in Recreational Water Activities Act 2011* applied section 195 *Work Health and Safety Act 2011* (which includes a body corporate, government department or public authority) who has or may be reasonably presumed to have control over the prohibited activity. This notice prohibits an activity which involves or will involve an immediate or imminent risk to the health and safety of any person. **The legislation requires that the person to whom a prohibition notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Queensland Government

ABN 94 496 188 983

Work Health and Safety Act 2011
Safety in Recreational Water Activities Act 2011

Notice No. P1022243

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CPB CONTRACTORS PTY LIMITED

Address: MAINS TRAIN STATION, LANHAM ST, BOWEN HILLS 4006 QLD

Details of serious risk:

Site location: Stockpile area

Direction given orally: Y

I, JASON BAKER reasonably believe on 04-MAR-2024 at 13:00 that an activity is occurring at the workplace that involves a serious risk to the health or safety of a person emanating from an immediate or imminent exposure to a hazard and that this activity is contravening a provision of the:

Work Health and Safety Regulation 2011 - regulation 420(1)

I direct the person with control over the following activity to stop the activity of: utilising or manipulating a stockpile of soil suspected of containing asbestos

until an inspector is satisfied that the matters that give rise to the risk have been remedied.

Basis for inspector's belief:

I observed and photographed a stockpile of soil at the site that I was told originated from a stockpile at the NuGrow facility in Ipswich. A sample from this stockpile at the NuGrow facility has subsequently tested positive for asbestos. I was told that the stockpile at this site has not been tested for asbestos contamination. Disturbing this stockpile of soil may release airborne asbestos and expose workers, and other persons, to airborne asbestos fibres.

Directions (if any) on the measures to be taken to remedy the risk, activities or matters or the contravention or likely contravention: It is mandatory to comply with these directions

Recommendations (if any): Recommendations may be followed or you may adopt and follow another way that gives at least the same level of protection against the risk

Issuing inspector:

[redacted] — Signature of inspector

[redacted] — Inspector's ID

[redacted] — Inspector's contact number

04-MAR-2024 — Date issued

[redacted] — Inspector's location

Service method:

Delivered directly to the person named by electronic transmission

MATTHEW BARRETT — Notice given to

Management Representative For Person Conducting A Business Or Undertaking — Relationship to person to whom notice is issued

Information about how to obtain a review of this decision is detailed on the back of this notice.

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice.

You must comply with this notice. Failure to comply may incur a maximum penalty of $100 000 for an individual and $500 000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the Department. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by Office of Industrial Relations to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.
The Office of Industrial Relations privacy information is on our website at www.worksafe.qld.gov.au/.

Work Health and Safety Act 2011

Section 155(2)

Notice to give information to the Regulator

Recipient: Chris Credaro

Company: CPB Contractors PTY LTD

Address: Level 3, North Tower, 339 Coronation Drive

Milton QLD 4064

Emailed to: [redacted]

I, Robert McDonald, holding a delegation from the Regulator pursuant to section 154 of the *Work Health and Safety Act 2011* (the Act), and being duly authorised, under section 155 of the Act require you to give information and produce documents.

Section 155 of the Act allows for the Regulator to require, by written notice served on a person, to provide information and produce documents to the Regulator, relevant to possible contraventions of the Act or to assist the Regulator to monitor or enforce compliance with the Act.

I have reasonable grounds to believe that you are capable of giving information and producing documents that will assist the Regulator to monitor or enforce compliance with the Act.

The Regulator is currently investigating an incident which occurred on 18 January 2024 at the workplace of CPB Contractors PTY LTD located at Boggo Road Station, Boggo Road Dutton Park QLD 4102. This incident resulted in Mr. Stephen Hilton sustaining simple silicosis.

Pursuant to the power vested in me by section 155 of the Act I require the following information to be provided by 15:00 PM Tuesday, 26 March 2024

It would be appreciated in your response if the numbering system below is utilised. The response should be signed and dated. If answers or documents are being provided on behalf of a corporation, please include authorisation for the person responding to speak on behalf of the corporation.

You are required to deliver your response and/or said documents to the Workplace Health and Safety office located at Garden Square, Level 2, Block D, 643 Kessels Road, Upper Mount Gravatt QLD 4122 **or** email to Robert McDonald - robert.mcdonald@oir.qld.gov.au.

© The State of Queensland (Office of Industrial Relations)

Documents required

To assist in compliance with the notice the following definition of a document is provided.

Document includes, in addition to a document in writing-

(a) Any part of a document in writing or of any other document as defined herein; and

(b) Any book, map, plan, graph or drawing; and

(c) Any photograph; and

(d) Any label, marking or other writing which identifies or describes anything of which it forms part, or to which is attached by any means whatever; and

(e) Any disc, tape, soundtrack or other device in which sounds or other data (not being visual images) are embodied so as to be capable (with or without the aid of some other equipment) of being reproduced therefrom; and

(f) Any film, negative, tape or other device in which 1 or more visual images are embodied so as to be capable (with or without the aid of some other equipment) of being reproduced therefrom; and

(g) Any other record of information whatever.

Should the company not be able to provide the required documents, you are required to indicate which documents and why.

1. Contact details for the worker including phone, home address and email.
2. Commencement date of worker and description of any roster/s worked since commencement (for example 4 on, 4 off 10-hour day shifts).
3. Name and contact details for the worker's health and safety representative.
4. Name and contact details for the worker's direct supervisor or manager.
5. Copies of the onboarding medical report and related test results for the worker.
6. A copy of the worker's role description, including details of the work undertaken, tools, equipment or plant used, and general location/s where the worker usually undertook work. (If the worker has undertaken multiple roles since commencement of employment, please provide separate details for each role).
7. Any and all respirable dust and respirable crystalline silica exposure monitoring reports and results received from one year prior to the worker commencing work onsite to 15 March 2024 involving:
    a. the worker and/or any similar exposure groups which included the worker or activities undertaken by the worker, and/or
    b. work areas where the worker undertook work.
8. Copies of any and all risk assessments, safe work method statements and/or procedures for tasks and activities undertaken by the worker since they commenced work onsite.
9. Copies of any and all internal complaints/incidents related to dust involving the work activities undertaken in the work areas and/or the work areas themselves where the worker usually undertook work, including dates, details of complaints, any details and results of investigations and any remedial actions taken to remedy complaint.

© The State of Queensland (Office of Industrial Relations)

10. Details of any respiratory protective equipment (RPE) provided to the worker since commencing work onsite including the make, model, filtration type and date/s provided (if disposable RPE was provided a date range will suffice)

11. Copies of any and all fit-test records for any tight-fitting respirators provided to the worker.

12. Copies of training provided to the worker involving or related to:
    a. Respirable dust/RCS awareness training
    b. Use of RPE
    c. Use of higher order controls to eliminate or minimise exposure to respirable dust and RCS.

Pursuant to section 155(5) of the Act I am obliged to warn you as follows:

Warning

A person, who refuses or fails to comply with this Notice without a reasonable excuse, may be liable to prosecution and, if found guilty, liable to a maximum penalty of 100 penalty units in accordance with section 155(5) of the Act.

Under section 172 of the Act a person is not excused from answering a question or providing information or a document on the grounds of self-incrimination or on the grounds that it may expose that person to a penalty. However, any information provided by an individual is not admissible as evidence in criminal or civil proceedings against that individual other than proceedings arising out of the false or misleading nature of the answer, information or document. This includes any information directly or indirectly derived from the information the person has provided.

This Notice, and nothing in the Act, requires a person to produce a document that would disclose information, or otherwise provide information, that is subject to legal professional privilege – see section 269 of the Act.

It is an offence under section 268 of the Act to give false and misleading information and/or produce a document that is known to be false or misleading. Maximum penalty 100 penalty units.

Sincerely,

[redacted]

Robert McDonald
Operations Manager
Brisbane South West
Workplace Health and Safety Queensland
Office of Industrial Relations
18 March 2024

© The State of Queensland (Office of Industrial Relations)

FORM 61 **RECIPIENT'S COPY**
V30.6.18

Requirement to produce document(s)

Work Health and Safety Act 2011
Electrical Safety Act 2002
Safety in Recreational Water Activities Act 2011

Serial No. RDI10001573

This requirement for a person to produce document(s) for an inspector is issued under the:

Work Health and Safety Act 2011, section(s) 171(1)(b)

I require, Mr CHRIS CREDARO _____ to produce the following
name of person who has custody of, or access to the documents(s)

document(s) to me

Document(s) required:
Documentation relating to the incident at the Northern Portal site (450 Gregory Terrace, Bowen Hills) which happened on nightshift on 27/02/24 where a worker was contacted by a skid steer loader carrying a portaloo. Specifically:
- Signed safe work method statement (SWMS) which has been updated post-incident and communicated and signed by workers post-incident
- Signed Northern Portal pre-start from 21/03/24 which communicates to workers about use of Hiab in the tunnel and the agreed procedure to not use the skid steer loader to transport portaloos.
- Incident investigation report (the most up-to-date version)

Also, documentation relating to the portaloo/s in the Northern Portal tunnel which is positioned up on a platform. Specifically:
- Photos which show that the portaloo is secured using a restraint system on the platform in accordance with the RPEQ's report by Scott COX on 04/03/24 (document CRR065-LTR-001 CRR Tunnel Portaloo Stability Review)
- Evidence which shows that the 3-monthly visual inspection of the portaloo is being undertaken in accordance with the RPEQ report certified by Scott COX on 14/07/23 (document CRR065-COA-001 Rev 0, Certificate of Assessment)

by 29/03/2024 (date) 12:00 (24 hour time)

Warning: A person who has custody of, or access to, a document, must not, without reasonable excuse, refuse or fail to comply with the requirement to produce document(s) to an inspector. A person is not excused from providing the document(s) on the grounds they may tend to incriminate themselves or expose themselves to a penalty. If you are an individual, any document(s) provided, or evidence (direct or indirect) derived therefrom, is not admissible as evidence against you in civil or criminal proceedings other than proceedings arising out of the false or misleading nature of the document(s). You are not required to produce any document(s) subject to legal professional privilege.

Issuing inspector:

Majella Pearl

Name of inspector | Inspector's Signature | Inspector's ID

Date: 22/03/2024 Time: 15:11 24 hours

The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions. Privacy information is on our website at **www.worksafe.qld.gov.au.**

ABN 94 496 188 983

FORM 61 **RECIPIENT'S COPY**
V30.6.18

Requirement to produce document(s)

Work Health and Safety Act 2011
Electrical Safety Act 2002
Safety in Recreational Water Activities Act 2011

Serial No. RDI10008567

This requirement for a person to produce document(s) for an inspector is issued under the:

Work Health and Safety Act 2011, section(s) 171(1)(b)

I require, Mr ROSS FLECHER _____ to produce the following
name of person who has custody of, or access to the documents(s)

document(s) to me

Document(s) required:
This requirement for a person to produce document(s) for an inspector is issued under:
Work Health and Safety Act 2011, section(s) 171(1)(b).

I require [NAME OF BUSINESS/PCBU WHICH HAS CUSTODY OF OR ACCESS TO THE DOCUMENT(S)] to produce the following documents to me.

Documents required:

1. An electronic copy in Portable Document Format file format (PDF) of the current scope of works including critical stages of development for the Albert Street station [Cross river project]. I require the production of this document in an unredacted form.
2. An electronic copy in Portable Document Format file format (PDF) of the schedule of works, including the estimated dates of the critical path for the Albert Street station [Cross river project]. I require the production of this document in an unredacted form.
3. An electronic copy in Portable Document Format file format (PDF) of the Current safety management plan for the Albert Street station [Cross river project]. I require the production of this document in an unredacted form.

4 An electronic copy in Portable Document Format file format (PDF) of the current Traffic management plan I require the production of this document in an unredacted form.

5 An electronic copy in Portable Document Format file format (PDF) of the current list of sub-contractors used production of this document in an unredacted form.

by 24/04/2024 15:11
date 24 hour time

Warning: A person who has custody of, or access to, a document, must not, without reasonable excuse, refuse or fail to comply with the requirement to produce document(s) to an inspector. A person is not excused from providing the document(s) on the grounds they may tend to incriminate themselves or expose themselves to a penalty. If you are an individual, any document(s) provided, or evidence (direct or indirect) derived therefrom, is not admissible as evidence against you in civil or criminal proceedings other than proceedings arising out of the false or misleading nature of the document(s). You are not required to produce any document(s) subject to legal professional privilege.

Issuing inspector:

John Azcune

Name of inspector | Inspector's Signature | Inspector's ID

Date: 10/04/2024 Time: 15:11 24 hours

The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions. Privacy information is on our website at **www.worksafe.qld.gov.au.**

ABN 94 496 188 983

FORM 61 **RECIPIENT'S COPY**
V30.6.18

Requirement to produce document(s)

Work Health and Safety Act 2011
Electrical Safety Act 2002
Safety in Recreational Water Activities Act 2011

Serial No. RDI10004666

This requirement for a person to produce document(s) for an inspector is issued under the:

Work Health and Safety Act 2011, section(s) 171(1)(b)

I require, Mr CHRIS CREDARO _____ to produce the following
name of person who has custody of, or access to the documents(s)

document(s) to me

Document(s) required:
With the current situation taking place outside of the CPB sites and the affect this may have on workers entering the sites,

I request you provided CPB's policies and procedures on Physico Social risks management.

Also, some information on how CPB employees are being supported through this situation to manage their health and safety.

by 04/05/2024 11:00
date 24 hour time

Warning: A person who has custody of, or access to, a document, must not, without reasonable excuse, refuse or fail to comply with the requirement to produce document(s) to an inspector. A person is not excused from providing the document(s) on the grounds they may tend to incriminate themselves or expose themselves to a penalty. If you are an individual, any document(s) provided, or evidence (direct or indirect) derived therefrom, is not admissible as evidence against you in civil or criminal proceedings other than proceedings arising out of the false or misleading nature of the document(s). You are not required to produce any document(s) subject to legal professional privilege.

Issuing inspector:

[redacted]

Travis Dungey

Name of inspector Inspector's Signature Inspector's ID

Date: 03/05/2024 Time: 10:59 24 hours

The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions. Privacy information is on our website at **www.worksafe.qld.gov.au.**

ABN 94 496 188 983

Queensland Government

FORM 61 **RECIPIENT'S COPY**
V30.6.18

Requirement to produce document(s)

Work Health and Safety Act 2011
Electrical Safety Act 2002
Safety in Recreational Water Activities Act 2011

Serial No. RDI10005428

This requirement for a person to produce document(s) for an inspector is issued under the:

Work Health and Safety Act 2011, section(s) 171(1)(b)

I require, Mr PAUL HEAD _____ to produce the following
name of person who has custody of, or access to the documents(s)

document(s) to me

Document(s) required:
- Incident Report for Incident that occurred on 13/05/24 where a Timber LVL fell in A/C shaft.
- Any toolbox talks carried out in relation to the Incident.

by 31/05/2024 15:15
date 24 hour time

Warning: A person who has custody of, or access to, a document, must not, without reasonable excuse, refuse or fail to comply with the requirement to produce document(s) to an inspector. A person is not excused from providing the document(s) on the grounds they may tend to incriminate themselves or expose themselves to a penalty. If you are an individual, any document(s) provided, or evidence (direct or indirect) derived therefrom, is not admissible as evidence against you in civil or criminal proceedings other than proceedings arising out of the false or misleading nature of the document(s). You are not required to produce any document(s) subject to legal professional privilege.

Issuing inspector:



Jade Young

Name of inspector Inspector's Signature Inspector's ID

Date: 27/05/2024 Time: 10:01 24 hours

The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions. Privacy information is on our website at **www.worksafe.qld.gov.au.**

ABN 94 496 188 983

Queensland Government

Details of CFMEU Workplace Health and Safety Queensland Incidents

Date of Notice	30/05/2024
Notice Number	I2040824
Location	Albert Precinct
Incident Description	"Construction Wiring did not meet the requirements of AS/NZS 3000:2018 and AS/NZS 3012:2019 for Electrical Installations in Construction and Demolition Sites. The interconnecting sub-main connected to Assembly for Construction Sites (ACS) designated SUMO 1 B1 is not mechanically protected against the expected construction work in the location that it is installed. This cable runs along the floor with a level of mechanical protection equivalent to WSX1, medium duty conduit. It would be expected that this and similar locations would be subjected to greater than casual pedestrian damage."
Issued By	Peter Mundy

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2040821

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CBGU D&C JV

Address: ALBERT STREET STATION, ALBERT ST, BRISBANE CITY 4000 QLD

Details of contravention:

Site location

Cross River Rail Project
Albert Street
Brisbane Qld 4000

I, Peter Mundy reasonably believe on 30-MAY-2024 at 08:00 that you are contravening a provision of the:
Electrical Safety Regulation 2013 - section(s) 71(1)

Brief description of how the provision is being or has been contravened:

During a site inspection of the Albert Street section of the Cross River Rail Project, it was observed that the Construction Wiring did not meet the requirements of AS/NZS 3000:2018 and AS/NZS 3012:2019 for Electrical Installations in Construction and Demolition Sites.
Assembly for Construction Sites (ACS) designated SUMO 1 B0.5 is not located in an area protected from damage due to construction work.
This switchboard is located where scissor lifts are in use which would cause significant damage and electrical risk if impacted.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Switchboards are to be located in areas where they are protected from damage due to construction work.

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

AS/NZS 3012:2019 Clause 2.3 for guidance.

Issuing inspector:

[redacted] | [redacted] | [redacted]
Signature of inspector | Inspector's ID | Inspector's contact number

31-MAY-2024 | [redacted]
Date issued | Inspector's location

This contravention must be remedied before: 07-JUN-2024

Service method: Delivered directly to the person named by electronic transmission

MAHER JAMES
Notice given to

Management Representative For Person Conducting A Business Or Undertaking
Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2040821

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2040822

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CBGU D&C JV

Address: ALBERT STREET STATION, ALBERT ST, BRISBANE CITY 4000 QLD

Details of contravention:

Site location

Cross River Rail Project
Albert Street
Brisbane Qld 4000

I, Peter Mundy reasonably believe on 30-MAY-2024 at 08:00 that you are contravening a provision of the:

Electrical Safety Regulation 2013 - section(s) 71(1)

Brief description of how the provision is being or has been contravened:

During a site inspection of the Albert Street section of the Cross River Rail Project, it was observed that the Construction Wiring did not meet the requirements of AS/NZS 3000:2018 and AS/NZS 3012:2019 for Electrical Installations in Construction and Demolition Sites.
On inspection of Assembly for Construction Sites (ACS) designated SUMO 1 B0.5, it was observed that the securing method for this type of SUMO switchboard prevents access to the main switch located on the switchboard. This creates an electrical risk in case of emergency.
Similar issues are evident on most examples of this type of switchboard at this construction site.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Switchboards are to be secured in a way that enables electrical equipment to be effectively operated.

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

AS/NZS 3000:2018, clause 2.10.2.2 provides guidance.

Issuing inspector:

[redacted] | [redacted] | [redacted]
Signature of inspector | Inspector's ID | Inspector's contact number

31-MAY-2024 | [redacted]
Date issued | Inspector's location

This contravention must be remedied before:	**Service method:**
07-JUN-2024	Delivered directly to the person named by electronic transmission
MAHER JAMES Notice given to	Management Representative For Person Conducting A Business Or Undertaking Relationship to person to whom notice is issued

---

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2040822

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2040823

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CBGU D&C JV

Address: ALBERT STREET STATION, ALBERT ST, BRISBANE CITY 4000 QLD

Details of contravention:

Site location

Cross River Rail Project
Albert Street
Brisbane Qld 4000

I, Peter Mundy reasonably believe on 30-MAY-2024 at 08:10 that you are contravening a provision of the:

Electrical Safety Regulation 2013 - section(s) 71(1)

Brief description of how the provision is being or has been contravened:

During a site inspection of the Albert Street section of the Cross River Rail Project, it was observed that the Construction Wiring did not meet the requirements of AS/NZS 3000:2018 and AS/NZS 3012:2019 for Electrical Installations in Construction and Demolition Sites.
Assembly for Construction Sites (ACS) designated SUMO 1 B1 is located in a place where access to electrical equipment is restricted due to its close proximity to a wall. Socket outlets and circuit protective devices cannot be easily identified and accessed in an emergency which creates an electrrial risk.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

Switchboards are to be located in a way that enables electrical equipment to be effectively operated.

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

AS/NZS 3000:2018, clause 2.10.2.2 provides guidance.

Issuing inspector:

[redacted] | [redacted] | [redacted]
Signature of inspector | Inspector's ID | Inspector's contact number

31-MAY-2024 | [redacted]
Date issued | Inspector's location

This contravention must be remedied before: 07-JUN-2024

Service method: Delivered directly to the person named by electronic transmission

MAHER JAMES
Notice given to

Management Representative For Person Conducting A Business Or Undertaking
Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2040823

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2040825

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as: CBGU D&C JV

Address: ALBERT STREET STATION, ALBERT ST, BRISBANE CITY 4000 QLD

Details of contravention:

Site location

Cross River Rail Project
Albert Street
Brisbane Qld 4000

I, Peter Mundy reasonably believe on 30-MAY-2024 at 08:15 that you are contravening a provision of the:

Electrical Safety Regulation 2013 - section(s) 71(1)

Brief description of how the provision is being or has been contravened:

During a site inspection of the Albert Street section of the Cross River Rail Project, it was observed that the Construction Wiring did not meet the requirements of AS/NZS 3000:2018 and AS/NZS 3012:2019 for Electrical Installations in Construction and Demolition Sites.
Assembly for Construction Sites (ACS) designated SUMO 1 B1 has an outgoing interconnecting sub-main that continues to another level of the construction site.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:
It is mandatory to comply with these directions

All ACS units connected to an incoming supply unit, shall be limited to that level of a multi-level construction.

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

AS/NZS 3012:2019, Appendix I 3.3 provides guidance.

Issuing inspector:

[redacted] | [redacted] | [redacted]
Signature of inspector | Inspector's ID | Inspector's contact number

31-MAY-2024 | [redacted]
Date issued | Inspector's location

This contravention must be remedied before:	**Service method:**
07-JUN-2024	Delivered directly to the person named by electronic transmission
MAHER JAMES	Management Representative For Person Conducting A Business Or Undertaking
Notice given to	Relationship to person to whom notice is issued

---

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2040825

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13

RECIPIENT'S COPY

Improvement notice

Notice No. I2040826

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED	
ABN: 98000893667	ACN: 000893667
Trading as: CBGU D&C JV	
Address: ALBERT STREET STATION, ALBERT ST, BRISBANE CITY 4000 QLD	

Details of contravention:

Site location

Cross River Rail Project
Albert Street
Brisbane Qld 4000

I, Peter Mundy reasonably believe on 30-MAY-2024 at 09:00 that you are contravening a provision of the:

Electrical Safety Regulation 2013 - section(s) 71(1)

Brief description of how the provision is being or has been contravened:

During a site inspection of the Albert Street section of the Cross River Rail Project, it was observed that the Construction Wiring did not meet the requirements of AS/NZS 3000:2018 and AS/NZS 3012:2019 for Electrical Installations in Construction and Demolition Sites.
The sub-main suspended in the Albert St Cavern, in the vicinity of switchboard ALB-LG83-7, is fixed in a way that does not prevent stress on the mid-span joint.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:

It is mandatory to comply with these directions

Joints shall not be made in multi-core cables when under tension.

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

AS/NZS 3000:2018, clause 3.7.2 provides guidance.

Issuing inspector:

[redacted]	[redacted]	[redacted]
Signature of inspector	Inspector's ID	Inspector's contact number
31-MAY-2024	[redacted]	
Date issued	Inspector's location	

This contravention must be remedied before:	**Service method:**
07-JUN-2024	Delivered directly to the person named by electronic transmission
MAHER JAMES Notice given to	Management Representative For Person Conducting A Business Or Undertaking Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters:* JAMES MAHER Position: SUPERINTENDENT

Signature: [redacted] Date complied: 06/06/24

ABN 94 496 188 983

Notice No. I2040826

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

FORM 61 **RECIPIENT'S COPY**
V30.6.18

Requirement to produce document(s)

Work Health and Safety Act 2011
Electrical Safety Act 2002
Safety in Recreational Water Activities Act 2011

Serial No. RDI10001679

This requirement for a person to produce document(s) for an inspector is issued under the:

Work Health and Safety Act 2011, section(s) 171(1)(b)

I require, Mr CHRIS CREDARO _____ to produce the following
name of person who has custody of, or access to the documents(s)

document(s) to me

Document(s) required:
> The most recent GCG OHEA Round Report

by 08/06/2024 00:00
date 24 hour time

Warning: A person who has custody of, or access to, a document, must not, without reasonable excuse, refuse or fail to comply with the requirement to produce document(s) to an inspector. A person is not excused from providing the document(s) on the grounds they may tend to incriminate themselves or expose themselves to a penalty. If you are an individual, any document(s) provided, or evidence (direct or indirect) derived therefrom, is not admissible as evidence against you in civil or criminal proceedings other than proceedings arising out of the false or misleading nature of the document(s). You are not required to produce any document(s) subject to legal professional privilege.

Issuing inspector:

[redacted]

Daniel Baltzer

Name of inspector Inspector's Signature Inspector's ID

Date: 31/05/2024 Time: 08:20 24 hours

The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions. Privacy information is on our website at **www.worksafe.qld.gov.au.**

ABN 94 496 188 983

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2039534

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED	
ABN: 98000893667	ACN: 000893667
Trading as:	
Address: SOUTH TOWER, 520 WICKHAM ST, FORTITUDE VALLEY 4006 QLD	

Details of contravention:

Site location

Roma Street Cross River Rail Site in Brisbane City

I, Ian Maclean reasonably believe on 31-MAY-2024 at 11:00 that you are contravening a provision of the:

Electrical Safety Regulation 2013 - section(s) 104(1)

Brief description of how the provision is being or has been contravened:

CPB Contractors Pty Limited T/A CBGU D&C JV must ensure their business or undertaking is conducted in a way that is electrically safe. CPB Contractors Pty Limited T/A CBGU D&C JV has failed to ensure the electrical equipment is electrically safe on site. This is evidenced by my observations when conducting a visual inspection within Roma Street Cross River Rail site in Brisbane City. I identified Temporary Switchboards and electrical equipment (e.g., Water coolers) connected to supply without a current compliant Test and Tag attached. This is an unacceptable electrical risk to the workplace and persons on site.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:

It is mandatory to comply with these directions

CPB Contractors Pty Limited T/A CBGU D&C JV, while conducting a business or undertaking, must ensure that all electrical equipment for the performance of work complies with the requirements of AS/NZS 3012 clause 3.5 (Electrical installations: Construction and demolition sites).

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector	Inspector's ID	Inspector's contact number
03-JUN-2024	[redacted]	
Date issued	Inspector's location	

This contravention must be remedied before:	**Service method:**
16:00 21-JUN-2024	Delivered directly to the person named by electronic transmission
CHERYL UNWIN	Management Representative For Person Conducting A Business Or Undertaking
Notice given to	Relationship to person to whom notice is issued

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2039534

V1.3.18 *Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011*

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2039534

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Internal review of decision

An eligible person whose interests are affected by an original decision may apply for the decision to be reviewed. Refer to the Internal review of decision ? guide for applicants, at www.worksafe.qld.gov.au

An eligible person is:

1. The person to whom the notice was issued.
2. A person conducting a business or undertaking whose interests are affected by the decision.
3. A worker whose interests are affected by the decision.
4. A health and safety representative who represents a worker whose interests are affected by the decision.

How does a person apply for a review of a decision?

The application for internal review must:

a) be made in the approved form to the reviewer

b) supported by enough information to enable the reviewer to decide the application

An application for internal review relating to an improvement notice issued under the *Work Health and Safety Act 2011* and the *Safety in Recreational Water Activities Act 2011* must be lodged before the date stated in the notice for compliance or within 14 calendar days of the decision coming to the notice of the eligible person, whichever is the lesser.

For an improvement notice issued under the *Electrical Safety Act 2002*, the application for internal review must be made within 14 days after the day the applicant receives the notice.

Lodgement of the form can be made via email whsrod@oir.qld.gov.au. Information about how to apply for an internal review of decision, including the application form, is available at www.worksafe.qld.gov.au or by calling 1300 362 128. There is no application fee.

The operation of the improvement notice is stayed (suspended) once the application for review of decision is lodged. The stay remains in effect until a decision is made by the internal reviewer and whichever of the following is earlier ? an external review is applied for or, 28 days have elapsed since the person became aware of the decision.

What happens next?

The internal reviewer must make a decision within 14 calendar days of receiving the application for internal review. The internal reviewer can confirm or vary the reviewable decision, or set aside the reviewable decision and substitute the original decision for another decision. Once the internal reviewer makes the decision, they must notify the applicant of the decision and the reasons for the decision in writing.

External review

An eligible person may apply to an external review body for a review of the internal decision of the internal decision reviewer, or the original decision of the regulator. From the day the applicant received or became aware of the decision, an application for external review must be made within:

- 30 calendar days to the Queensland Industrial Relations Commission (QIRC) relating to the *Work Health and Safety Act 2011*;
- 28 calendar days to the Queensland Civil Administration Tribunal (QCAT) relating to the *Electrical Safety Act 2002* or the *Safety in Recreational Waters Act 2011*.

QCAT and QIRC may confirm or vary the original decision, set aside the original decision and substitute another decision or set aside the original decision and return the matter to the decision maker with appropriate directions.

Please refer to www.worksafe.qld.gov.au or phone 1300 362 128 for more information on how to apply for an external review.

Privacy collection statement

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

The OIR's privacy information is on our website at www.worksafe.qld.gov.au.

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice.

You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2039535

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

This notice is issued under the *Work Health and Safety Act 2011* section 191, *Safety in Recreational Water Activities Act 2011* applied section 191 *Work Health and Safety Act 2011* or *Electrical Safety Act 2002* section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued to remedy a contravention of the Act or Regulations. **The legislation requires that the person to whom an improvement notice is issued must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or part of the workplace at which work is being carried out that is affected by the notice.**

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED

ABN: 98000893667 | ACN: 000893667

Trading as:

Address: SOUTH TOWER, 520 WICKHAM ST, FORTITUDE VALLEY 4006 QLD

Details of contravention:

Site location

Roma Street Cross River Rail Site in Brisbane City

I, Ian Maclean reasonably believe on 03-JUN-2024 at 10:50 that you are contravening a provision of the:

Electrical Safety Regulation 2013 - section(s) 71(1)

Brief description of how the provision is being or has been contravened:

CPB Contractors Pty Limited T/A CBGU D&C JV Ltd must ensure their business or undertaking is conducted in a way that is electrically safe. CPB Contractors Pty Limited T/A CBGU D&C JV has failed to ensure the electrical equipment is electrically safe on site. This is evidenced by my observations when conducting a visual inspection within Roma Street Cross River Rail site in Brisbane, I identified temporary switch boards that have blocked access and don't meet the requirements of clause 2.3.1..1 of AS NZ 3012-2019. This is an unacceptable risk to the workplace and persons on site.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:

It is mandatory to comply with these directions

CPB Contractors Pty Limited T/A CBGU D&C JV is conducting a business or undertaking must ensure that all electrical equipment for the performance of work complies with the requirements of AS/NZS 3012 (Electrical installations: Construction and demolition sites).

Recommendations (if any): It is not an offence to fail to comply with recommendations in a notice.

Issuing inspector:

[redacted]

Signature of inspector | Inspector's ID | Inspector's contact number

03-JUN-2024 | [redacted]

Date issued | Inspector's location

This contravention must be remedied before: 16:00 21-JUN-2024

Service method: Delivered directly to the person named by electronic transmission

CHERYL UNWIN

Notice given to

Management Representative For Person Conducting A Business Or Undertaking

Relationship to person to whom notice is issued

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name *in block letters*: _____ Position: _____

Signature: _____ Date complied: / /

ABN 94 496 188 983

Notice No. I2039535

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Form 13 **RECIPIENT'S COPY**

Improvement notice

Notice No. I2039535

V1.3.18

Work Health and Safety Act 2011, Electrical Safety Act 2002, Safety in Recreational Water Activities Act 2011

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice. You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

Queensland Government

Internal review of decision

An eligible person whose interests are affected by an original decision may apply for the decision to be reviewed. Refer to the Internal review of decision ? guide for applicants, at www.worksafe.qld.gov.au

An eligible person is:

1. The person to whom the notice was issued.
2. A person conducting a business or undertaking whose interests are affected by the decision.
3. A worker whose interests are affected by the decision.
4. A health and safety representative who represents a worker whose interests are affected by the decision.

How does a person apply for a review of a decision?

The application for internal review must:

a) be made in the approved form to the reviewer

b) supported by enough information to enable the reviewer to decide the application

An application for internal review relating to an improvement notice issued under the *Work Health and Safety Act 2011* and the *Safety in Recreational Water Activities Act 2011* must be lodged before the date stated in the notice for compliance or within 14 calendar days of the decision coming to the notice of the eligible person, whichever is the lesser.

For an improvement notice issued under the *Electrical Safety Act 2002*, the application for internal review must be made within 14 days after the day the applicant receives the notice.

Lodgement of the form can be made via email whsrod@oir.qld.gov.au. Information about how to apply for an internal review of decision, including the application form, is available at www.worksafe.qld.gov.au or by calling 1300 362 128. There is no application fee.

The operation of the improvement notice is stayed (suspended) once the application for review of decision is lodged. The stay remains in effect until a decision is made by the internal reviewer and whichever of the following is earlier ? an external review is applied for or, 28 days have elapsed since the person became aware of the decision.

What happens next?

The internal reviewer must make a decision within 14 calendar days of receiving the application for internal review. The internal reviewer can confirm or vary the reviewable decision, or set aside the reviewable decision and substitute the original decision for another decision. Once the internal reviewer makes the decision, they must notify the applicant of the decision and the reasons for the decision in writing.

External review

An eligible person may apply to an external review body for a review of the internal decision of the internal decision reviewer, or the original decision of the regulator. From the day the applicant received or became aware of the decision, an application for external review must be made within:

- 30 calendar days to the Queensland Industrial Relations Commission (QIRC) relating to the *Work Health and Safety Act 2011*;
- 28 calendar days to the Queensland Civil Administration Tribunal (QCAT) relating to the *Electrical Safety Act 2002* or the *Safety in Recreational Waters Act 2011*.

QCAT and QIRC may confirm or vary the original decision, set aside the original decision and substitute another decision or set aside the original decision and return the matter to the decision maker with appropriate directions.

Please refer to www.worksafe.qld.gov.au or phone 1300 362 128 for more information on how to apply for an external review.

Privacy collection statement

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

The OIR's privacy information is on our website at www.worksafe.qld.gov.au.

An inspector may make minor technical changes to this notice in certain circumstances. This does not change the validity of the notice.

You must comply with this notice within the period stated. Failure to comply with this notice may incur a maximum penalty of $50,000 for an individual and $250,000 for a body corporate, government department or public authority.

FORM 61 **RECIPIENT'S COPY**
V30.6.18

Requirement to produce document(s)

Work Health and Safety Act 2011
Electrical Safety Act 2002
Safety in Recreational Water Activities Act 2011

Serial No. RDI10005292

This requirement for a person to produce document(s) for an inspector is issued under the:

Work Health and Safety Act 2011, section(s) 171(1)(b)

I require, PAUL HEAD _____ to produce the following
name of person who has custody of, or access to the documents(s)

document(s) to me

Document(s) required:
Documents related to falling object 75mm x 75mm washer.
- SHEQ Flash Report
- Pre-Start from 04/06/2024
- Version of events from worker below
- Version of events from workers above
- Permit to load 04/03/2024 (W41 lateral support)
- Incident Report from Rocktown
- SMWS for works from Rocktown
- Incident Report from CPB when complete (if not complete by (10/06/2024 send when complete)

by 10/06/2024 (date) 13:00 (24 hour time)

Warning: A person who has custody of, or access to, a document, must not, without reasonable excuse, refuse or fail to comply with the requirement to produce document(s) to an inspector. A person is not excused from providing the document(s) on the grounds they may tend to incriminate themselves or expose themselves to a penalty. If you are an individual, any document(s) provided, or evidence (direct or indirect) derived therefrom, is not admissible as evidence against you in civil or criminal proceedings other than proceedings arising out of the false or misleading nature of the document(s). You are not required to produce any document(s) subject to legal professional privilege.

Issuing inspector:



Brian Pocock

Name of inspector | Inspector's Signature | Inspector's ID

Date: 05/06/2024 Time: 08:35 24 hours

The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions. Privacy information is on our website at **www.worksafe.qld.gov.au.**

ABN 94 496 188 983

FORM 61 **RECIPIENT'S COPY**
V30.6.18

Requirement to produce document(s)

Work Health and Safety Act 2011
Electrical Safety Act 2002
Safety in Recreational Water Activities Act 2011

Serial No. RDI10005293

This requirement for a person to produce document(s) for an inspector is issued under the:

Work Health and Safety Act 2011, section(s) 171(1)(b)

I require, PAUL HEAD _____ to produce the following
name of person who has custody of, or access to the documents(s)

document(s) to me

Document(s) required:
Documents relating to Potential contact with electricity Albert Precinct I-102468.
- medical clearance for workers that reported shock
- Incident reports

by 10/06/2024 16:00
date 24 hour time

Warning: A person who has custody of, or access to, a document, must not, without reasonable excuse, refuse or fail to comply with the requirement to produce document(s) to an inspector. A person is not excused from providing the document(s) on the grounds they may tend to incriminate themselves or expose themselves to a penalty. If you are an individual, any document(s) provided, or evidence (direct or indirect) derived therefrom, is not admissible as evidence against you in civil or criminal proceedings other than proceedings arising out of the false or misleading nature of the document(s). You are not required to produce any document(s) subject to legal professional privilege.

Issuing inspector:



Brian Pocock

Name of inspector Inspector's Signature Inspector's ID

Date: 07/06/2024 Time: 10:08 24 hours

The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions. Privacy information is on our website at **www.worksafe.qld.gov.au.**

ABN 94 496 188 983

Queensland Government

Work Health and Safety Act 2011

Section 155(2)

Notice to give information to the Regulator

Company: CPB Contractors Pty Ltd

Address: Level 18, 177 Pacific Highway, North Sydney, NSW, 2060

Emailed to: Chris.Credaro@cbgujv.com.au

I, Tom Shephard, holding a delegation from the Regulator pursuant to section 154 of the *Work Health and Safety Act 2011* (the Act), and being duly authorised, under section 155 of the Act require you to give information and produce documents.

Section 155 of the Act allows for the Regulator to require, by written notice served on a person, to provide information and produce documents to the Regulator, relevant to possible contraventions of the Act or to assist the Regulator to monitor or enforce compliance with the Act.

I have reasonable grounds to believe that you are capable of giving information and producing documents that will assist the Regulator to monitor or enforce compliance with the Act.

The Regulator is currently investigating an incident which occurred on 27 February 2024 at the workplace of CPB Contractors Pty Ltd located at 450 Gregory Terrace, Spring Hill, QLD. This incident resulted in Mr Peter James Cleary sustaining injuries to his legs.

Pursuant to the power vested in me by section 155 of the Act I require the following information to be provided by 5PM Friday, 28 June 2024

It would be appreciated in your response if the numbering system below is utilised. The response should be signed and dated. If answers or documents are being provided on behalf of a corporation, please include authorisation for the person responding to speak on behalf of the corporation.

You are required to deliver your response and/or said documents to the Workplace Health and Safety office located at 2/38 Leonard Crescent, Brendale, QLD, 4500, **or** email to Troy.Tiyce@oir.qld.gov.au. You may also attend with a legal practitioner.

© The State of Queensland (Office of Industrial Relations)

Questions requiring response

To assist in compliance with the notice the answers to the following questions are required to be provided in writing.

1. On 27 February 2024, was a pre-start/ toolbox or similarly described meeting/briefing conducted?
   a) If yes, who conducted this meeting (please provide full contact details including name, date of birth, contact numbers, address, position and employment details)
   b) If yes, what workers were present during this meeting? (please provide full contact details including name, date of birth, contact numbers, address, position and employment details)
   c) If yes, what was discussed during this briefing? (please outline in detail)
   d) If no, why not?
2. Was a traffic management plan or similarly described document in existence for movement of vehicles/plant on 27 February 2024?
   a) If yes, who was this authored by? (if not already provided, please provide full contact details including name, date of birth, contact numbers, address, position and employment details)
   b) If no, why not?
   c) Were workers, including Mr Scott Hedge (Mr Hedge) provided a copy of this?
   d) If yes, when?
   e) Was it explained to them?
   f) Who explained it to them and was it documented?
3. On 27 February 2024, what was the process to be conducted, if any, for the movement/ collection of Portable toilets (Portaloos)?
   a) Who was assigned to complete this process? (if not already provided, please provide full contact details including name, date of birth, contact numbers, address, position and employment details)
4. On 27 February 2024, what supervision was in place at the workplace regarding the movement of plant?
5. Who was the responsible person regarding this supervision (if not already provided, please provide full contact details including name, date of birth, contact numbers, address, position and employment details)
6. What does supervision look like for this activity? Is it direct supervision (i.e. site supervisor watching job and giving direction, or is it indirect supervision (i.e. via instruction) Outline how it was conducted.
7. What systems are in place regarding the reporting/ recording of unsafe movement of vehicles/ plant?
8. What is the process involved if a worker deviates from the vehicle management plan or similarly described document?
9. Are there areas in the workplace where plant is separated from persons using physical barriers such as bollards or guardrails?
   a) If yes, where are these areas?

© The State of Queensland (Office of Industrial Relations)

b) If yes, how are these areas signed?
c) If no, why not?

10. Are there areas in the workplace that use clearly marked footpaths or walkways (e.g using painted lines)?
    a) If yes, where are these areas?
    b) If yes, how are these areas signed?
    c) If no, why not?
11. What were the requirements for using plant whilst visibility is impaired at the workplace on 27 February 2024?
12. How were these requirements enforced regarding the use of plant whilst visibility is impaired?

Mr Scott Hedge

13. What was Mr Hedge role/ position description?
14. What qualifications did Mr Hedge hold to operate the forklift?
15. What duties were assigned to Mr Hedge on 27 February 2024?
16. Has Mr Hedge had previous incidents at the workplace, relating to breaches of safety management plans, traffic management plans, site rules or similarly described safety procedures?

Post incident

17. Have any changes to procedures been implemented regarding the movement of plant at the workplace since the incident?
    a) If yes, what are these changes?
    b) If yes, how are they to be implemented?

Documents required

To assist in compliance with the notice the following definition of a document is provided.

Document includes, in addition to a document in writing-

(a) Any part of a document in writing or of any other document as defined herein; and

(b) Any book, map, plan, graph or drawing; and

(c) Any photograph; and

(d) Any label, marking or other writing which identifies or describes anything of which it forms part, or to which is attached by any means whatever; and

(e) Any disc, tape, soundtrack or other device in which sounds or other data (not being visual images) are embodied so as to be capable (with or without the aid of some other equipment) of being reproduced therefrom; and

(f) Any film, negative, tape or other device in which 1 or more visual images are embodied so as to be capable (with or without the aid of some other equipment) of being reproduced therefrom; and

(g) Any other record of information whatever.

© The State of Queensland (Office of Industrial Relations)

Should the company not be able to provide the required documents, you are required to indicate which documents and why.

1. Copies of any documents/ records relating to toolbox/pre-start briefing conducted on 27 February 2024 as mentioned in question 1.
2. Copies of any traffic management plan or similarly described document completed for movement of vehicles/plant on 27 February 2024, as mentioned in question 2.
3. Copies of any Closed-Circuit Television (CCTV) footage in the area described as the “High Rail Pad” for 27 February 2024.
4. Training documents relating to the injured worker and Mr Hedge.
5. Any SOP/SWMS for using forklifts and movement of mobile plant.
6. Any risk assessments relating to forklifts and movement of mobile plant.
7. Copy of any incident report/s, or similarly described document, relating to the incident.
8. Copy of Mr Hedge qualifications as mentioned in question 14.
9. Copy of any document outlining site rules or safety management plan.

Pursuant to section 155(5) of the Act I am obliged to warn you as follows:

Warning

A person, who refuses or fails to comply with this Notice without a reasonable excuse, may be liable to prosecution and, if found guilty, liable to a maximum penalty of 100 penalty units in accordance with section 155(5) of the Act.

Under section 172 of the Act a person is not excused from answering a question or providing information or a document on the grounds of self-incrimination or on the grounds that it may expose that person to a penalty. However, any information provided by an individual is not admissible as evidence in criminal or civil proceedings against that individual other than proceedings arising out of the false or misleading nature of the answer, information or document. This includes any information directly or indirectly derived from the information the person has provided.

This Notice, and nothing in the Act, requires a person to produce a document that would disclose information, or otherwise provide information, that is subject to legal professional privilege – see section 269 of the Act.

It is an offence under section 268 of the Act to give false and misleading information and/or produce a document that is known to be false or misleading. Maximum penalty 100 penalty units.

© The State of Queensland (Office of Industrial Relations)

Sincerely

[redacted]

Tom Shephard

Investigations Manager

Brisbane North Sunshine Coast Wide Bay

Workplace Health and Safety Queensland

Office of Industrial Relations

11 June 2024

© The State of Queensland (Office of Industrial Relations)

FORM 61 **RECIPIENT'S COPY**
V30.6.18

Requirement to produce document(s)

Work Health and Safety Act 2011
Electrical Safety Act 2002
Safety in Recreational Water Activities Act 2011

Serial No. RDI10004667

This requirement for a person to produce document(s) for an inspector is issued under the:

Work Health and Safety Act 2011, section(s) 171(1)(b)

I require, Mr TOULY HARKOTSIKAS _____ to produce the following
name of person who has custody of, or access to the documents(s)

document(s) to me

Document(s) required:
I required documents to in relation to an incident that took place on the 17/6/2024, where a crane conducting lifting works has contacted the scaffolding dislodging a ledger and impacting the first aid hut.

I require documentation to show adequate controls in place at the time.

I require documentation to show controls that have been implemented to manage the risks going forward.

by 21/06/2024 (date) 15:00 (24 hour time)

Warning: A person who has custody of, or access to, a document, must not, without reasonable excuse, refuse or fail to comply with the requirement to produce document(s) to an inspector. A person is not excused from providing the document(s) on the grounds they may tend to incriminate themselves or expose themselves to a penalty. If you are an individual, any document(s) provided, or evidence (direct or indirect) derived therefrom, is not admissible as evidence against you in civil or criminal proceedings other than proceedings arising out of the false or misleading nature of the document(s). You are not required to produce any document(s) subject to legal professional privilege.

Issuing inspector:

Travis Dungey

Name of inspector | Inspector's Signature | Inspector's ID

Date: 19/06/2024 Time: 14:22 24 hours

The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions. Privacy information is on our website at **www.worksafe.qld.gov.au.**

ABN 94 496 188 983

Queensland Government

FORM 61 **RECIPIENT'S COPY**
V30.6.18

Requirement to produce document(s)

Work Health and Safety Act 2011
Electrical Safety Act 2002
Safety in Recreational Water Activities Act 2011

Serial No. RDI10004668

This requirement for a person to produce document(s) for an inspector is issued under the:

Work Health and Safety Act 2011, section(s) 171(1)(b)

I require, Mr TOULY HARKOTSIKAS _____ to produce the following
name of person who has custody of, or access to the documents(s)

document(s) to me

Document(s) required:
I required documents to in relation to an incident that took place on the 19/6/2024, where a crane conducting lifting works has contacted the scaffolding near the bus terminal.

I require documentation to show adequate controls in place at the time.

I require documentation to show controls that have been implemented to manage the risks going forward.

by 25/06/2024 (date) 15:00 (24 hour time)

Warning: A person who has custody of, or access to, a document, must not, without reasonable excuse, refuse or fail to comply with the requirement to produce document(s) to an inspector. A person is not excused from providing the document(s) on the grounds they may tend to incriminate themselves or expose themselves to a penalty. If you are an individual, any document(s) provided, or evidence (direct or indirect) derived therefrom, is not admissible as evidence against you in civil or criminal proceedings other than proceedings arising out of the false or misleading nature of the document(s). You are not required to produce any document(s) subject to legal professional privilege.

Issuing inspector:



Travis Dungey

Name of inspector | Inspector's Signature | Inspector's ID

Date: 19/06/2024 Time: 14:57 24 hours

The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions. Privacy information is on our website at **www.worksafe.qld.gov.au.**

ABN 94 496 188 983

Queensland Government

FORM 61 **RECIPIENT'S COPY**
V30.6.18

Requirement to produce document(s)

Work Health and Safety Act 2011
Electrical Safety Act 2002
Safety in Recreational Water Activities Act 2011

Serial No. RDI10004669

This requirement for a person to produce document(s) for an inspector is issued under the:

Work Health and Safety Act 2011, section(s) 171(1)(b)

I require, Mr ROSS LEADLEY _____ to produce the following
name of person who has custody of, or access to the documents(s)

document(s) to me

Document(s) required:
WHSQ have been notified of an incident that has been alleged to be a notifiable incident.

This incident took place around the 19/6/2024 where a piece of fibre cement sheet has fallen from height when dislodged by an EWP.

1. I require documentation showing the evidence gathered to deem the incident non-notifiable.

2. I require documentation to show how you have controlled the risks going forward.

by 29/06/2024 (date) 13:14 (24 hour time)

Warning: A person who has custody of, or access to, a document, must not, without reasonable excuse, refuse or fail to comply with the requirement to produce document(s) to an inspector. A person is not excused from providing the document(s) on the grounds they may tend to incriminate themselves or expose themselves to a penalty. If you are an individual, any document(s) provided, or evidence (direct or indirect) derived therefrom, is not admissible as evidence against you in civil or criminal proceedings other than proceedings arising out of the false or misleading nature of the document(s). You are not required to produce any document(s) subject to legal professional privilege.

Issuing inspector:

Travis Dungey

Name of inspector | Inspector's Signature | Inspector's ID

Date: 26/06/2024 Time: 13:13 24 hours

The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions. Privacy information is on our website at **www.worksafe.qld.gov.au.**

ABN 94 496 188 983

Queensland Government

FORM 61 **RECIPIENT'S COPY**
V30.6.18

Requirement to produce document(s)

Work Health and Safety Act 2011
Electrical Safety Act 2002
Safety in Recreational Water Activities Act 2011

Serial No. RDI10000753

This requirement for a person to produce document(s) for an inspector is issued under the:

Work Health and Safety Act 2011, section(s) 171(1)(b)

I require, Mr PAUL HEAD _____ to produce the following
name of person who has custody of, or access to the documents(s)

document(s) to me

Document(s) required:
- Incident and investigation report inclusive of corrective actions
- SWMS in relation to the lift
- Mobile cranes and lifting operations procedure
- Photos in relation to the incident

The above requested documents are in relation to the reported incident on 15/07/2024 - Dropped objects during a lifting operation into an exclusion zone at Albert Street Station - Brisbane

by 31/07/2024 (date) 11:35 (24 hour time)

Warning: A person who has custody of, or access to, a document, must not, without reasonable excuse, refuse or fail to comply with the requirement to produce document(s) to an inspector. A person is not excused from providing the document(s) on the grounds they may tend to incriminate themselves or expose themselves to a penalty. If you are an individual, any document(s) provided, or evidence (direct or indirect) derived therefrom, is not admissible as evidence against you in civil or criminal proceedings other than proceedings arising out of the false or misleading nature of the document(s). You are not required to produce any document(s) subject to legal professional privilege.

Issuing inspector:

Rachel Pacheco [redacted]

Name of inspector | Inspector's Signature | Inspector's ID

Date: 16/07/2024 Time: 11:34 24 hours

The Office of Industrial Relations collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions. Privacy information is on our website at **www.worksafe.qld.gov.au.**

ABN 94 496 188 983

Queensland Government

RECIPIENT'S COPY

Requirement to produce document(s) or answer question(s)

Work Health and Safety Act 2011

This requirement for a person to produce document(s) or answer questions for an inspector is issued under the:

The Work Health and Safety Act 2011, Section 171(2A) where the issuing inspector has entered the workplace within the last 30 days for the purpose of investigating an incident where a battery has been dropped from an Elevated work platform to the station platform below

I require, Sean Young

X to produce the following document(s) to the issuing inspector.

☐ to give written answers to particular questions within a particular period.

☐ to attend before the issuing inspector and answer any questions put by the inspector at a particular time and place; or

at a particular time by audiovisual link or audio link.

Documents required as part of the incident investigation are as follows.

- SWMS for the task
- Toolbox talk records for day and night shifts regarding the incident.
- Records of safety stand down.
- Start card for the task.
- Investigation reports

.

Warning: A person who has custody of, or access to, a document, must not, without reasonable excuse, refuse or fail to comply with the requirement to produce document(s) to an inspector. A person is not excused from providing the document(s) on the grounds they may tend to incriminate themselves or expose themselves to a penalty. If you are an individual, any document(s) provided, or evidence (direct or indirect) derived therefrom, is not admissible as evidence against you in civil or criminal proceedings other than proceedings arising out of the false or misleading nature of the document(s). You are not required to produce any document(s) subject to legal professional privilege.

Issuing inspector:

Gary Stanley

[redacted]

Name of inspector | Inspector's Signature | Inspector's ID

Date 26/07/2024 Time: 12:09

The Office of Industrial Relations collects, uses, discloses, and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions. Privacy information is on our website at **www.worksafe.qld.gov.au**.

ABN 94 496 188 98

Queensland Government

FORM 24 **RECIPIENT'S COPY**

Infringement notice

V10.04.23

This notice is issued under the *State Penalties Enforcement Act 1999* section 13 to a person who is contravening or has contravened a provision that has been designated an offence under the Act or Regulation that may attract an infringement notice. This notice requires the person to whom it is issued to ensure payment by the due date unless other available action is taken (refer to the second page of this notice for relevant information).

Notice No. F2101367

Notice issued to:

Legal name of alleged offender: ROCKTOWN PTY LTD		
ABN: 18122450711	ACN:	
Trading as (if applicable):		
Address: ALBERT STREET STATION, ALBERT ST, BRISBANE CITY 4000 QLD		
Date of birth:	Gender:	Contact number:
Identification type:	ID number:	

Details of alleged contravention:

Location of offence

ALBERT STREET STATION, ALBERT ST, BRISBANE CITY 4000 QLD

I, Rachel Pacheco reasonably believe on 07-AUG-2024 at 10:10 you committed an infringement notice offence by contravening a provision of the:

Work Health and Safety Regulation 2011, regulation 300(1)

Offence code: 9002

Penalty amount $3600 ***Payment must be received within 28 days of the date of this notice unless other available action has been taken (refer to the second page of this notice for relevant information).***

Description of the offence:

Person conducting a business or undertaking failed to put in place arrangements for ensuring that high risk construction work is carried out in accordance with safe work method statement

Issuing inspector:

[redacted]

Signature of inspector

[redacted]

Inspector's ID

[redacted]

Inspector's contact number

07-AUG-2024

Date issued

[redacted]

Inspector's location

Service Method:	Email

Information about payment options is detailed on the second page of this notice.

PRIVACY COLLECTION STATEMENT

The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

ABN 94 496 188 983

Queensland Government

RECIPIENT'S COPY

Requirement to produce document(s) or answer question(s)

Work Health and Safety Act 2011

This requirement for a person to produce document(s) or answer questions for an inspector is issued under the:

The Work Health and Safety Act 2011, Section 171(2A)[a], where the issuing inspector Jason Brawn has entered the workplace within the last 30 days for the purpose of: ***investigating a CFMEU complaint regarding a lack of traffic management/traffic controllers for an alleged site delivery that occurred on the 6th of August 2024 at the Lot 3, Charlotte St, Brisbane CBD site entrance gate. Delivery was to have occurred sometime prior to 10am.***

I require, **Paul Head**

name of person who has custody of, or access to the documents(s)

☑ to produce the following document(s) to the issuing inspector.

☐ to give written answers to particular questions within a particular period.

☐ to attend before the issuing inspector and answer any questions put by the inspector at a particular time and place, or at a particular time by audiovisual link or audio link.

Details of requirements above:

- I am requesting a copy of the Construction Traffic Management Plan Subplan – Albert Street Green Spine Construction – Stage 1 by 3.30pm, Thursday the 8th of August 2024.

Note: If a requirement is made of a person under subsection (2A)(c)(i) to attend before the inspector in person, the person may ask to attend by audiovisual link or audio link instead.

Conversely, If a requirement is made of a person under subsection (2A)(c)(ii) to attend before the inspector by audiovisual link or audio link, the person may ask to attend in person.

Warning: A person who has custody of, or access to, a document, must not, without reasonable excuse, refuse or fail to comply with the requirement to produce document(s) to an inspector. A person is not excused from providing the document(s) on the grounds they may tend to incriminate themselves or expose themselves to a penalty. If you are an individual, any document(s) provided, or evidence (direct or indirect) derived therefrom, is not admissible as evidence against you in civil or criminal proceedings other than proceedings arising out of the false or misleading nature of the document(s). You are not required to produce any document(s) subject to legal professional privilege.

Issuing inspector:

Jason Brawn

Name of inspector

[redacted]

Inspector's Signature

Inspector's ID

Date: **7th of August 2024** Time: **1.55pm**

The Office of Industrial Relations collects, uses, discloses, and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions. Privacy information is on our website at **www.worksafe.qld.gov.au**.

ABN 94 496 188 98

Queensland Government

RECIPIENT'S COPY

Requirement to produce document(s) or answer question(s)

Work Health and Safety Act 2011

This requirement for a person to produce document(s) or answer questions for an inspector is issued under the:

The Work Health and Safety Act 2011, Section 171(2A) (b) where the issuing inspector Jade Young has entered the workplace within the last 30 days for the purpose of responding to a falling object notification.

I require, Michael Neil
name of person who has custody of, or access to the documents(s)

☑ to produce the following document(s) to the issuing inspector.

☐ to give written answers to particular questions within a particular period.

☐ to attend before the issuing inspector and answer any questions put by the inspector at a particular time and place; or

at a particular time by audiovisual link or audio link.

Details of requirements above:

- For requirement to produce documents:
    1. Incident Report for incident that occurred on 08 August 2024
    2. Toolbox talk carried out with workers after the incident.

Note: If a requirement is made of a person under subsection (2A)(c)(i) to attend before the inspector in person, the person may ask to attend by audiovisual link or audio link instead.

Conversely, If a requirement is made of a person under subsection (2A)(c)(ii) to attend before the inspector by audiovisual link or audio link, the person may ask to attend in person.

Warning: A person who has custody of, or access to, a document, must not, without reasonable excuse, refuse or fail to comply with the requirement to produce document(s) to an inspector. A person is not excused from providing the document(s) on the grounds they may tend to incriminate themselves or expose themselves to a penalty. If you are an individual, any document(s) provided, or evidence (direct or indirect) derived therefrom, is not admissible as evidence against you in civil or criminal proceedings other than proceedings arising out of the false or misleading nature of the document(s). You are not required to produce any document(s) subject to legal professional privilege.

Issuing inspector:

Jade Young
Name of inspector

[redacted]

[redacted]
Inspector's ID

Date: 20 August 2024 Time: 9:56am

The Office of Industrial Relations collects, uses, discloses, and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions. Privacy information is on our website at **www.worksafe.qld.gov.au**.

ABN 94 496 188 98

Queensland Government

RECIPIENT'S COPY

Requirement to produce document(s) or answer question(s)

Work Health and Safety Act 2011

This requirement for a person to produce document(s) or answer questions for an inspector is issued under the:

The Work Health and Safety Act 2011, Section 171(2A) (a) where the issuing inspector entered the workplace within the last 30 days for the purpose of responding to a complaint received.

I require, Ross Leadley
name of person who has custody of, or access to the documents(s)

☑ to produce the following document(s) to the issuing inspector.

☐ to give written answers to particular questions within a particular period.

☐ to attend before the issuing inspector and answer any questions put by the inspector at a particular time and place; or

at a particular time by audiovisual link or audio link.

Details of requirements above:

- For requirement to produce documents:
    1. Incident report for incident that occurred on 18.09.2024 where worker fell into open penetration on foot bridge.
    2. Toolbox talk carried out with workers about the incident.
    3. Updated SWMS for Usher Painting.
    4. Emergency Management Procedure for the foot bridge.

Note: If a requirement is made of a person under subsection (2A)(c)(i) to attend before the inspector in person, the person may ask to attend by audiovisual link or audio link instead.

Conversely, If a requirement is made of a person under subsection (2A)(c)(ii) to attend before the inspector by audiovisual link or audio link, the person may ask to attend in person.

Warning: A person who has custody of, or access to, a document, must not, without reasonable excuse, refuse or fail to comply with the requirement to produce document(s) to an inspector. A person is not excused from providing the document(s) on the grounds they may tend to incriminate themselves or expose themselves to a penalty. If you are an individual, any document(s) provided, or evidence (direct or indirect) derived therefrom, is not admissible as evidence against you in civil or criminal proceedings other than proceedings arising out of the false or misleading nature of the document(s). You are not required to produce any document(s) subject to legal professional privilege.

Issuing inspector:

Jade Young
Name of inspector

[redacted]

[redacted]
Inspector's ID

Date: 23/09/2024 Time: 1:44pm

The Office of Industrial Relations collects, uses, discloses, and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions. Privacy information is on our website at **www.worksafe.qld.gov.au**.

ABN 94 496 188 98

Queensland Government

AB

FORM 24 **RECIPIENT'S COPY**

Infringement notice

V10.04.23

This notice is issued under the *State Penalties Enforcement Act 1999* section 13 to a person who is contravening or has contravened a provision that has been designated an offence under the Act or Regulation that may attract an infringement notice. This notice requires the person to whom it is issued to ensure payment by the due date unless other available action is taken (refer to the second page of this notice for relevant information).

Notice No. F2104852

Notice issued to:

Legal name of alleged offender: CPB CONTRACTORS PTY LIMITED		
ABN: 98000893667	ACN: 000893667	
Trading as (if applicable): CBGU D&C JV		
Address: SOUTH TOWER, 520 WICKHAM ST, FORTITUDE VALLEY 4006 QLD		
Date of birth:	Gender:	Contact number:
Identification type:	ID number:	

Details of alleged contravention:

Location of offence

867 MAIN ST, WOOLLOONGABBA 4102 QLD

I, Jason Brawn reasonably believe on 02-OCT-2024 at 08:00 you committed an infringement notice offence by contravening a provision of the:

Work Health and Safety Regulation 2011, regulation 300(1)

Offence code: 9002

Penalty amount $3600 ***Payment must be received within 28 days of the date of this notice unless other available action has been taken (refer to the second page of this notice for relevant information).***

Description of the offence:

Person conducting a business or undertaking failed to put in place arrangements for ensuring that high risk construction work is carried out in accordance with safe work method statement

Issuing inspector:

[redacted]

Signature of inspector

[redacted] Inspector's ID

[redacted] Inspector's contact number

11-OCT-2024
Date issued

[redacted] Inspector's location

Service Method:	Email

Information about payment options is detailed on the second page of this notice.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the OIR. Note that privacy laws do not apply if other laws conflict or allow or require the collection of information, and do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions and non-compliance with privacy legislation is deemed necessary to fulfil those functions.

ABN 94 496 188 983

Queensland Government

From: Ian Maclean [redacted]
Sent on: Wednesday, November 6, 2024 3:01:16 AM
To: Head, Paul [redacted]
Subject: Electrical Safety Office- Request for Information Regarding Dangerous Electrical Event at Cross River Rail, 122 Albert Street, Brisbane

CAUTION: This email originated from outside of the Organisation.

Subject: Request for Information Regarding Dangerous Electrical Event at Cross River Rail, 122 Albert Street, Brisbane

Hi Paul,

I am writing to inform you about a reported Dangerous Electrical Event (DDE) that was identified within the Cross River Rail project at 122 Albert Street, Brisbane 4001, on 30th October 2024 at 6:30 AM.

Reference: 105695

Incident Details: Workers were extending the emergency lighting string to Stair BC3 Lot 1. Upon arrival at the location, an exposed cable was identified, cut flush with the gland on the end of the light. No contact with the cable was made.

Inspector's Authority: As an inspector, I am exercising my powers under Section 143 of the Electrical Safety Act 2002 to inquire into this serious electrical incident. Under this section, I am requesting that you provide the necessary information and assistance regarding this event.

Please provide the following information:

1. A copy of the incident report and any outcomes from this report.
2. A copy of any photographs taken that are part of the incident that was reported as part of Ref 105695.
3. A copy of any corrective actions that have been implemented to prevent this form of incident from happening again.
4. Names and contact details of the electrical workers that tested this part of the electrical installation before energization of the temporary lighting circuits.
5. A copy of any test results that were part of proving the electrical installation was safe to energize.
6. A copy of the SWM/s policy that the electrical workers were following for this type of work.
7. A list of the electrical workers onsite along with their license numbers.
8. Please confirm the electrical contractor license number that work onsite is being performed under.
9. Please confirm that no parties were injured from this incident.

You are requested to make this information available under the Electrical Safety Act 2002, section 143. This information is required by close of business 13-11-24. Please advise immediately if you cannot provide the required information within this timeframe.

Thank you.

Kind regards

Ian

Ian Roy Maclean

RECIPIENT'S COPY

FORM 24

V10.04.23

Infringement notice

This notice is issued under the *State Penalties Enforcement Act 1999* section 13 to a person who is contravening or has contravened a provision that has been designated as an offence under the Act or Regulation that may attract an infringement notice. This notice requires the person to whom it is issued to ensure payment by the due date unless other available action is taken (refer to the second page of this notice for relevant information).

Queensland Government

ABN 94 496 188 983

State Penalties Enforcement Act 1999

Notice No. INF333795

Notice issued to:

Legal name of alleged offender: ROVERA SCAFFOLDING (QLD) PTY LIMITED		
ABN: 18127333402	ACN: 127333402	
Trading as:		
Address: 407 PROGRESS RD WACOL 4076 QLD		
Date of birth:	Gender:	Contact number:
Identification type:	ID number:	

Details of alleged contravention:

Location of offence

BOGGO RD BRISBANE 4000 QLD

I, Rachel Pacheco reasonably believe on 15th November, 2024 at 13:41 you committed an infringement notice offence by contravening a provision of the: Work Health and Safety Regulation 2011 - section 300(2)

Offence code: 9003

Penalty amount $ 3600

Payment must be received within 28 days of the date of this notice unless other available action has been taken (refer to the second page of this notice for relevant information).

Description of the offence:

Rovera Scaffolding (QLD) Pty Ltd have failed to ensure that high risk construction work not being carried out in accordance with the safe work method statement was stopped immediately, or as soon as it was safe to do so, and only resumed once the work was being done in accordance with the safe work method statement.

Issuing inspector:

Rachel Pacheco	[redacted]	[redacted]
Inspector's name	Inspector's Id	Inspector's contact number
20-Nov-2024 13:02	[redacted]	
Date Issued	Inspector's location	

Service Method:	Email

Information about payment options is detailed on the second page of this notice.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the OIR. Note that privacy laws do not apply if other laws conflict, or allow or require the collection of information. Privacy laws also do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions where non-compliance with privacy legislation is necessary to fulfil those functions. OIR's privacy information is located on its website at: **www.worksafe.qld.gov.au/about/privacy.**

What to do next

You have 28 days from the date of the notice to take one of the actions listed below. A reminder notice will not be issued. If you do not act by the due date, your fine will be enforced by the State Penalties Enforcement Registry (SPER).

Your Options	State Penalties Enforcement Registry	State Penalties Enforcement Registry
INFRINGEMENT NOTICE	**ENFORCEMENT ORDER**	**ENFORCEMENT ACTION**
An infringement notice has been issued to you for an alleged offence. You can either: • pay the full amount due • apply for a Voluntary Instalment Plan • take this matter to court.	If you do not take action by the due date your debt will be referred to the State Penalties Enforcement Registry (SPER) without any further warning. SPER will issue an enforcement order for the amount you owe plus an additional fee.	If you do not pay the whole amount or take action by the due date, SPER will take enforcement action against you. SPER may charge you an additional enforcement fee for each action they take.

For information around the current SPER enforcement order and action fees, visit **www.sper.qld.gov.au.**

YOUR OPTIONS

1. Pay the fine in full

Pay online by visiting www.worksafe.qld.gov.au/paymyfine.
Pay by post by returning a copy of this notice with full payment (cheque or money order only) payable to the Office of Industrial Relations, Accounts Receivable, PO Box 820, Lutwyche QLD 4030. **Do not mail cash.**

2. Apply for a Voluntary Instalment Plan

If you cannot pay the full amount by the due date, **and** the fine is **$200 or more,** you may qualify for a payment plan with SPER. To apply, you must make a minimum upfront payment of $60 **by the due date,** using one of the options below. We will refer your outstanding debt to SPER, who will tell you what to do next. Please note that failure to make the repayments to SPER may result in your voluntary instalment plan being cancelled and an enforcement order being issued.
Pay online by visiting www.worksafe.qld.gov.au/paymyfine and select voluntary instalment plan
Pay by post by signing below and return a copy of this notice with a minimum $60 payment (cheque or money order only) payable to the Office of Industrial Relations, Accounts Receivable, PO Box 820, Lutwyche QLD 4030. **Do not mail cash.** Signature: _____ Date: _____

3. Take this matter to court

RECIPIENT'S COPY

FORM 24

V10.04.23

Infringement notice

This notice is issued under the *State Penalties Enforcement Act 1999* section 13 to a person who is contravening or has contravened a provision that has been designated as an offence under the Act or Regulation that may attract an infringement notice. This notice requires the person to whom it is issued to ensure payment by the due date unless other available action is taken (refer to the second page of this notice for relevant information).

Queensland Government

ABN 94 496 188 983

State Penalties Enforcement Act 1999

Notice No. INF334073

Notice issued to:

Legal name of alleged offender: KONE ELEVATORS PTY LTD		
ABN: 47000142423	ACN:	
Trading as:		
Address: 40 CAMPBELL ST BOWEN HILLS 4006 QLD		
Date of birth:	Gender:	Contact number:
Identification type:	ID number:	

Details of alleged contravention:

Location of offence

BOGGO RD BRISBANE 4000 QLD

I, Rachel Pacheco reasonably believe on 26th November, 2024 at 12:00 you committed an infringement notice offence by contravening a provision of the: Work Health and Safety Regulation 2011 - section 300(2)

Offence code: 9003

Penalty amount $ 3600

Payment must be received within 28 days of the date of this notice unless other available action has been taken (refer to the second page of this notice for relevant information).

Description of the offence:

Kone Elevators failed to ensure that high risk construction work not being carried out in accordance with the safe work method statement was stopped immediately, or as soon as it was safe to do so, and only resumed once the work was being done in accordance with the safe work method statement

Issuing inspector:

Rachel Pacheco	[redacted]	[redacted]
Inspector's name	Inspector's Id	Inspector's contact number
26-Nov-2024 14:50	[redacted]	
Date Issued	Inspector's location	

Service Method:	Email

Information about payment options is detailed on the second page of this notice.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the OIR. Note that privacy laws do not apply if other laws conflict, or allow or require the collection of information. Privacy laws also do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions where non-compliance with privacy legislation is necessary to fulfil those functions. OIR's privacy information is located on its website at: **www.worksafe.qld.gov.au/about/privacy.**

What to do next

You have 28 days from the date of the notice to take one of the actions listed below. A reminder notice will not be issued. If you do not act by the due date, your fine will be enforced by the State Penalties Enforcement Registry (SPER).

Your Options	State Penalties Enforcement Registry	State Penalties Enforcement Registry
INFRINGEMENT NOTICE	**ENFORCEMENT ORDER**	**ENFORCEMENT ACTION**
An infringement notice has been issued to you for an alleged offence. You can either: • pay the full amount due • apply for a Voluntary Instalment Plan • take this matter to court.	If you do not take action by the due date your debt will be referred to the State Penalties Enforcement Registry (SPER) without any further warning. SPER will issue an enforcement order for the amount you owe plus an additional fee.	If you do not pay the whole amount or take action by the due date, SPER will take enforcement action against you. SPER may charge you an additional enforcement fee for each action they take.

For information around the current SPER enforcement order and action fees, visit **www.sper.qld.gov.au.**

YOUR OPTIONS

1. Pay the fine in full

Pay online by visiting www.worksafe.qld.gov.au/paymyfine.
Pay by post by returning a copy of this notice with full payment (cheque or money order only) payable to the Office of Industrial Relations, Accounts Receivable, PO Box 820, Lutwyche QLD 4030. **Do not mail cash.**

2. Apply for a Voluntary Instalment Plan

If you cannot pay the full amount by the due date, **and** the fine is **$200 or more,** you may qualify for a payment plan with SPER. To apply, you must make a minimum upfront payment of $60 **by the due date,** using one of the options below. We will refer your outstanding debt to SPER, who will tell you what to do next. Please note that failure to make the repayments to SPER may result in your voluntary instalment plan being cancelled and an enforcement order being issued.
Pay online by visiting www.worksafe.qld.gov.au/paymyfine and select voluntary instalment plan
Pay by post by signing below and return a copy of this notice with a minimum $60 payment (cheque or money order only) payable to the Office of Industrial Relations, Accounts Receivable, PO Box 820, Lutwyche QLD 4030. **Do not mail cash.** Signature: _____ Date: _____

3. Take this matter to court

RECIPIENT'S COPY

FORM 24

V10.04.23

Infringement notice

This notice is issued under the *State Penalties Enforcement Act 1999* section 13 to a person who is contravening or has contravened a provision that has been designated as an offence under the Act or Regulation that may attract an infringement notice. This notice requires the person to whom it is issued to ensure payment by the due date unless other available action is taken (refer to the second page of this notice for relevant information).

Queensland Government

ABN 94 496 188 983

State Penalties Enforcement Act 1999

Notice No.

Notice issued to:

Legal name of alleged offender: CPB CONTRACTORS PTY LIMITED		
ABN: 98000893667	ACN:	
Trading as:		
Address: HQ SOUTH TOWER 520 WICKHAM ST FORTITUDE VALLEY 4006 QLD		
Date of birth:	Gender:	Contact number:
Identification type:	ID number:	

Details of alleged contravention:

Location of offence

JOE BAKER ST DUTTON PARK 4102 QLD

I, Gary Stanley reasonably believe on 27th November, 2024 at 10:37 you committed an infringement notice offence by contravening a provision of the: Work Health and Safety Regulation 2011 - section 299(1)

Offence code: 9001

Penalty amount $ 3600

Payment must be received within 28 days of the date of this notice unless other available action has been taken (refer to the second page of this notice for relevant information).

Description of the offence:

CPB failed to ensure that a safe work method statement for high-risk construction work was prepared before the work commenced

Issuing inspector:

Gary Stanley	[redacted]	[redacted]
Inspector's name	Inspector's Id	Inspector's contact number
27-Nov-2024 10:37	[redacted]	
Date Issued	Inspector's location	

Service Method:	Email

Information about payment options is detailed on the second page of this notice.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the OIR. Note that privacy laws do not apply if other laws conflict, or allow or require the collection of information. Privacy laws also do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions where non-compliance with privacy legislation is necessary to fulfil those functions. OIR's privacy information is located on its website at: **www.worksafe.qld.gov.au/about/privacy.**

What to do next

You have 28 days from the date of the notice to take one of the actions listed below. A reminder notice will not be issued. If you do not act by the due date, your fine will be enforced by the State Penalties Enforcement Registry (SPER).

Your Options	State Penalties Enforcement Registry	State Penalties Enforcement Registry
INFRINGEMENT NOTICE	**ENFORCEMENT ORDER**	**ENFORCEMENT ACTION**
An infringement notice has been issued to you for an alleged offence. You can either: • pay the full amount due • apply for a Voluntary Instalment Plan • take this matter to court.	If you do not take action by the due date your debt will be referred to the State Penalties Enforcement Registry (SPER) without any further warning. SPER will issue an enforcement order for the amount you owe plus an additional fee.	If you do not pay the whole amount or take action by the due date, SPER will take enforcement action against you. SPER may charge you an additional enforcement fee for each action they take.

For information around the current SPER enforcement order and action fees, visit **www.sper.qld.gov.au.**

YOUR OPTIONS

1. Pay the fine in full

Pay online by visiting www.worksafe.qld.gov.au/paymyfine.

Pay by post by returning a copy of this notice with full payment (cheque or money order only) payable to the Office of Industrial Relations, Accounts Receivable, PO Box 820, Lutwyche QLD 4030. **Do not mail cash.**

2. Apply for a Voluntary Instalment Plan

If you cannot pay the full amount by the due date, **and** the fine is **$200 or more,** you may qualify for a payment plan with SPER.

To apply, you must make a minimum upfront payment of $60 **by the due date,** using one of the options below. We will refer your outstanding debt to SPER, who will tell you what to do next. Please note that failure to make the repayments to SPER may result in your voluntary instalment plan being cancelled and an enforcement order being issued.

Pay online by visiting www.worksafe.qld.gov.au/paymyfine and select voluntary instalment plan

Pay by post by signing below and return a copy of this notice with a minimum $60 payment (cheque or money order only) payable to the Office of Industrial Relations, Accounts Receivable, PO Box 820, Lutwyche QLD 4030. **Do not mail cash.**

Signature: _____ Date: _____

3. Take this matter to court

You may elect to have the matter heard in court. If you wish to have this matter heard in court, complete the form online by visiting www.worksafe.qld.gov.au/courtelection within 28 days from the date of service of this Infringement notice. You are responsible for

RECIPIENT'S COPY

Form 13

V1.3.18

Improvement notice

Queensland Government

ABN 94 496 188 983

Work Health and Safety Act 2011
Safety in Recreational Water Activities Act 2011
Electrical Safety Act 2002

This notice is issued under the Work Health and Safety Act 2011 section 191, Safety in Recreational Water Activities Act 2011 applied section 191 Work Health and Safety Act 2011, or Electrical Safety Act 2002 section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued (improvement notice recipient) to remedy a contravention of the relevant Act or Regulation. The legislation requires that the improvement notice recipient must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or the part of the workplace at which work is being carried out that is affected by the notice.

Notice No. IMP334226

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED	
ABN: 98000893667	ACN: -
Trading as: -	
Address: HQ SOUTH TOWER LVL 6 520 WICKHAM ST FORTITUDE VALLEY 4006 QLD	

Details of contravention:

Site location

600 GREGORY TCE BOWEN HILLS 4006 QLD -

I, RACHEL PACHECO reasonably believe on 28/Nov/2024 8:50 that you are contravening a provision of the: Work Health and Safety Regulation 2011 Section 66(1)

Brief description of how the provision is being or has been contravened:

CPB Contractors Pty Ltd have failed to ensure under part 3.1, they manage risks to health and safety associated with a confined space at a workplace including risks associated with entering, working in, on or in the vicinity of the confined space (including a risk of a person inadvertently entering the confined space). Observed a confined space works where workers were working under the PC's control (PC supplied SWMS/Rescue Plan/Permit) performing patching works in a drainage pit - line 265. Workers did not have current/adequate competencies to perform confined space work, the supplied SWMS was not being adhered to, the area had not been adequately secured/delineated/ signed, the rescue plan was unknown by the workers and unable to be produced by the workers at the confined space. The PC's procedures were reviewed and had not been adhered to and the permit system not properly followed to verify workers competency and training before allowing the works to start. Workers if left to work in the confined space in its current situation are at risk of an injury.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:

It is mandatory to comply with these directions

-

Recommendations (if any):

It is not an offence to fail to comply with recommendations in a notice

For further information see Confined Space Code of Practice 2021

Issuing inspector:

RACHEL PACHECO [redacted] [redacted]

Inspector's name	Inspector's Id	Inspector's contact number
28-Nov-2024 14:52	-	
Date Issued	Inspector's location	

This contravention must be remedied before: **Service method:**

07-Dec-2024	Email
CPB CONTRACTORS PTY LIMITED	Primary duty holder
Notice given to	Relationship to person to whom notice is issued

---

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name in block letters:		Position:	
Signature:		Date complied:	

ABN 94 496 188 983

Internal review of decision

An eligible person whose interests are affected by an original decision may apply for the decision to be reviewed. Refer to the Internal review of decision – guide for applicants, at www.worksafe.qld.gov.au

An eligible person is:

1. The person to whom the notice was issued.

2. A person conducting a business or undertaking whose interests are affected by the decision.

3. A worker whose interests are affected by the decision.

4. A health and safety representative who represents a worker whose interests are affected by the decision.

How does a person apply for a review of a decision?

The application for internal review must:

a) be made in the approved form to the reviewer

b) supported by enough information to enable the reviewer to decide the application

An application for internal review relating to an improvement notice issued under the Work Health and Safety Act 2011 and the Safety in Recreational Water Activities Act 2011 must be lodged before the date stated in the notice for compliance or within 14 calendar days of the decision coming to the notice of the eligible person, whichever is the lesser.

For an improvement notice issued under the Electrical Safety Act 2002, the application for internal review must be made within 14 days after the day the applicant receives the notice.

RECIPIENT'S COPY

FORM 24

V10.04.23

Infringement notice

This notice is issued under the *State Penalties Enforcement Act 1999* section 13 to a person who is contravening or has contravened a provision that has been designated as an offence under the Act or Regulation that may attract an infringement notice. This notice requires the person to whom it is issued to ensure payment by the due date unless other available action is taken (refer to the second page of this notice for relevant information).

Queensland Government

ABN 94 496 188 983

State Penalties Enforcement Act 1999

Notice No. INF334230

Notice issued to:

Legal name of alleged offender: CPB CONTRACTORS PTY LIMITED		
ABN: 98000893667	ACN:	
Trading as:		
Address: HQ SOUTH TOWER LVL 6 520 WICKHAM ST FORTITUDE VALLEY 4006 QLD		
Date of birth:	Gender:	Contact number:
Identification type:	ID number:	

Details of alleged contravention:

Location of offence

600 GREGORY TCE BOWEN HILLS 4006 QLD

I, Rachel Pacheco reasonably believe on 28th November, 2024 at 10:30 you committed an infringement notice offence by contravening a provision of the: Work Health and Safety Regulation 2011 - section 300(2)

Offence code: 9003

Penalty amount $ 3600

Payment must be received within 28 days of the date of this notice unless other available action has been taken (refer to the second page of this notice for relevant information).

Description of the offence:

CPB Contractors Pty Ltd have failed to ensure that high risk construction work not being carried out in accordance with the safe work method statement was stopped immediately, or as soon as it was safe to do so, and only resumed once the work was being done in accordance with the safe work method statement.

Issuing inspector:

Rachel Pacheco	[redacted]	[redacted]
Inspector's name	Inspector's Id	Inspector's contact number
28-Nov-2024 14:44	[redacted]	
Date Issued	Inspector's location	

Service Method:	Email

Information about payment options is detailed on the second page of this notice.

PRIVACY COLLECTION STATEMENT
The Office of Industrial Relations (OIR) collects, uses, discloses and stores information in accordance with legislation it administers and all applicable privacy laws. This includes information collected by inspectors of the OIR. Note that privacy laws do not apply if other laws conflict, or allow or require the collection of information. Privacy laws also do not apply to the collection of information by the OIR to the extent that it is exercising its law enforcement functions where non-compliance with privacy legislation is necessary to fulfil those functions. OIR's privacy information is located on its website at: **www.worksafe.qld.gov.au/about/privacy.**

What to do next

You have 28 days from the date of the notice to take one of the actions listed below. A reminder notice will not be issued. If you do not act by the due date, your fine will be enforced by the State Penalties Enforcement Registry (SPER).

Your Options	State Penalties Enforcement Registry	State Penalties Enforcement Registry
INFRINGEMENT NOTICE	**ENFORCEMENT ORDER**	**ENFORCEMENT ACTION**
An infringement notice has been issued to you for an alleged offence. You can either: • pay the full amount due • apply for a Voluntary Instalment Plan • take this matter to court.	If you do not take action by the due date your debt will be referred to the State Penalties Enforcement Registry (SPER) without any further warning. SPER will issue an enforcement order for the amount you owe plus an additional fee.	If you do not pay the whole amount or take action by the due date, SPER will take enforcement action against you. SPER may charge you an additional enforcement fee for each action they take.

For information around the current SPER enforcement order and action fees, visit **www.sper.qld.gov.au.**

YOUR OPTIONS

1. Pay the fine in full

Pay online by visiting www.worksafe.qld.gov.au/paymyfine.
Pay by post by returning a copy of this notice with full payment (cheque or money order only) payable to the Office of Industrial Relations, Accounts Receivable, PO Box 820, Lutwyche QLD 4030. **Do not mail cash.**

2. Apply for a Voluntary Instalment Plan

If you cannot pay the full amount by the due date, **and** the fine is **$200 or more,** you may qualify for a payment plan with SPER. To apply, you must make a minimum upfront payment of $60 **by the due date,** using one of the options below. We will refer your outstanding debt to SPER, who will tell you what to do next. Please note that failure to make the repayments to SPER may result in your voluntary instalment plan being cancelled and an enforcement order being issued.
Pay online by visiting www.worksafe.qld.gov.au/paymyfine and select voluntary instalment plan
Pay by post by signing below and return a copy of this notice with a minimum $60 payment (cheque or money order only) payable to the Office of Industrial Relations, Accounts Receivable, PO Box 820, Lutwyche QLD 4030. **Do not mail cash.** Signature: _____ Date: _____

3. Take this matter to court

Form 13

V1.3.18

Improvement notice

Queensland Government

ABN 94 496 188 983

Work Health and Safety Act 2011
Safety in Recreational Water Activities Act 2011
Electrical Safety Act 2002

This notice is issued under the Work Health and Safety Act 2011 section 191, Safety in Recreational Water Activities Act 2011 applied section 191 Work Health and Safety Act 2011, or Electrical Safety Act 2002 section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued (improvement notice recipient) to remedy a contravention of the relevant Act or Regulation. The legislation requires that the improvement notice recipient must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or the part of the workplace at which work is being carried out that is affected by the notice.

Notice No. IMP334413

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED	
ABN: 98000893667	ACN: -
Trading as: -	
Address: HQ SOUTH TOWER LVL 6 520 WICKHAM ST FORTITUDE VALLEY 4006 QLD	

Details of contravention:

Site location

ROMA STREET STATION ROMA ST BRISBANE CITY 4000 QLD -

I, RACHEL PACHECO reasonably believe on 03/Dec/2024 13:15 that you are contravening a provision of the: Work Health and Safety Act 2011 Section 19(1)

Brief description of how the provision is being or has been contravened:

CPB Contractors Pty Ltd have failed to ensure, so far as is reasonably practicable, the health and safety of (a) workers engaged, or caused to be engaged by the person; and (b) workers whose activities in carrying out work are influenced or directed by the person, while the workers are at work in the business or undertaking. Observed an access point on level B6 allowing access to the culverts on level B7 signed as a 'Restricted Space' for workers to perform required work tasks. I observed 2 workers had signed into the space but were unable to be located, further investigation revealed workers were not in the culvert but were still signed in and partially completed the check sheet. The access requires workers to sign in and out of an Under Platform Access Entry Log & Check sheet, use a scaffold/ladder entry point and have a spotter in place to perform a rescue if required. Upon further investigation, no procedure was in place and no training could be produced for workers involved to complete the task or adequately perform a rescue safely and without delay.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:

It is mandatory to comply with these directions

-

Recommendations (if any):

It is not an offence to fail to comply with recommendations in a notice

-

Issuing inspector:

RACHEL PACHECO	[redacted]	[redacted]
Inspector's name	Inspector's Id	Inspector's contact number

03-Dec-2024 15:00	-
Date Issued	Inspector's location

This contravention must be remedied before: **Service method:**

21-Dec-2024	Email
CPB CONTRACTORS PTY LIMITED	Primary duty holder
Notice given to	Relationship to person to whom notice is issued

---

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name in block letters:		Position:	
Signature:		Date complied:	

ABN 94 496 188 983

Internal review of decision

An eligible person whose interests are affected by an original decision may apply for the decision to be reviewed. Refer to the Internal review of decision – guide for applicants, at www.worksafe.qld.gov.au

An eligible person is:

1. The person to whom the notice was issued.

2. A person conducting a business or undertaking whose interests are affected by the decision.

3. A worker whose interests are affected by the decision.

4. A health and safety representative who represents a worker whose interests are affected by the decision.

How does a person apply for a review of a decision?

The application for internal review must:

a) be made in the approved form to the reviewer

b) supported by enough information to enable the reviewer to decide the application

An application for internal review relating to an improvement notice issued under the Work Health and Safety Act 2011 and the Safety in Recreational Water Activities Act 2011 must be lodged before the date stated in the notice for compliance or within 14 calendar days of the decision coming to the notice of the eligible person, whichever is the lesser.

For an improvement notice issued under the Electrical Safety Act 2002, the application for internal review must be made within 14 days after the day the applicant receives the notice.

Form 13

V1.3.18

Improvement notice

Queensland Government

ABN 94 496 188 983

Work Health and Safety Act 2011
Safety in Recreational Water Activities Act 2011
Electrical Safety Act 2002

This notice is issued under the Work Health and Safety Act 2011 section 191, Safety in Recreational Water Activities Act 2011 applied section 191 Work Health and Safety Act 2011, or Electrical Safety Act 2002 section 146. This notice requires the person (which includes a body corporate, government department or public authority) to whom it is issued (improvement notice recipient) to remedy a contravention of the relevant Act or Regulation. The legislation requires that the improvement notice recipient must, as soon as possible, display a copy of the notice in a prominent place at or near the workplace, or the part of the workplace at which work is being carried out that is affected by the notice.

Notice No. IMP334414

Notice issued to:

Legal name of person/business or undertaking: CPB CONTRACTORS PTY LIMITED	
ABN: 98000893667	ACN: -
Trading as: -	
Address: HQ SOUTH TOWER LVL 6 520 WICKHAM ST FORTITUDE VALLEY 4006 QLD	

Details of contravention:

Site location

ROMA STREET STATION ROMA ST BRISBANE CITY 4000 QLD -

I, RACHEL PACHECO reasonably believe on 03/Dec/2024 11:30 that you are contravening a provision of the: Electrical Safety Regulation 2013 Section 104(1)

Brief description of how the provision is being or has been contravened:

CPB Contractors Pty Ltd have failed to ensure that all electrical equipment for the performance of work complies with the requirements of AS/NZS 3012 (Electrical installations- Construction and demolition sites). Observed a construction site for Roma Street Cross River Rail Project where a large number of electrical items were found to have out of date electrical test tags. Also observed domestic power boards being used in the site offices within the construction site. Items observed were (but not limited to): kitchen equipment, computers and office equipment, fans, pipe cutter and extension leads. The electrical items were found throughout the construction site. Workers are exposed to the risks of an electrical injury with equipment not checked by a competent person and tagged for electrical safety.

Directions (if any) as to the measures to be taken to remedy or prevent the contravention or likely contravention:

It is mandatory to comply with these directions

-

Recommendations (if any):

It is not an offence to fail to comply with recommendations in a notice

-

Issuing inspector:

RACHEL PACHECO	[redacted]	[redacted]
Inspector's name	Inspector's Id	Inspector's contact number
03-Dec-2024 15:00	-	
Date Issued	Inspector's location	

This contravention must be remedied before:	Service method:
10-Dec-2024	Email
CPB CONTRACTORS PTY LIMITED Notice given to	Primary duty holder Relationship to person to whom notice is issued

---

This portion may be signed and returned where contravention has been remedied before the stated date.
I certify that the requirements of this notice have been complied with:

Name in block letters:		Position:	
Signature:		Date complied:	

ABN 94 496 188 983

Internal review of decision

An eligible person whose interests are affected by an original decision may apply for the decision to be reviewed. Refer to the Internal review of decision – guide for applicants, at www.worksafe.qld.gov.au

An eligible person is:

1. The person to whom the notice was issued.

2. A person conducting a business or undertaking whose interests are affected by the decision.

3. A worker whose interests are affected by the decision.

4. A health and safety representative who represents a worker whose interests are affected by the decision.

How does a person apply for a review of a decision?

The application for internal review must:

a) be made in the approved form to the reviewer

b) supported by enough information to enable the reviewer to decide the application

An application for internal review relating to an improvement notice issued under the Work Health and Safety Act 2011 and the Safety in Recreational Water Activities Act 2011 must be lodged before the date stated in the notice for compliance or within 14 calendar days of the decision coming to the notice of the eligible person, whichever is the lesser.

For an improvement notice issued under the Electrical Safety Act 2002, the application for internal review must be made within 14 days after the day the applicant receives the notice.

Lodgement of the form can be made via email whsrod@oir.qld.gov.au . Information about how to apply for an internal review of decision, including the application form, is available at www.worksafe.qld.gov.au or by calling 1300 362 128. There is no application fee.